

J-0200000-19 Areas Requiring Special Attention at the National Naval Medical Center (NNMC)

Radiology Rooms at the National Naval Medical Center (NNMC)

Ref: (a) NNMCINST 6470.3D dtd 03 Jan 2005

- Per reference (a) all staff members at NNMC shall be aware of the principles of ALARA (time, distance, and shielding) as it applies to ionizing radiation. These principles shall apply to contractors working on-site at NNMC. Contractors shall minimize the time around ionizing radiation, maximize the distance from the source of ionizing radiation, and maximize the shielding between the sources of ionizing radiation. Contractors shall be aware of the areas within the command that have radioactive sources or equipment that produce ionizing radiation such as Nuclear Medicine, Radiation Oncology, Radiology, Orthopedics, Urology, Gastroenterology, Main Operating Room, Pain Clinic, Dental NCI, etc., and not malingering in these spaces. Contractors should be able to recognize the radioactive material labels or tri-foil symbols. Contractors should receive initial and annual radiation safety awareness training.
- The following departments & rooms should receive special consideration by contractors if work is required in or around the space:

Dept/Facility	Bldg.No.	Rooms	Special Consideration
Nuclear Medicine	9	0755, 0756, 0757, 0758, 0759, 0760, 0761, 0776, 0779, 0799, 0780, 0801, 0802, 0803	Typical work: Do not enter rooms that have tri-foil symbol except under escort. Emergencies: Enter room using ALARA principles during emergency and contact radiation safety staff before leaving area.
NCI	8	4151, 4153, 4154, 5112A-J, 5125, 5126, 5129, 5130A, 5130B, 5131, 6109, 6111, 6115, 6115A, 6117, 6124, 6126 & 6127	Typical work: Do not enter rooms that have tri-foil symbol except under escort. Emergencies: Enter room using ALARA principles during emergency and contact radiation safety staff before leaving area.
MOAT	55	R-14-A (MOAT)	Typical work: Do not enter rooms that have tri-foil symbol except under escort. Emergencies: Enter room using ALARA principles during emergency and contact radiation safety staff before leaving area.
Radiation Safety	9	797	Typical work: Do not enter rooms that have tri-foil symbol except under escort. Emergencies: Enter room using ALARA principles during emergency and contact radiation safety staff before leaving area.

5 West	10	5185, 5183	Typical work: Do not enter rooms that have tri-foil symbol except under escort. Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required. Emergencies: Enter room using ALARA principles during emergency and contact radiation safety staff before leaving area.
Main OR	9	3405, 3409, 3411, 3415, 3417, 3418	Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Radiation Oncology	9	0706, 0707, 0748	Typical work: Do not enter rooms that have tri-foil symbol except under escort. Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required. Emergencies: Enter room using ALARA principles during emergency and contact radiation safety staff before leaving area.
Orthopedics	9	1542, 1544	Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Radiology	9	0708, 0716, 0762, 0764, 1762, 1766, 1770, 1782, 1781, 1811, 1812, 1816, 1830, 1833, 1838, 1841, 1877, 3625, 3627	Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Radiology	10	4139, 4140, 4142, 4144, 4146, 4148	Wall integrity must be maintained. Contact radiation safety staff if drilling or nailing is required.
Cardiology	9	3610, 3614	Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Urology	9	2714, 2716, 2740, 2741, 2744, 2748	Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Dental	9	2527	Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Dental	1	2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2553	Wall integrity must be maintained. Contact radiation safety staff if drilling or nailing is required.
Dental	2	2412, 2413, 2417, 2416, 2628, 2629, 2552	Wall integrity must be maintained. Contact radiation safety staff if drilling or nailing is required.
Gastroenterology	9		Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.
Pain Clinic	10		Walls are lined with lead shielding. Contact radiation safety staff if drilling or nailing is required.

3. Radiation Safety Staff can be contracted at (301) 295-1043 during normal working hours as applicable. The on-call radiation safety staff pager will be paged by dialing the (301) 295-1043 phone number after-hours. The command duty office is trained to contact radiation safety in radiation emergencies.