


PLANT MATERIAL SCHEDULE


	KEY	BOTANICAL NAME	COMMON NAME	QTY	HEIGHT	SPREAD	CALIPER	DETAIL	SIZE	REMARKS
TREES	ZEL SER 'GV'	ZELKOVA SERRATA 'GREEN VASE'	GREEN VASE JAPANESE ZELKOVA	11	14-16'	6-8'	3" MIN.	A5 & C5	BALL AND BURLAP	FULL BRANCHING, REGULAR SHAPE, 4' CLEAR TRUNK
	QUE PHE	QUERCUS PHELLOS	WILLOW OAK	5	14-16'	6-8'	3" MIN.	A5 & C5	BALL AND BURLAP	FULL BRANCHING, REGULAR SHAPE, 4' CLEAR TRUNK
	ACE BUE	ACER BUERGERIANUM	TRIDENT MAPLE	10	12-14'	4-6'	3" MIN.	A5 & C5	BALL AND BURLAP	FULL BRANCHING, REGULAR SHAPE, 4' CLEAR TRUNK
	MAG VIR	MAGNOLIA VIRGINIANA	SWEETBAY MAGNOLIA	7	10-12'	4-6'	2.5" MIN.	A5 & C5	BALL AND BURLAP	FULL BRANCHING, REGULAR SHAPE, SINGLE 4' CLEAR TRUNK
SHRUBS/ GROUNDCOVERS	LIG SUW	LIGUSTRUM X 'SUWANNEE RIVER'	SUWANNEE RIVER PRIVET	54	30"	24"		A3	3 GALLON	PLANT 4'-0" O.C.
	LIR SPI	LIRIOPE SPICATA	CREEPING LILY-TURF	1400	10"	12"		B3	1 GALLON	PLANT 16" O.C.
TURF	CYN DAC	CYNODON DACTYLON 'TIFWAY 419'	TIFWAY 419--BURMUDA	AS REQ'D					SOD	SOD AREA AS SHOWN ON PLANS

PLANTING NOTES


- ALL PLANTING BEDS WITH SLOPES LESS THAN 2:1 SHALL RECEIVE A MINIMUM 3" THICK LAYER OF HARDWOOD BARK MULCH UNLESS OTHERWISE NOTED. (SUBMIT 1/4 C.F. SAMPLE FOR APPROVAL)
- ALL PLANT MATERIALS SHALL BE SPOTTED IN-PLACE BY THE CONTRACTING OFFICER PRIOR TO CONTRACTOR DIGGING THE PLANTING PITS. CONTRACTOR SHALL NOTIFY THE CONTRACTING OFFICER 10 WORKING DAYS PRIOR TO DELIVERY OF PLANT MATERIALS.
- ALL ROCK AND DEBRIS LARGER THAN ONE INCH (1") SHALL BE REMOVED FROM THE SIDES, BOTTOM, AND BACKFILL SOIL OF THE PLANTING PITS OF ALL PLANT MATERIALS. DISPOSE OF ALL DEBRIS OFF SITE.
- ROOT BARRIERS SHALL BE INSTALLED PER DETAIL ON THIS SHEET FOR ALL TREES LOCATED WITHIN 8'-0" IN ANY DIRECTION OF ADJACENT HARDSCAPE OR AS INDICATED ON THE PLANT MATERIAL SCHEDULE. ROOT BARRIER SHALL EXTEND LINEAR ALONG FACE OF ADJACENT HARDSCAPE FOR A DISTANCE OF 8'-0" ON EACH SIDE OF TREE TRUNK. DO NOT ENCIRCLE TREE. ROOT BARRIERS SHALL BE .90" (MIN) THICK X 24" DEEP, LINEAR TYPE WITH INTERLOCKING ENDS. MUST CONTAIN ULTRA-VIOLET (UV) INHIBITORS AND HAVE A 3/8" (MIN.) WIDE T-TOP EDGE AND GROUND ANCHORING FLANGE. NDS (#EP-2450) OR APPROVED EQUAL.
- CONTRACTOR SHALL SUBMIT A MINIMUM OF (3) 1-PINT SOIL SAMPLES (2 IN TURF AREAS AND 1 IN PLANTING BEDS) FOR AGRICULTURAL SUITABILITY SOILS TESTING (STANDARD TEST A05-N) AT A QUALIFIED SOILS TESTING LABORATORY. COLLECT SOIL SAMPLES WITHIN PROPOSED PLANTING AREAS (PA), AFTER THE COMPLETION OF GRADING OPERATIONS. KEEP TURF AREA AND SHRUB/GROUND COVER AREA SAMPLES SEPARATE. PROVIDE (1) COPY OF THE SOIL REPORTS AND RECOMMENDATIONS TO THE CONTRACTING OFFICER PRIOR TO CARRYING OUT CORRECTIVE MEASURES PER THE ANALYSIS.
- FINAL LOCATION OF STEEL EDGING SHALL BE COORDINATED WITH LANDSCAPE ARCHITECT AND CONTRACTING OFFICER.
- CONTRACTOR SHALL MAINTAIN ALL PLANTING AREAS FOR A PERIOD OF ONE YEAR AND A MINIMUM OF ONE COMPLETE GROWING SEASON.




C5 ROOT BARRIER
NO SCALE




B3 PLANT SPACING
NO SCALE



A5 TREE STAKING
NO SCALE



A2 STEEL EDGING DETAIL
NO SCALE



A3 SHRUB PLANTING
NO SCALE

APPROVED	DATE	APPR
FOR COMMANDER NAVFAC	DESCRIPTION	SYM
ACTIVITY	SCALE	
SATISFACTORY TO DATE		
DES: MWL	DRN: MWL	CHK:
ENV/DM: M. PERRY/L. SANDERS		
BRANCH MANAGER		
CHIEF ENG/ARCH		
FIRE PROTECTION		
DEPARTMENT OF THE NAVY	NAVAL FACILITIES ENGINEERING COMMAND	NORFOLK, VIRGINIA
NAVAL FACILITIES ENGINEERING COMMAND - MID-ATLANTIC	NAVAL STATION - NORFOLK, VIRGINIA	
NAVAL STATION NORFOLK		
FY 2016 P-518		
MH-60 AVET TRAINING FACILITY		
PLANT MATERIAL SCHEDULE, DETAILS AND NOTES		
SCALE		
PROJECT NO.: 1291639		
CONSTR. CONTR. NO.		
NAVFAC DRAWING NO. 12701634		
SHEET 38 OF 109		
LP501		
DRAWING REVISION: 10 MARCH 2009		

FILE NAME: P:\VA\NavalStationNorfolk\MILCON\2016_1291639_P-518_DBB_MH-60_AVET_Training_Facility\B_Design\Drawings\Sheet Files\06_Landscape\Drawings\Sheet Files\06_LP_Support.dwg LAYOUT NAME: LP501 - PLOTTED: Thursday, September 24, 2015 - 6:45pm USER: toylegould