

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT				1. CONTRACT ID CODE	PAGE OF PAGES	
				J	1	3
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 22-Jul-2011	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)		
6. ISSUED BY CODE NSWCDD ATTN: CXS12-9/C. THOMAS CANDICE.THOMAS@NAVY.MIL 17632 DAHLGREN ROAD STE 157 DAHLGREN VA 22448-5110		7. ADMINISTERED BY (If other than item 6) See Item 6		CODE		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X	9A. AMENDMENT OF SOLICITATION NO. N00178-11-R-2008	
				X	9B. DATED (SEE ITEM 11) 06-Jul-2011	
					10A. MOD. OF CONTRACT/ORDER NO.	
					10B. DATED (SEE ITEM 13)	
CODE				FACILITY CODE		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS						
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.						
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.						
12. ACCOUNTING AND APPROPRIATION DATA (If required)						
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.						
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.						
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).						
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:						
D. OTHER (Specify type of modification and authority)						
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.						
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)						
The purpose of this amendment is to answer questions submitted by vendors and make changes to Sections B and F, and Exhibits B and E						
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.						
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
				TEL: _____ EMAIL: _____		
15B. CONTRACTOR/OFFEROR (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 22-Jul-2011		

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

QUESTIONS AND ANSWERS

1. We assume Exhibit B, Item No. B003, ACO, P/N: 69000-501-1 is a typo and should be P/N: 69000-501-11.

ANSWER: That is correct. Exhibit B has been updated to list the P/N as 69000-501-11.

2. We currently do not have any drawings (vendor or otherwise) referencing part numbers M2200-BSE-SB-1-R for CLIN 0002AA and M2100-FE-USE-SB-1-R for CLIN 0002AB. We would like clarification that these part numbers refer to the BSE and USE Rack Mountable Switches with associated Brackets. If this is not the case and the part numbers are listed correctly as defined, please advise as to exactly what these part numbers represent.

ANSWER: The part numbers provided in SLINs 0002AA and 0002AB refer to the BSE and USE Rack Mountable Switches with associated Brackets.

3. There is a CLIN (0007) for INCO Repair of items delivered under CLIN 0001. However, there is no specific CLIN identified in the proposal SOW for a similar effort associated with hardware delivered under CLIN 0002. Is this an oversight or will there in fact be no INCO repair of GEDMS hardware failures during the installation and checkout period for the DDG 51 LBES?

ANSWER: There is no repair CLIN intended in support of CLIN 0002.

4. Although the "SHIP TO ADDRESS" for the various items specified for delivery under this contract have yet to be specified, is it safe to assume that none of these shipping destinations will require the contractor to use "heat treated wood," similar to the that used in the construction of shipping containers for GEDMS units delivered to the Australian AWD Program under the GEDMS Modernization (Lot 2) production contract?

ANSWER: No pressure treated wood will be required.

5. Is it correct to interpret that the INCO period for the Aegis Ashore installation spans the same timeframe as the POP specified in CLIN 0007; that being February 1, 2013 to January 31, 2014.

ANSWER: For CLIN 0007, the POP specified in Section F should be 01-APR-2012 TO 31-MAR-2013 and the Option Exercise Date in Section B should be 01 April 2012. Sections B and F have been updated to reflect this change.

6. Exhibit E if the RFP identifies the items to be delivered for CLIN 0001AG. Item numbers E033 and E033A identify two sets of GEDMS IOU Flex Cables. Does the government want to procure both items (i.e., both Item No. E033 and E033A), or just one set (i.e. Item No. E033 or E033A)?

ANSWER: The intent is for the contractor to deliver either E033 or E033A, not both. Exhibit E is has been updated to provide this clarification.

7. Paragraph 3.13 of the RFP suggests the contractor may be performing "shipboard tasking." It is not apparent what CLIN will require shipboard tasking, if any. Can you please provide clarification of what is intended with this requirement.

ANSWER: The intent is to cover any possible need for site or shipboard visits in support of the manufacture or repair of hardware.

8. Is there a page limit to the Technical Proposal (Volume II)?

ANSWER: No.

SECTION B - SUPPLIES OR SERVICES AND PRICES

CLIN 0007

The CLIN extended description has changed FROM "In support of CLIN 0001 Aegis Ashore in accordance with the Statement of Work in Section C. Option Exercise Date is 01 February 2013. T&M labor rates will be negotiated with the Administrative Contracting Officer." TO "In support of CLIN 0001 Aegis Ashore in accordance with the Statement of Work in Section C. Option Exercise Date is 01 April 2012. T&M labor rates will be negotiated with the Administrative Contracting Officer."

SECTION F - DELIVERIES OR PERFORMANCE

The following Delivery Schedule item for CLIN 0007 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
POP 01-FEB-2013 TO 31-JAN-2014	N/A	N/A FOB: N/A	

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
POP 01-APR-2012 TO 31-MAR-2013	N/A	N/A FOB: N/A	

SECTION J - LIST OF DOCUMENTS, EXHIBITS AND OTHER ATTACHMENTS

The following Exhibits are modified and attached to this Amendment:

- 1.) Exhibit B – The Part No. for Item No. B003 has been changed from 69000-501-1 to 69000-501-11.
- 2.) Exhibit E – Specifies that the contractor is to deliver either E033 or E033A; not both.

(End of Summary of Changes)

EXHIBIT B
INPUT/OUTPUT MODULE REQUIREMENTS IN SUPPORT AEGIS ASHORE
CLIN 0001AD

ITEM NO.	IOM DESCRIPTION	IOM TYPE	PART NO.	QTY
B001	Discrete Input, Switch Closure	A I	9902-2610-1	8
B002	Discrete Output, Isol, Sw Closure, DC	AAO	9902-2520-1	0
B003	Discrete Filtered Output, Isol, Sw Closure, AC	ACO	69000-501-11	8
B004	Tri-Level Input	B I	9902-2560-1	29
B005	Tri-Level Discrete Output	BBO	9902-2510-1	0
B006	Discrete Input, Isol, Voltage Level	D I	21045-501-1	0
B007	Discrete Output, Voltage Level	DCO	9902-2620-1	0
B008	Ethernet Input/Output	E	9902-2550-4	0
B009	Synchro Input, 60/400 Hz, 14 Bit	J I	9902-2650-1	6
B010	Synchro Output, 60 Hz	JAO	9902-2590-1	0
B011	Synchro Output, 400 Hz	JBO	9902-2580-1	8
B012	Synchro Input, 60/400 Hz, 10 Bit	JXI	9902-2570-1	0
B013	NRZ Serial Input/Output, STANAG 4156, 2 CH	N2	9902-2630-1	0
B014	NTDS Parallel Output Fast, Type B	P10	21900-501-1	0
B015	NTDS Parallel Input Slow, Type A	P2I	21025-501-11	0
B016	NTDS Serial Input, Type E, STANAG 4153	R I	9902-2530-4	2
B017	NTDS Serial Output, Type E, STANAG 4153	R O	9902-2540-1	2
B018	Message Processing Module	Y	9902-2640-1	4
B019	NTDS Parallel Output Slow, Type A	P20	18590-501-11	0
B020	Storage Module	SM	9902-2600-1	1
B021	GEM	EG	69030-501-31	8
				76
B022	Air Blocks		10909-514-1	100
B023	Washer		153-0103-024	200
B024	Washer		153-0023-031	200
B025	Screw		112-1052-042	200
B026	92 Pin Connector Cap		S1967-25A-R-34	32
B027	42 Pin Connector Cap		S1967-19A-R-34	88
B028	Triax Cap		305-0405-1	290
B029	Power Cap		660-005-C-016N	16
B030	Fiber Optic Cap		660-009-C-12N	16
B031	Fiber Optic Cap		4565070-BEWS	16

EXHIBIT E
GEDMS INSTALLATION AND CHECKOUT SPARES IN SUPPORT OF AEGIS ASHORE INSTALLATIONS
CLIN 0001AG

ITEM NO.	IOM DESCRIPTION	IOM TYPE	PART NO.	QTY PER SHIP
E001	Discrete Input, Switch Closure	A I	9902-2610-1	2
E002	Discrete Output, Isol, Sw Closure, AC	ABO (MVP)	18595-501-21	0
E003	Discrete Filtered Output, Isol, Sw Closure, AC	ACO	69000-501-11	2
E004	Tri-Level Input	B I	9902-2560-1	4
E005	Tri-Level Discrete Output	BBO	9902-2510-1	0
E006	Discrete Input, Isol, Voltage Level	D I	21045-501-1	0
E007	Discrete Output, Voltage Level	DCO	9902-2620-1	0
E008	Ethernet Input/Output	E	9902-2550-4	0
E009	Synchro Input, 60/400 Hz, 14 Bit	J I	9902-2650-1	2
E010	Synchro Output, 60 Hz	JAO	9902-2590-1	0
E011	Synchro Output, 400 Hz	JBO	9902-2580-1	2
E012	Synchro Input, 60/400 Hz, 10 Bit	JXI	9902-2570-1	0
E013	NRZ Serial Input/Output, STANAG 4156, 2 CH	N2	9902-2630-1	0
E014	NTDS Parallel Output Fast, Type B	P10	21900-501-1	0
E015	NTDS Parallel Input Slow, Type A	P2I	21025-501-11	0
E016	NTDS Serial Input, Type E, STANAG 4153	R I	9902-2530-4	2
E017	NTDS Serial Output, Type E, STANAG 4153	R O	9902-2540-1	2
E018	Message Processing Module	Y	9902-2640-1	2
E019	NTDS Parallel Output Slow, Type A	P20	18590-501-11	0
E020	Storage Module	SM	9902-2600-1	2
E021	GEM	EG	69030-501-31	2
				22
E022	CCA, DMSC		9902-2000-8, 9902-2000-9, or 24315-501-51	2
E023	GEC		69040-501-31	2
E024	IOU Power Supply		464-0388-004	2
E025	EMI Filter		447-0390-001	4
E026	BSE Switch		M2200-BSE-SB1	1
E027	USE Switch		M2100-FE-USE-SB1	1
E028	IOU Fan		EBM PAPST 4606Z	3
E029	IOU Fan Assembly		10484-514-31	1
E030	Prom Programmer		BP Microsystems 1410/84	0
E031	DMS User Interface Test Set		10705-707-1	0
E032	IOM Probe Card Assembly		10708-707-11	0

E033*	GEDMS IOU Flex Cables	25670-514-31 25670-514-11 25670-514-131 25670-514-91 25670-514-51 25670-514-151 25670-514-111 25670-514-71 25670-514-101 25670-514-191 25670-514-41 25670-514-81 25670-514-121 25670-514-1 25670-514-21	1 Set
E033A*	GEDMS IOU Flex Cables	25670-514-231 25670-514-211 25670-514-331 25670-514-291 25670-514-251 25670-514-351 25670-514-311 25670-514-271 25670-514-301 25670-514-391 25670-514-241 25670-514-281 25670-514-321 25670-514-201 25670-514-221	1 Set

* = The contractor is to deliver either E033 or E033A; not both.