

PERFORMANCE WORK STATEMENT

OIL AND HAZARDOUS SUBSTANCE SPILL SERVICES

GENERAL DESCRIPTION OF WORK

The Contractor shall provide all required labor, materials and equipment to contain, cleanup, dispose, and mitigate the harmful effects of oil (Diesel Fuel Marine (DFM), and/or Intermediate Fuel Oils (IFO)), and hazardous substance spills on land and in the waters of the Arabian Gulf, Gulf of Oman areas of Middle East Countries, as well as the bottom and adjoining shorelines of such waters, and inland areas as directed by Navy On Scene Commander Program Manager (NOSCPM) for Commander Navy Region Europe Africa Southwest Asia (CNREURAFSWA) DET Bahrain.

PROJECT SUBMITTALS

The Contractor shall provide a schedule of costs for personnel and equipment that may be requested in support of a Tier 1 and Tier 2 spill incident. Tier 1 is defined as a local spill incident equal to or less than 5 barrels (210 gallons). A Tier 2 spill incident is defined as a local spill incident with loss of up to 10% of the vessel, tank, or container's capacity. The Contractor shall use, as a minimum, 50 barrels (2100 gallons) as a planning factor for preparation and submission of a schedule of costs for personnel and equipment to respond to a Tier 2 spill incident.

SPECIFIC WORK ITEMS

1. Consistent with directions received from the Commander, Navy Region Europe Africa and Southwest Asia NOSCPM, the Contractor shall expend his best efforts to contain, remove and/or mitigate the harmful effects of oil and/or hazardous substances on or in the designated waters, their bottoms and their adjoining shorelines. The Contractor is encouraged to draw upon his expertise to suggest to the NOSCPM use of personnel, material, equipment and procedures that they believe may improve the containment, cleanup and mitigation operations. However, the decision to use such suggestions shall rest solely with the NOSCPM.
2. Response equipment must function in the applicable operating environment, and be appropriate for the petroleum oil or hazardous substance spilled. The response resources must include, at a minimum; (a) trained personnel to use and operate response equipment, (b) 1,500 feet (500 meters) of containment boom or two times the length of the largest vessel, whichever is greater, and the means of deploying and anchoring the boom available at the spill site within 1 hour of notification of a spill, (c) oil recovery devices (skimmer /vacuum truck) and recovered oil storage capacity capable of being at the spill site within 2 hours of the notification of a petroleum oil discharge from a facility or vessel moored at the facility or pier, (d) absorbent and adsorbent materials to contain, recover and store at least 3 barrels of spilled substances, and (e) in-situ burning, chemical dispersants and/or other chemical agents approved and authorized for use in each Country impacted by a spill under this agreement.

3. If the Contractor believes that security services at the job site are required, promptly advise the NOSCPM and Contracting Officer.
4. The Contractor is solely responsible for any and all spills, leaks, or releases during the performance of work under this agreement, which occurs as a result of the negligence of its agents, employees, or subcontractors. The Contractor agrees to clean up such spills, leaks, or releases in a manner that complies with applicable local laws, regulations, and procedures. Cleanup shall be at no cost to the US Government.
5. Should the Contractor, during the progress of work, lose, dump, throw overboard, sink, or misplace any material, plant machinery, or appliance which, in the opinion of the NOSCPM, may be dangerous to or obstruct navigation, the Contractor shall immediately recover and remove the same at no cost to the government.
6. The Contractor shall display lights and conduct his operations in accordance with applicable international safety standards.
7. All cleanup, disposal and disposition activities must comply with applicable US Navy, local, and international regulations including:
 - Final Governing Standards
 - OPNAVINST 5090.1C
 - Local Rules and Regulations
 - Applicable Navy Spill Contingency Plan
 - Applicable International Conventions, Protocols and Regulations including MARPOL Annexes, OPRC, BASEL Convention, IMO Conventions.
 - Regional Organization for the Protection of Marine Environment (ROPME)/Marine Emergency Mutual Aid Center (MEMAC)
8. The Contractor shall maintain necessary equipment to properly respond to pier side Tier I spills at the Ports of Mina Salman and Khalifa Bin Sulman Port in Bahrain; Jebel Ali and Fujairah in the United Arab Emirates (UAE). Contractor shall also be capable to respond to open ocean spills involving US Navy assets within the COMFIFTHFLT AOR which include the waters of the Arabian Gulf, Red Sea, and Gulf of Oman areas of Middle East Countries, as well as the bottom and adjoining shorelines of such waters, and inland areas as directed.
9. Contractor's personnel training records, facility and equipment will be subject to periodic inspection by US Navy and local representatives. An inspection report will be submitted to the Contractor. Corrective actions shall be implemented immediately.
10. Prior to performing under this agreement, Contractor shall identify waste disposal procedures and mechanism in accordance with applicable U. S. Navy and local laws and regulations.
11. The Contractor shall conduct, at least, two equipment deployment exercises and one

tabletop exercise annually. At the discretion of the NOSCPM, the exercises may involve Host Nation representatives and other non-Navy personnel.

12. The Contractor shall be responsible for ensuring that all response personnel are trained to meet international safety standards and meet specific requirements for the operation of equipment including boats, skimmers, pumps, vacuum trucks or any equipment that may be used in response to a spill under this agreement. The Contractor shall ensure proper maintenance of training records of all persons employed by the Contractor in response to spills or exercises under this agreement.
14. At a minimum, contractor shall provide evidence of response personnel successful completion of the initial and annual refresher Hazardous Waste Operations and Emergency Response (HAZWOPER) training.