

SUMMARY OF CHANGES AMENDMENT:

Part 2 General Requirements

Paragraph 26.0 WORK HOURS, ACCESS AND PASSES states:

- b. Passes and Badges: The Contractor employees and representatives performing work under this contract are required to be either United States citizens or documented legal residents (status verified by prime contractor).

Remove and Replace this sentence with the following:

- b. Passes and Badges: The Contractor employees and representatives performing work under this contract are required to be either United States citizens or documented legal residents of Romania (status verified by prime contractor).

Part 3 Statement of Work/Project Program

Add sections:

2.2 Anti-Terrorism / Force Protection

The Facility has an occupancy designated as Inhabited, but is considered a temporary facility. UFC 4-010-01 requirements do not apply.

B10 SUPERSTRUCTURE

Seismic retrofits are not required. Equipment shall be braced for seismic forces, and the superstructure shall be designed for the increased load of fire protection equipment and lateral bracing forces. Spectral accelerations for the site are: $S_{ms} = 0.504$, $S_{m1} = 0.185$.

D4010 FIRE ALRM AND DETECTION SYSTEMS

1st Paragraph, after sentence “The fire reporting portion of the systems shall be compatible with the existing base fire reporting system” Add the following: “The facility fire alarm system shall report to the existing base fire reporting system. Assume there is no existing infrastructure.”

D50 ELECTRICAL

SYSTEM DESCRIPTION

Add to end of 1st Paragraph: “Assume the existing electrical service is sufficient all new fire protection equipment.”