

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 16-Aug-2016	4. REQUISITION/PURCHASE REQ. NO. N6883616SPSCOLO	1 24
6. ISSUED BY NAVSUP FLC JACKSONVILLE CODE 221 CONTRACTS DIVISION ROBERT DEANGELIS 110 YORKTOWN AVENUE, 3RD FLOOR NAS JACKSONVILLE FL 32212-0097		CODE N68836	7. ADMINISTERED BY (If other than item 6) See Item 6	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. N68836-16-T-0377
			X	9B. DATED (SEE ITEM 11) 03-Aug-2016
				10A. MOD. OF CONTRACT/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE		FACILITY CODE		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended.				
Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)				
The purpose of this amendment is to incorporate numerous changes to type, quantity, and timing of services requested. See SOW highlighted text for details. Also to answer questions submitted by offerors during the solicitation. See page 24 for questions and answers.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
			WILLIAM R. JORDAN / CONTRACT SPECIALIST	
			TEL: 904-542-1063 EMAIL: william.r.jordan1@navy.mil	
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	
_____ (Signature of person authorized to sign)			BY _____	
			(Signature of Contracting Officer)	
			16C. DATE SIGNED	
			16-Aug-2016	

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SECTION SF30 - CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION INSPECTION AND ACCEPTANCE -

The following have been modified:

SOW

Submit the following information:

Grand Total of CLINs: \$ _____

CAGE CODE: _____

DUNS: _____

Additional Information for N68836-16-T-0377

FSC: R706
NAICS: 541614

Solicitation N68836-16-T-0377 is to obtain expeditionary logistic support services for U.S. Navy and Partner Nation (PN) Forces operating ashore in Colombia during SPS EPS 2016 from 05 SEP - 10 OCT 2016 (+/-24 hours).

NOTE: When requesting a copy of this solicitation if you are a **new** vendor please provide your company's CAGE Code and DUNS and capability statement.

Bid Schedule (attachment) is to be submitted in EXCEL format. Only put the unit price in the **YELLOW** column and total will automatically populate.

Also, when corresponding with us, please make sure that you include all of us on your e-mail. Our contact information is listed below:

Robert DeAngelis, Contract Specialist	904-542-1248	robert.deangelis@navy.mil
Alise Taylor-Sindab, Contracting Officer	904-542-1265	alise.taylor-sindab@navy.mil
William Jordan, Contracting Officer	904-542-4838	william.r.jordan1@navy.mil
Javier Aponte	904-542-1269	javier.aponte@navy.mil

CLOSING DATE FOR QUESTIONS: The closing date for receipt of all questions and/or clarifications is **11:00 a.m. ET (Eastern Time) on Tuesday, 16 August 2016**. No oral questions and/or clarification will be entertained.

CLOSING DATE AND TIME FOR QUOTES: The closing date for receipt of quotes/offers is: **11:00 a.m. ET (Eastern Time) on Friday, 19 August 2016**. Facsimile (See FAR Provision 52.215-5) and/or e-mail proposal will be accepted. Refer to FAR Clause 52.212-1 regarding Instruction to Offerors and "Late Submissions".

YOUR SUBMITTAL PACKAGE MUST CONTAIN THE FOLLOWING DOCUMENTS:

1. Signed SF18 with completed pages 1-4.
2. FAR Clause 52.209-5 (pg,41-42), 52.209-11 (pg, 42-43), 252.247-7022 (pg, 43-44)
3. Bid Schedule in EXCEL format

NOTE: All correspondence and/or submissions should be sent to all persons listed below:

robert.deangelis@navy.mil
alise.taylor-sindab@navy.mil
william.r.jordan1@navy.mil
javier.aponte@navy.mil

**PERFORMANCE WORK STATEMENT FOR SPS EPF 2016
Support for U.S Forces and Partner Nation Participants in
Cartagena, Colombia**

As of **16 AUG 2016**

C.1 DEFINITIONS AND/OR ACRONYMS:

CONTRACTING OFFICER - Representative of the Government authorized to execute Contracts.

COR - Contracting Officer Representative

BILINGUAL: English-Spanish, verbal and/or written

ESC- The Expeditionary Service Contractor

KO – Contracting Officer

PN – Partner Nation

SC- Service Contractor

SPS-EPF – Southern Partnership – Expeditionary Fast Transport

C.1.1 GENERAL: Contract to provide logistic support for designated personnel (also referred to herein as “the Government”) in support of SPS-EPF 2016.

C.1.2. OBJECTIVE: The Contractor provides expeditionary Logistic Support for US Navy Forces and their designated personnel operating ashore in Cartagena, Colombia during SPS-EPF 2016.

C.1.3. SCOPE: The Contractor shall provide, cell phones, SIM (subscriber identity module) card, fuel, drinking water, waste disposal, lighting, latrines, vector control, and construction materials/equipment to designated personnel as specified in coordination with the Contracting Officer (KO) or Contracting Officer Representative (COR).

C.1.4. PERIOD OF PERFORMANCE: 05 September – 10 October 2016.

C.1.5. LOCAL WORKSITE: Cabildo Indigena, Cartagena, Colombia

C.1.6. SIM & AIR CARD REQUIREMENTS:

Table 1

LINE	DATE	QTY	TYPE
1	05 SEP – 10 OCT 2016	7	CELLULAR PHONES WITH SIM CARD
2	05 SEP – 10 OCT 2016	3000	MINUTES

C.1.7.1. Provide Seven (7) cell phones with SIMCARDS with 3000 minutes for each phone. The coverage of SIMCARD must cover all project sites within Cartagena, Colombia.

C.1.8. BOTTLED WATER REQUIREMENTS:

Table 2

LINE	DATE	QTY	TYPE
3	05 SEP – 10 OCT 2016	100 cases	Cases of Water (24, 16.9oz bottles per case)

C.1.8.1 Require 100 cases of bottle water from an approved vendor. 100 cases of water will be delivered to construction site between dates of 05 SEP – 10 OCT 2016 on 0800 for HOST NATION personnel. The Contractor will be responsible for delivering the specified cases to base camp at Cartagena construction site. Exact date of delivery will be directed by the COR.

C.1.9. WASTE DISPOSAL:

Table 3

LINE	DATE	QTY	Item
4	05 SEP – 10 OCT 2016	1	30 cubic yard dumpster, weekly service

C.1.9.2. Provide One (1) 30 cubic yard dumpster at Cabildo Indigena, Cartagena, Colombia active construction site. The period of service will begin on 05 September and be removed on 10 October 2016. Dumpsters should be emptied weekly, with the option to request additional pick up under the direction of the Contracting Officer (COR). The Contractor shall deliver, move, and empty the dumpsters under the direction of the Contracting Officer Representative (COR). The COR will notify the Contractor of any change in requirements not less than 48 hours prior to any changes. Changes made with at least 48 hour notice to the Contractor will incur NO penalty.

C.1.10. **EQUIPMENT RENTAL:** The Contractor shall provide rental flatbed truck with licensed driver. The truck will have small walls and/or straps/harnesses to properly secure and safely transport equipment from the airport to an area within approximately 15km of the airport. The vehicle and driver will be available for use for up to 8 hours on 05 SEP, and again on 10 OCT 2016.

Table *A-1

LINE	DATE	QTY	Item
A1	05 SEP and 10 OCT	1	Flatbed Truck w/Driver

The Contractor shall deliver all of the equipment listed below to the Cabildo Indigena camp site Cartagena, Colombia as directed/coordinated by the Contracting Officer Representative (COR). The Contractor is required to perform any required maintenance to ensure all items function properly during performance of the contract. No contract operators will be required.

Table 4

LINE	DATE	QTY	Item
5	12 SEP – 19 SEP	1	Riding Roller
6	20 SEP – 25 SEP	1	11k Forklift
7	05 SEP – 19 SEP	1	Road Grader
8	REMOVED LINE ITEM		
9	05 SEP – 09 OCT	1	Skid Steer with Fork Attachment
10	05 SEP – 20 SEP	1	Backhoe with Half Yard Bucket
11	05 SEP – 09 OCT	2	6500 Watt Diesel Generator
12	20 SEP – 24 SEP	1	6 cubic ft concrete mixer
13	05 SEP – 12 SEP	1	Diesel Walk-behind Vibratory plate compactor 20''
14	05 SEP – 12 SEP	1	Walk-behind jumping jack compactor
15	05 SEP – 10 SEP	1	2 ton Walk Behind Roller

C.1.10.1 Provide one (1) Riding Roller. The period of performance will begin when directed by the COR on or about 12 September and be completed no later than 19 September.

C.1.10.2 Provide one (1) 11k Forklift. The period of performance will begin when directed by the COR on or about 20 September and be completed no later than 25 September.

C.1.10.3 Provide one (1) Road Grader. The period of performance will begin when directed by the COR on or about 05 September and be completed no later than 19 September.

C.1.10.4 Removed.

C.1.10.5 Provide one (1) Skid Steer. The period of performance will begin when directed by the COR on or about 05 September and be completed No later than 09 October.

C.1.10.6 Provide one (1) Backhoe with half yard bucket. The period of performance will begin when directed by the COR on or about 05 September and be completed no later than 20 September.

C.1.10.7 Provide two (2) 6500 Watt **Diesel** Generators. The period of performance will begin when directed by the COR on or about 05 September and be completed no later than **09 October**.

C.1.10.8 Provide one (1) 6 cubic feet concrete mixer. The period of performance will begin when directed by the COR on or about 05 September and be completed no later than **24 September**.

C.1.10.9 Provide one (1) walk behind **diesel** vibratory plate compactor 20". The period of performance will begin when directed by the COR on or about 05 September and be completed no later than **12 September**.

C.1.10.10 Provide one (1) jumping jack compactor. The period of performance will begin when directed by the COR on or about 05 September and be completed no later than **12 September**.

C.1.10.11 Provide one (1) two-ton walk behind roller. The period of performance will begin when directed by the COR on or about 05 September and be completed no later than 10 September.

C.1.11. PORTABLE LATRINES AND WASTEWATER:

Table 5

LINE	DATE	QTY	Item
16	05 SEP – 10 OCT 2016	2	Portable Latrine (3'X3'X7')
17	05 SEP – 10 OCT 2016	1	Hand wash Station

C.1.11.1 Provide Two (2) Portable Latrines (porta-potties), (3'X3'X7') delivered and offloaded at Cabildo Indigena camp site, Cartagena, Colombia, as directed by the Contracting Officer Representative (COR). The Latrines will be cleaned and provided with hand sanitizer/ paper towels and restocking of toilet paper as required minimum three (3) times a week and pumped at least once a week or as required by the Government representative or Contracting Officer. Latrines will be delivered, offloaded on 05 September 2016 and loaded, removed on 10 October 2016. The COR will notify the Contractor of any change in location not less than 48 hours prior to any changes. Changes made with at least 48 hour notice to the Contractor will incur NO penalty. Portable Latrines must be of a type acceptable to those customarily used in the United States.

C.1.11.2 Provide One (1) Portable hand-wash station (2 sink capacity each) delivered and offloaded at Cabildo Indigena camp site, Cartagena, Colombia, as directed by the Contracting Officer Representative (COR). Maintenance will include cleaning/restocking paper towels, hand sanitizer at least 3 times a week early in the mornings through the period of performance. Station will be delivered, offloaded on 05 September 2016 and loaded, removed on 10 October 2016.

C.1.12 VECTOR CONTROL:

Table 6

LINE	DATE	QTY	Item
18	05 SEP – 10 OCT 2016	5	VECTOR CONTROL (spraying)

C.1.13.1 Provide five (5) vector control sprayings for mosquitoes and insects (one (1) spray per week) to begin on 31 August under the direction of the Contracting Officer Representative (COR) at Cabildo Indigena camp site, Cartagena, Colombia. The area covered will be for an area approximately six (6) acres or three (3) soccer fields. The period of performance will begin on or about 05 September 2016 and will be complete on 10 October 2016 at the direction of the Government representative or COR.

C.1.14 POTABLE WATER:

Table 7

LINE	DATE	QTY	TYPE
19	05 SEP – 10 OCT 2016	1,500Gal	Potable water for concrete hydration

			in 250 or greater gallon portable tanks.
--	--	--	--

C.1.14.1 Provide 1,500 gallons of potable water to Cabildo Indigena camp site under the direction of the Contracting Officer Representative. Contractor shall deliver 1000 gallons of water on 05 September as specified in Table 7. The period of service will be 05 September – 10 October 2016. The remaining 500 gallons of potable water will be delivered at a time designated by the COR. COR will give 48 notice of when water is to be delivered. These times may change at the CORs direction.

C.1.15 FUEL: The Contractor shall deliver all of the fuel listed below to the Cabildo Indigena camp site Cartagena, Colombia as directed/coordinated by the Contracting Officer Representative (COR). The Contractor is required to provide all fuel by 0600 daily, from 05 September 2016 through 09 October 2016. These times, quantities, and frequency of delivery may change at the CORs direction. The COR will notify the Contractor of any change in location not less than 48 hours prior to any changes. Changes made with at least 48 hour notice to the Contractor will incur NO penalty.

Table 13

LINE	DATE	QTY	TYPE
20	05 SEP	20 Gal	Non-Ethanol MOGAS (Gal), delivery, point to point
21	05 SEP – 09 OCT 2016	1,200 Gal	Diesel (Gal)
22	05 SEP – 09 OCT 2016	250 Gal	MOGAS (Gal), delivery, point to point HOST NATION
23	05 SEP – 09 OCT 2016	250 Gal	Diesel (Gal) HOST NATION
A2	05 SEP	2 QT	2-Cycle Oil

C.1.15.1 Provide 20 Gal of Non-Ethanol Motor Gas MOGAS. Contractor shall deliver all 20 gallons of MOGAS in a portable container/s on 05 September.

C.1.15.2 Provide 1,200 gallons of Diesel Fuel. Contractor shall deliver approximately 35 gallons of diesel a day point-to-point to 5-6 pieces of powered equipment. The Diesel fuel will be delivered daily at 0600. Times, quantity and frequency subject to change at the COR's discretion. These times may change at the CORs direction.

C.1.15.3 Provide 250 Gal of Motor Gas MOGAS. Contractor shall deliver approximately 50 gallons per week for use by the HOST NATION. Delivery times, quantity, and frequency are subject to change at the COR's discretion.

C.1.15.4 Provide 250 gallons of Diesel Fuel to for use by the HOST NATION. Contractor shall deliver approximately 7 gallons of diesel a day point-to-point to 5-6 pieces of powered equipment. The Diesel fuel will be delivered at 0600. Delivery times, quantity, and frequency are subject to change at the COR's discretion.

C.1.15.5 Provide 2 quarts of 2-Cycle Oil. Contractor will deliver 2 qt of 2-cycle oil on 05 September.

C.1.16 CONSTRUCTION MATERIALS: All items in Table 15 will be delivered and offloaded to Cabildo Indigena camp site, Cartagena, Colombia construction site under the direction of the Contracting Officer Representative (COR). Items shall be delivered on 06 September 2016. The COR will notify the Contractor of the delivery date and specific location not less than 48 hours prior to any changes. Site changes limited to the locations identified in the PWS made with at least 48 hour notice to the Contractor will incur NO penalty.

Table 15

LINE	DESCRIPTION	QTY	UI	NOTES
------	-------------	-----	----	-------

24	CONCRETE (3000 PSI, AIR ENTRAINED 4% TO 6%, 2"-4" SLUMP, 42 MEGAPAXEL)	36	CD	INTENDED USE: USED FOR CONCRETE PAD AND FOOTERS. REQUEST PUMP TRUCK IF AVAILABLE. IF NOT AVAILABLE ENSURE THAT TRUCK HAS ADDITIONAL CHUTE EXTENSION TO REACH ALL AREAS OF 25'X25' PAD. Not to be delivered on 06 Sep.
25	SELECT FILL, CRUSHED STONE, #57 (FREE OF DEBRIS AND VEGETATION)	14	CD	INTENDED USE: FOR 4" BED BELOW CONCRETE PAD
26	20 FT. X 100 FT. BLACK 10 MIL POLYETHELENE SHEETING	2	RL	INTENDED USE: CONCRETE VAPOR BARRIER
27	3M 8087 RED FLASHING TAPE - 1.88 IN WIDTH X 55 YDS, 3 MIL THICK	2	RL	INTENDED USE: USED FOR SECURING VAPOR BARRIER
28	4"X 50' EXPANSION JOINT	2	RL	INTENDED USE: USED FOR CONSTRUCTION JOINT
29	LIQUID NAIL, 10 OZ. HEAVY DUTY CONSTRUCTION ADHESIVES	8	EA	INTENDED USE: SECURING EXPANSION JOINT FOR PADS.
30	7" SEGMENTED RIM GENERAL PURPOSE DIAMOND BLADE.	4	EA	INTENDED USE: CUTTING CONTROL JOINTS
31	CAL-OSHA COMPLIANT REBAR PROTECTIVE CAP.	150	EA	INTENDED USE: SAFETY ITEM USED OVER EXPOSED REBAR. (MUST FIT #3 - #5 REBAR.) EITHER ROUND OR SQUARE CAP.
32	2"X10"X16' DOUGLAS FIR, PRESSURE TREATED	10	EA	INTENDED USE: FOR FORMS
33	REMOVED			
34	CONCRETE FORM RELEASE OIL, 1 GAL	2	EA	INTENDED USE: SPRAYED ON FORMS BEFORE PLACING CONCRETE, TO ALLOW FOR FORMS TO BE REMOVED WITHOUT DAMAGE TO PAD.
35	TIE WIRE, 16.5 GAUGE (400' PER ROLL)	9	RL	INTENDED USE: FOR TYING REBAR, MUST BE COATED TO PREVENT CORROSION.
36	GRADE 60, DEFORMED BAR, #5, 20' LENGTHS	20	EA	INTENDED USE: USED IN FOOTERS

37	GRADE 60, DEFORMED BAR, #3, 20' LENGTHS	100	EA	INTENDED USE: USED IN MAT FOR SLAB
38	HERCULES 3" POLYPROPYLENE REBAR CHAIR (100 PER PACK) ,	2	PK	INTENDED USE: USED TO ELEVATE RST 3" FOR CONCRETE SLAB.
39	SIKAFLEX, 10.1 OZ SELF-LEVELING CRACK SEALANT GRAY.	10	EA	INTENDED USE: USED IN BETWEEN CONSTRUCTION JOINTS
40	REMOVED			
41	REMOVED			
42	REMOVED			
43	EXTERIOR GRADE PLYWOOD, 1/2" X 4'X8', GRADE C	50	EA	INTENDED USE: FOR FORMS
44	WOOD SCREWS, #9 X 2-1/2", BUGLE HEAD, COARSE THREAD, SHARP POINT, POLYMER COATED EXTERIOR (5LB BOX)	8	BX	INTENDED USE: FORM WORK AND FLY RAFTERS.
45	OWENS CORNING FOAM SEALER SILL PLATE GASKETS 5-1/2" X 50'	4	RL	INTENDED USE: USED FOR SILL PLATE
46	CLARK DIETRICH 6"X10' X1-1/4" STRUCTURAL 16-GAUGE GALVANIZED METAL TRACK	60	EA	INTENDED USE: WALL FRAMING
47	CLARK DIETRICH 6"X10' CSJ5 INTERIOR/EXTERIOR GALVANIZED 16-GAUGE METAL STUD	170	EA	INTENDED USE: WALL FRAMING
48	#8X1/2-IN. WAFER HEAD ZINK PLATED SCREW, SELF-TAPPING. BOX OF 10,000 PCS.	1	BX	INTENDED USE: WALLS AND TRUSSES
49	5/8" X 7" STRONG-BOLT 2 WEDGE ANCHOR. (20 PER PACK.)	1	PK	INTENDED USE: WALLS
50	TAPCON 1/4" X 2-3/4" POLYMER PLATED STEEL HEX WASHER-HEAD INDOOR/OUTDOOR CONCRETE ANCHORS (75 PACK)	4	BX	INTENDED USE: ANCHORING WALLS TO CONCRETE.

51	TYVEK HOMEWRAP 9 FT. X 150 FT. ROLL HOUSEWRAP	2	RL	INTENDED USE: EXTERIOR WALLS.
52	TYVEK HOMEWRAP 2 IN. X 164' INSTALLATION TAPE	4	RL	INTENDED USE: EXTERIOR WALLS.
53	#6 X 1-1/4-IN, BUGLE HEAD, DRIVALL, PHOSPHATE COATED SELF TAPPING SCREWS. 8000 PER BOX	2	BX	INTENDED USE: DRYWALL/SHEATHING
54	OWEN CORNING R-19 KRAFT FACED INSULATION BATTS 15IN.X93IN. ROLLS. 8 ROLLS PER BAG.	20	BG	INTENDED USE: WALL INSULATION.
55	1-7/8" X 120 YD, 300 HEAVY DUTY DUCT TAPE	10	RL	INTENDED USE: INSULATION INSTALLATION.
56	DENSGLOSS DRYWALL PANEL (COMMON: 5/8"X4'X8')	55	SH	INTENDED USE: EXTERIOR SHEATHING.
57	CELLWOOD 12.38"X144" PROGRESSIONS DOUBLE 5" DUTCH LAP KHAKI VINYL, WOOD GRAIN TEXTURE, PANNEL SIDING	10	CS	INTENDED USE: HORIZONTAL EXTERIOR INSTALLATION NOTE: MUST MATCH REST OF VINYL SIDING. NOTE: MUST MATCH VINYL SIDING. COLOR: KHAKI
58	CELLWOOD VINYL STARTER STRIP 12', KHAKI,, WOOD GRAIN TEXTURE.	10	EA	INTENDED USE: HORIZONTAL EXTERIOR INSTALLATION. NOTE: MUST MATCH REST OF VINYL SIDING. COLOR: KHAKI
59	CELLWOOD 3"X3/4" KHAKI OUTSIDE CORNER TRIM 10' LENGTH (WOOD GRAIN TEXTURE)	5	EA	INTENDED USE: HORIZONTAL EXTERIOR INSTALLATION. NOTE: MUST MATCH REST OF VINYL SIDING. COLOR: KHAKI
60	CELLWOOD 5/8" KHAKI J-CHANNEL	12	EA	INTENDED USE: HORIZONTAL EXTERIOR INSTALLTION. NOTE: MUST MATCH REST OF VINYL SIDING. COLOR: KHAKI
61	CELLOWOOD 1-1/2" KHAKI, WOODGRAIN, VINYL FINISH TRIM	11	EA	INTENDED USE:HORIZONTAL EXTERIOR INSTALLATION NOTE: MUST MATCH REST OF VINYL SIDING. COLOR: KHAKI
62	GEORGIA-PACIFIC DENSARMOR PLUS 5/8"X4'X10' (PURPLE BOARD) INTERIOR GYPSUM BOARD PANEL	55	EA	INTENDED USE: INTERIOR DRYWALL Not to be delivered on 06 Sep.
63	PERFECT FINISH 300 FT. SELF-ADHESIVE DRYWALL JOINT TAPE.	8	RL	INTENDED USE: INTERIOR DRYWALL

64	SHEETROCK BRAND ALL PURPOSE 4.5 GAL PRE MIXED JOINT COMPOUND.	6	BK	INTENDED USE: INTERIOR DRYWALL
65	18 GA 2"X4"X16' STEEL STUDS, GALVANIZED	110	EA	INTENDED USE: USED FOR TRUSSES
66	3-5/8"X10"X1-1/4" STRUCTURAL 18 GAUGE METAL TRACK. GALVANIZED	20	EA	INTENDED USE: USED FOR TRUSSES
67	#6X7/16", PAN HEAD, DRILL POINT, PHILLIPS, PHOSPHATE, 5LB	4	BX	INTENDED USE: USED FOR TRUSSES
68	15 OZ. FLAT GRAY COLD GALVANIZING COMPOUND	12	EA	INTENDED USE: USED TO PAINT ENDS OF CUT STUDS/ TRUSSES
69	SIMPSON STRONG TIE MTS 30 TWIST STRAP	30	EA	INTENDED USE: SECURING TRUSSES TO FRAME
70	SIMPSON STRONG TIE S/HGAM10 SEISMIC AND HURRICANE TIE (KIT OF 10)	3	KT	INTENDED USE: SECURING TRUSSES TO FRAME
71	SIMPSON STRONG TIE HTT5 HOLD DOWNS	14	EA	INTENDED USE: CONCRETE TO METAL WALL CONNECTION
72	1-1/2" X 12' FURRING/ HAT CHANNEL, 20 GAUGE.	43	EA	INTENDED USE: USED ON PURLINS
73	CLARK DIETRICH 3"X3"X10' 20 GAUGE ANGLE STEEL	8	EA	INTENDED USE: PURLINS
74	1/2"X4"X8", R-3.2 POLYISOCYANURATE RIGID FOAM INSULATION BOARD.	30	EA	INTENDED USE: ROOF INSULATION.
75	2.83"X50 YDS. ALL-SERVICE JACKETING INSULATION TAPE.	10	RL	INTENDED USE: ROOF INSULATION
76	2"X4"X12' DOUGLAS FIR, PRESSURE TREATED.	125	EA	INTENDED USE: FLY RAFTERS
77	#8X1/2" PHILLIPS ZINC PLATED STEEL TRUSS-HEAD DRILL POINT-LATH SCREWS (260 PER BOX)	4	BX	INTENDED USE: DRIP EDGE
78	#8 X 1-1/4" PHILLIPS MODIFIED TRUSS-HEAD SCREWS (1LB PACK)	2	BX	INTENDED USE: FOR DRIP EAVE

79	5/32 IN. E6011 WELDING ROD 5 LB.	2	BX	
80	5/32 IN. E7018 WELDING ROD 5 LB.	2	BX	
81	10' CLASSIC RIB STEEL ROOF PANEL IN BURNISHED SLATE (GRAY OR BEIGE)	40	EA	INTENDED USE: ROOF SYSTEM (COVER ATLEAST 960'SF) (LINE ITEMS 59 - 62 MUST BE OF MATCHING COLOR)
82	14 IN. UNIVERSAL RIDGE FLASHING IN CHARCOAL. (GRAY OR BEIGE)	4	EA	INTENDED USE: ROOF SYSTEM. (LINE ITEMS 59 - 62 MUST BE OF MATCHING COLOR)
83	GABLE TRIM IN CHARCOAL. 10.5' LONG (GRAY OR BEIGE)	8	EA	INTENDED USE: ROOF SYSTEM (LINE ITEMS 59 - 62 MUST BE OF MATCHING COLOR)
84	EAVE MOLDING IN CHARCOAL. 10.5' LONG (GRAY OR BEIGE)	8	EA	INTENDED USE: ROOF SYSTEM (LINE ITEMS 59 - 62 MUST BE OF MATCHING COLOR)
85	CLASSIC RIB ROOF RIB CLOSURE .	88	EA	INTENDED USE: ROOF SYSTEM. (MATCH SHAPE OF ROOF PANEL)
86	50' SINGLE BEAD TAPE SEALANT.	16	RL	INTENDED USE: SEAL SEAMS OF ROOF PANELS
87	24"X24"X 2" POLYURETHANE FUNCTIONAL VERTICAL LOUVER GABLE VENT.	2	EA	INTENDED USE: GABLE END VENTS
88	HARDIEPANEL, 3.5"X144" PRIMED WOODGRAIN VERTICAL FIBER CEMENT TRIM	12	EA	INTENDED USE: FASCIA . MATCH COLOR FOR ALL SIDING
89	HARDIEPANEL, 5/16"X48"X96" PRIMED WOODGRAIN VERTICAL FIBER CEMENT SIDING PANEL	30	EA	INTENDED USE: SOFFIT MATCH COLOR FOR ALL SIDING
90	#12-14 X 2" HEX HEAD SELF TAPPING ROOFING SCREW W/BONDED SEALING WASHER.)	1800	EA	INTENDED USE: ROOF FASTENERS.
91	#12 - 1" HEX -WASHER- HEAD DRILL POINT ROOFING SCREWS (80 PACK)	8	BX	INTENDED USE: ROOF.
92	TITEBOND WEATHERMASTER SEALANT. (10.1 OZ TUBES, CLEAR)	1	CS	INTENDED USE: TO SEAL JOINTS OF CEMENT BOARD (12 TUBES PER CASE)

93	#10, 1-5/8" ZINC-PLATED STEEL FLAT-HEAD SQUARE CEMENT BOARD SCREWS. (600 PER PACK)	12	BX	INTENDED USE: CEMENT BOARD FASTENERS. SQUARE HEAD
94	1/4"X1-7/8" STEEL MAGNET NUT DRIVER.	10	EA	INTENDED USE: BIT FOR ROOF FASTENERS.
95	#12, 2-3/4" PHILLIPS FLAT-HEAD SELF DRILLING SCREWS.	5	BX	INTENDED USE: USED FOR WOOD FURRING FOR GABLE ENDS.
96	#2, 1" STEEL INSERT POWER DRIVERS BIT (5 PER PACK)	4	PK	
97	11" UV CABLE TIE – BLACK (500 PER PACK)	2	PK	
98	4'X100' ORANGE BARRIER GUARDIAN SAFETY FENCE	4	EA	
99	6' HEAVY DUTY STEEL GREEN PAINTED T-POST	44	EA	
100	CONTRACT FOR 2 WRAP AROUND STYLE EXTERIOR METAL DOORS, (ROUGH OPENING DIMENSION, 3'-4" WIDE X 7'-4" TALL) AND METAL SINGLE HUNG WINDOWS, (ROUGH OPENING DIMENSIONS 4' TALL X 5'-4" WIDE)	1	LO	<u>SHEATHING WILL BE ON BOTH SIDES OF WALL TO EQUAL 7-1/4" THICK. PROVIDE ALL MATERIALS NECESSARY TO INSTALL TWO DOORS AND FOUR WINDOWS, TO INCLUDE ALL MOUNTING HARDWARE, DOOR HARDWARE, LOCKSETS, HINGES, FRAMES AND FLASHING FOR WALLS.</u>
101	ALEX PLUS 10.1 OZ. ALL-PURPOSE CAULK CLEAR	4	EA	INTENDED USE: SEAL AROUND DOORS AND WINDOWS.
102	BEHR PREMIUM PLUS 1-GAL DRYWALL PRIMER AND SEALER	6	GL	
103	BEHR PRO 1 GAL WHITE EGGSHELL INTERIOR PAINT	12	GL	
104	ROPPE 700 SERIES BLACK 4"X120"X1/8" THERMOPLASTIC RUBBER WALL COVE BASE COIL	2	RL	INTENDED USE: COVE BASE AROUND WALLS.
105	ROBERTS 7200 11 FL. OZ WALL AND COVE BASE ADHESIVE IN CATRTIDGLE TUBE	24	EA	INTENDED USE:
106	QUIKRETE 92.6 LB. PORTLAND CEMENT	32	BG	INTENDED USE: CONCRETE DOORWAY STOOPS. Not to be delivered on 05 Sep.

107	QUIKRETE 50LB PLAY SAND	16	BG	INTENDED USE: CONCRETE DOORWAY STOOPS
108	3/16"X4-1/2" CARBIDE DRILL BITS (4 PACK)	3	PK	
109	10' GALVANIZED METAL CORNER BEAD	14	EA	INTENDED USE: WINDOWSILLS AND OPENINGS.
110	11 in. METAL DELUX ROLLER TRAY	4	EA	
111	11 in. DELUX TRAY LINER CLEAR (3 PACK)	4	PK	
112	9 in. HEAVY DUTY ROLLER FRAME	4	EA	
113	LINZER 9 in. X 3/8 in. HIGH DENSITY POLYESTER ROLLER COVER (3 PACK)	4	PK	
114	KLEAN STRIP 1 qt. GREEN SAFER PAINT THINNER	2	QT	
115	INTERTAPE POLYMER GROUP 1.41 in.X 60 yds PT7 PROMASK BLUE DESIGNER PAINTER'S TAPE	4	RL	
116	1-1/2 in. LONG ANGLE SASH PAINT BRUSH	4	EA	
117	CONDUIT, ELECTRICAL METALLIC TUBING (EMT), 3/4", 10' LENGTHS.	40	LG	INTENDED USE: ELECTRICAL
118	CONNECTOR, EMT, UNINSULATED, 3/4", COMPRESSION.	20	EA	INTENDED USE: ELECTRICAL
119	COUPLING, 3/4" EMT, COMPRESSION.	30	EA	INTENDED USE: ELECTRICAL
120	EMT AND RIGID IMC 3/4 IN. HANGER	50	EA	INTENDED USE: ELECTRICAL
121	JUNCTION BOX, 4" OCTAGON, CEILING FAN RATED, 4 IN. X 2-1/8 IN. DEEP OCTAGON BOX WITH 3/4 IN. KNOCKOUTS	4	EA	INTENDED USE: ELECTRICAL
122	4 IN. 2-1/8 IN. DEEP 30.3 CU. IN. STEEL SQUARE BOX 3/4" KNOCKOUTS AND SV BRACKET	24	EA	INTENDED USE: ELECTRICAL

123	1-GANG 1 TOGGLE WALL PLATE - STAINLESS STEEL	2	EA	INTENDED USE: ELECTRICAL
124	1-GANG 1 DUPLEX OUTLET WALL PLATE - STAINLESS STEEL	8	EA	INTENDED USE: ELECTRICAL
125	COVER, 4" SQUARE, FLAT BLANK.	10	EA	INTENDED USE: ELECTRICAL
126	2" RIGID CONDUIT LOCKNUTS (2 PACK)	2	PK	INTENDED USE: ELECTRICAL
127	2" X 10' PVC SCHEDULE 40 CONDUIT	2	EA	INTENDED USE: ELECTRICAL
128	2" SCHEDULE 40 BELL ENDD ELBOW (45 DEGREE)	4	EA	INTENDED USE: ELECTRICAL
129	2" NON-METALLIC MALE TERMINAL ADAPTER	2	EA	INTENDED USE: ELECTRICAL
130	CEILING FAN, 52" WITH INCANDESCENT LIGHTING KIT, WHITE, STANDARD MOUNT, SUPPLY WITH REQUIRED BULBS.	4	EA	INTENDED USE: ELECTRICAL
131	SPRING CONNECTOR (WIRENUT), RED 22-8 AWG, 100 COUNT.	1	EA	INTENDED USE: ELECTRICAL
132	ANCHOR KIT, PLASTIC, 100 COUNT, # 10 X 1", 1/4" MASONRY BIT.	1	EA	INTENDED USE: ELECTRICAL
133	QO 100 AMP 8-SPACE 16-CIRCUIT OUTDOOR MAIN LUG LOAD CENTER WITH COVER	1	EA	INTENDED USE: ELECTRICAL
134	QO 20 AMP SINGLE-POLE CIRCUIT BREAKER 120/240 VOLT.	4	EA	INTENDED USE: ELECTRICAL
135	QO 60 AMP TWO-POLE CIRCUIT BREAKER, UTILIZE AS MAIN.	1	EA	INTENDED USE: ELECTRICAL
136	RETAINING KIT, FOR BREAKERS USED AS BACK-FED MAINS.	1	EA	INTENDED USE: ELECTRICAL
137	EQUIPMENT GROUND BAR KIT.	1	EA	INTENDED USE: ELECTRICAL
138	SCREW, HEX HEAD TEK, SELF-TAP, #10 X 1/2"	45	EA	INTENDED USE: ELECTRICAL

139	500 FT. 12 SOLID THHN WIRE - BLACK	2	RO	INTENDED USE: ELECTRICAL
140	500 FT. 12 SOLID THHN WIRE - WHITE	1	RO	INTENDED USE: ELECTRICAL
141	500 FT. 12 SOLID THHN WIRE - GREEN	1	RO	INTENDED USE: ELECTRICAL
142	12 AWG SOLID PIGTAILS WITH SCREWS - GREEN (5-PACK)	8	EA	INTENDED USE: ELECTRICAL
143	25 FT. 6/1 SOLID BARE COPPER GROUNDING WIRE	1	RL	INTENDED USE: ELECTRICAL
144	5/8 IN. X 8 FT. COPPER GROUND ROD	2	EA	INTENDED USE: ELECTRICAL
145	5/8 IN. GROUND ROD CLAMP	2	EA	INTENDED USE: ELECTRICAL
146	15 AMP 125-VOLT DUPLEX SELF-TEST TAMPER RESISTANT GFCI OUTLET - WHITE	6	EA	INTENDED USE: ELECTRICAL
147	4 IN. SQUARE SINGLE DEVICE MUD RING, RAISED 1/2 IN.	12	EA	INTENDED USE: ELECTRICAL
148	2 IN. HUB FOR SQUARE D DEVICES WITH A OPENINGS	1	EA	INTENDED USE: ELECTRICAL
149	2 IN. SERVICE ENTRANCE (SE) CAP	1	EA	INTENDED USE: ELECTRICAL
150	2" NON-METALLIC STANDARD COUPLING	4	EA	INTENDED USE: ELECTRICAL
151	16OZ PVC CLEAR SOLVENT CEMENT	1	EA	INTENDED USE: ELECTRICAL
152	1-GANG DECORA WALL PLATE - STAINLESS STEEL	6	EA	INTENDED USE: ELECTRICAL
153	2-GANG 2 DUPLEX OUTLET WALL PLATE - STAINLESS STEEL	2	EA	INTENDED USE: ELECTRICAL
154	4" SQUARE 2-GANG RAISED 1/2" MUD RING	2	EA	INTENDED USE: ELECTRICAL
155	SNAP-2-IT 3/8" CONNECTORS (5-PACK)	6	PK	INTENDED USE: ELECTRICAL
156	250 FT. 12/2 SOLID CU MC LITE CABLE	1	RL	INTENDED USE: ELECTRICAL

157	15 AMP 3-WAY TOGGLE SWITCH-WHITE	3	EA	INTENDED USE: ELECTRICAL
158	15 AMP TAMPER RESISTANT DUPLEX OUTLET WHITE	14	EA	INTENDED USE: ELECTRICAL
159	8 OZ. PVC ALL PURPOSE CEMENT	15	EA	INTENDED USE: MECHANICAL
160	8 OZ PVC AND CPVC PURPLE PRIMER	15	EA	INTENDED USE: MECHANICAL
161	3/4 INCH X 100 FT PLASTIC HANGER STRAP	10	EA	INTENDED USE: MECHANICAL
162	#6 x 1/2" SELF DRILLING SHEET METAL SCREWS, 100 PIECE	5	EA	INTENDED USE: MECHANICAL
163	HIGH EFFICIENCY DUAL FLUSH ELONGATED ALL IN ONE TOILET, WHITE	8	EA	INTENDED USE: MECHANICAL
164	WALL-MOUNTED BATHROOM SINK, WHITE, WITH MOUNTING BRACKET	6	EA	INTENDED USE: MECHANICAL
165	4" CENTER SET 2 HANDLE BATHROOM FAUCET WITH DRAIN	6	EA	INTENDED USE: MECHANICAL
166	4 " THERMOPLASTIC VENT PIPE ROOF FLASHING	1	EA	INTENDED USE: MECHANICAL
167	4" PVC SNAP-IN GENERAL PURPOSE FLOOR DRAIN WITH 5" STRAINER	2	EA	INTENDED USE: MECHANICAL
168	1500 GAL. POLY SEPTIC TANK WITH MAN HOLE CLEANOUTS, 4" EFFLUENT, 4" INFLUENT	2	EA	INTENDED USE: MECHANICAL
169	4IN X 10FT PVC DWV PLAIN END PIPE, SCH. 40	30	EA	INTENDED USE: MECHANICAL
170	3IN X 10FT PVC DWV PLAIN END PIPE, SCH. 40	5	EA	INTENDED USE: MECHANICAL
171	2IN X 10FT PVC DWV PLAIN END PIPE, SCH. 40	15	EA	INTENDED USE: MECHANICAL
172	1 1/2 IN X 10FT PVC DWV PLAIN END PIPE, SCH. 40	5	EA	INTENDED USE: MECHANICAL
173	2IN PVC DWV HXH P-TRAP	6	EA	INTENDED USE: MECHANICAL
174	1 1/2 IN PVC DWV HXH P-TRAP	6	EA	INTENDED USE: MECHANICAL

175	4IN PVC DWV HXH P-TRAP	4	EA	INTENDED USE: MECHANICAL
176	4IN PVC DWV SPGXF CLEANOUT ADAPTER WITH PLUG	8	EA	INTENDED USE: MECHANICAL
177	1 ½ IN X 2IN PVC AIR ADMITTANCE VALVE	6	EA	INTENDED USE: MECHANICAL
178	1 ½ IN PVC DWV 90 DEGREE HXH ELBOW	10	EA	INTENDED USE: MECHANICAL
179	1 ½ IN PVC DWV 45 DEGREE HXH ELBOW	10	EA	INTENDED USE: MECHANICAL
180	2IN X 2IN PVC DWV 90 DEGREE HXH ELBOW	10	EA	INTENDED USE: MECHANICAL
181	2IN PVC DWV 45 DEGREE HXH ELBOW, BAG OF 10	2	EA	INTENDED USE: MECHANICAL
182	3IN X 2 IN PVC DWV REDUCING COUPLING	10	EA	INTENDED USE: MECHANICAL
183	2IN X 1 1/2 IN PVC DWV REDUCING COUPLING	10	EA	INTENDED USE: MECHANICAL
184	4IN X 3IN PVC DWV HXH REDUCING COUPLING	10	EA	INTENDED USE: MECHANICAL
185	2IN X 2IN PVC NO-HUB COUPLING	8	EA	INTENDED USE: MECHANICAL
186	3IN X 3IN PVC NO-HUB COUPLING	8	EA	INTENDED USE: MECHANICAL
187	4IN X 4IN PVC NO-HUB COUPLING	8	EA	INTENDED USE: MECHANICAL
188	4IN PVC DWV COUPLING	15	EA	INTENDED USE: MECHANICAL
189	4IN PVC DWV 90 DEGREE HXH LONG-TURN ELBOW	20	EA	INTENDED USE: MECHANICAL
190	2IN CPVC BALL VALVE	1	EA	INTENDED USE: MECHANICAL
191	1IN X 10FT CPVC PIPE	3	EA	INTENDED USE: MECHANICAL
192	½ IN X 1IN CPVC REDUCER	10	EA	INTENDED USE: MECHANICAL
193	½ IN CPVC ELBOW 90 DEGREE	20	EA	INTENDED USE: MECHANICAL
194	½ IN CPVC SLIP X MPT MALE ADAPTER	15	EA	INTENDED USE: MECHANICAL
195	1IN CPVC ELBOW 45 DEGREE	20	EA	INTENDED USE: MECHANICAL

196	½ IN CPVC TREADED DROP EAR 90 DEGREE ELBOW	6	EA	INTENDED USE: MECHANICAL
197	4 IN PVC DWV DRAIN CAP	8	EA	INTENDED USE: MECHANICAL
198	½ IN CPVC COUPLING	10	EA	INTENDED USE: MECHANICAL
199	3 IN X 4IN PVC DWV CLOSET FLANGE	10	EA	INTENDED USE: MECHANICAL
200	2IN PVC DWV SPIGOT CLEANOUT ADAPTER WITH PLUG	8	EA	INTENDED USE: MECHANICAL
201	½ IN TEFLON THREAD SEAL TAPE	10	EA	INTENDED USE: MECHANICAL
202	14OZ PLUMBERS PUTTY	3	EA	INTENDED USE: MECHANICAL
203	WAX RING AND BOLTS FOR TOILET BOWL	10	EA	INTENDED USE: MECHANICAL
204	½ IN COMPRESSION INLET X 3/8 IN OD OUTLET ¼ TURN ANGLE VALVE	16	EA	INTENDED USE: MECHANICAL
205	3/8 COMPRESSION X ½ IN X 20 IN BRAIDED FAUCET CONNECTOR	12	EA	INTENDED USE: MECHANICAL
206	3/8IN X 7/8IN X12 IN BRAIDED TOILET CONNECTOR	8	EA	INTENDED USE: MECHANICAL
207	½ IN PVC SCH 40 FPT CAP	10	EA	INTENDED USE: MECHANICAL
208	POLY WATERPROOF SHOWER CURTAIN LINER IN WHITE	6	EA	INTENDED USE: MECHANICAL
209	BALL SHOWER CURTAIN RINGS IN CHROME (12PACK)	6	EA	INTENDED USE: MECHANICAL
210	470 CFM WALL CHAIN OPERATED EXHAUST BATH FAN	2	EA	INTENDED USE: MECHANICAL
211	1-HANDLE SHOWER FAUCET IN CHROME, WITH MIXING VALVE AND SHOWER HEAD	6	EA	INTENDED USE: MECHANICAL
212	2IN PVC DWV COUPLING	10	EA	INTENDED USE: MECHANICAL
213	1IN CPVC 90 DEGREE ELBOW	20	EA	INTENDED USE: MECHANICAL
214	GRAVEL #5 (3/4"-1")	15	CD	INTENDED USE: MECHANICAL
215	½ CPVC CAP	25	EA	INTENDED USE: MECHANICAL

216	½ IN CPVC SLIP X FPT FEMALE ADAPTER	15	EA	INTENDED USE: MECHANICAL
217	½ IN X 10 FT CPVC PIPE	15	EA	INTENDED USE: MECHANICAL
218	2IN X 1 ½ IN PVC DWV REDUCING COUPLING	15	EA	INTENDED USE: MECHANICAL
219	36 IN STRAIGHT SHOWER ROD	6	EA	INTENDED USE: MECHANICAL
220	4IN PVC DWV DOUBLE WYE	12	EA	INTENDED USE: MECHANICAL
221	4IN PVC DWV WYE AND 1/8TH BEND	7	EA	INTENDED USE: MECHANICAL
222	2IN CPVC 90 DEGREE ELBOW	20	EA	INTENDED USE: MECHANICAL
223	4IN PVC DWV SCH 40 LONG SWEEPING 90 DEGREE ELBOW	20	EA	INTENDED USE: MECHANICAL
224	1 ½ IN PVC DWV WYE AND 1/1TH BEND	10	EA	INTENDED USE: MECHANICAL
225	2IN PVC DWV WYE AND 1/8TH BEND	10	EA	INTENDED USE: MECHANICAL
226	1 ½ IN PVC DWV DOUBLE WYE AND 1/8TH BEND	10	EA	INTENDED USE: MECHANICAL
227	4 IN SPLIT END CAP	5	EA	INTENDED USE: MECHANICAL
228	POLYLOCK 4-HOLE DISTRIBUTION BOX	1	EA	INTENDED USE: MECHANICAL
229	4 IN X 250 FT PERORATED DRAIN PIPE, BLACK SOCK	2	EA	INTENDED USE: MECHANICAL
230	SAND, FINE	10	CD	INTENDED USE: MECHANICAL (SAND MUST BE FREE OF DEBRIS AND LARGE STONE)
231	4'X8' WHITE .090 FRP WALL BOARD	9	SH	INTENDED USE: SHOWERS
232	855, 1/4" X 1-3/8" X 8' PVC COMPOSITE WHITE FRP DIVIDER MOULDING	18	EA	INTENDED USE: SHOWERS
233	3.5-GAL GREENCHOICE FAST GRAB FRP ADHESIVE	7	EA	INTENDED USE: SHOWERS
234	854-1/2"X7/8"X8' PVC FRP INSIDE CORNER MOULDING WHITE HOME DEPOT MODEL# 0085408011	4	EA	INTENDED USE: SHOWERS

235	867 ¼"X3/4"X8' PVC COMPOSITE WHITE FRP CAP MOULDING	10	EA	INTENDED USE:
236	NEXT GEN ½"X4'X8' CEMENT BOARD	10	EA	INTENDED USE: SHOWERS
237	4" 16 GAUGE STRAPPING COIL 430' 325LBS.	430	LF	INTENDED USE: DIAGONAL BRACING FOR WALLS
BRIDGE				
238	3/8"-7 x 6" Grade A Hot Dipped Galvanized Finish Hex Head Lag Screw	240	EA	INTENDED USE:
239	½"X18" CARRAIGE BOLTS GALVANIZED	15	EA	INTENDED USE: SECURING END WALL TO POST, SPLICE PLATES AND RAILINGS
240	½"X2" OD X1/4" THICK GALFINISH LOW CABON STEEL SQUARE WASHER	4	PK	INTENDED USE:
241	½"-12 GRADE 8 YELLOW ZINC FINISH NE STEEL NYLON INSTER LOCK NUT 25 pk	1	PK	INTENDED USE: FOR 1/2" CARRAIGE BOLTS
242	Grabber #8 3 in. Phillips Flat-Head Wood Deck Screws (1 lb.-Pack)	15	BX	INTENDED USE:
243	3/8" x 1.000" OD Low Carbon Hot Dipped Galvanized Finish Steel USS General Purpose Flat Washer	5	BX	INTENDED USE:
244	54FT. 16-GAUGE COILDED STRAP SIMPSON STRONG TIE CMSTC-16	1	RL	INTENDED USE: HAND RAILS
245	LUMBER TREATED 3"X12"X16' OAK	128	LF	INTENDED USE: BRIDGE SPAN
246	LUMBER TREATED 3"X8"X16' OAK	448	LF	INTENDED USE: BRIDGE DECK
247	8" DIAMETER X 8' TREATED POST GREANHEART	24	LF	INTENDED USE:
248	4 in. x 4 in. x 12 ft. #2 Pressure-Treated Timber #2 SOUTHERN YELLOW PINE	6	EA	INTENDED USE:

249	2 in. x 6 in. x 16 ft. #2 Prime Ground Contact Southern Pine Pressure-Treated Lumber	3	EA	INTENDED USE:
250	2”X4”X16’ LUMBER TREATED (320 LF) #2 SOUTHERN YELLOW PINE	12	EA	INTENDED USE: BRIDGE DECK, (1024 LINEAR FEET)
ROAD				
251	SIMPLE RED CLAY FILL	200	CD	INTENDED USE: ROAD CROWN REPAIR (FREE OF DEBRIS AND VEGETATION)
252	SELECT FILL, CRUSHED STONE, #57	150	CD	INTENDED USE: FOOTERS, SLAB. (FREE OF DEBRIS AND VEGETATION)

C.2.0. SPECIFIC TASKS:

C.2.1 BACKGROUND CHECKS: The ESC shall conduct security background checks on employees and Subcontractor employees with local or national police departments or other government organizations. The ESC shall not use employees if the results of their background investigation indicate they may be a security risk to the site and US Military personnel. The ESC shall issue photo identification badges to its personnel and ensure all Subcontractor personnel have photo identification badges. Badges shall be standardized and have a passport type photo, name of the company, individuals name, identification number, and date of birth. Personnel will wear the badge so that it is visible at all times. The ESC shall ensure that their employees and Subcontractor employees wear appropriate uniform items to identify them as Contractor personnel. Examples would be similar T-shirts, trousers, or coveralls with company names printed on the clothing.

C.2.2. Work Schedule: Except as otherwise provided, the Contractor shall be available to provide support from 0600-2400 at the worksite 7 days a week in coordination with KO or COR.

C.2.2.2. The Contractor shall at all times maintain an adequate workforce for the uninterrupted performance of all tasks defined within this performance work statement.

C.3.0. GOVERNMENT FURNISHED PROPERTY AND SERVICES: None

C.4 SUPPORTING DOCUMENTS: See attached Bid Schedule.

C.5 GOVERNMENT POINT OF CONTACT: The point of contact for mission is ****PROVIDED UPON AWARD**** and designated the Contracting Officer’s Representatives (CORs) are the POCs under this contract and can be reached at ****PROVIDED UPON AWARD****.

C.6 QUALITY: The Contractor shall provide the timely delivery of goods and services. Quality of all services or supplies provided shall conform at least to commercial standards in the relevant profession, trade, or field of endeavor. All services shall be performed by individuals fully qualified and licensed in their relevant area.

C.7 LOCATION OF WORK: Work site is in the local vicinity of Cabildo Indigena camp site, Cartagena, Colombia.

C.8 CONTINGENCY SITUATIONS/MISSION OPERATIONS: Contingency situations (natural disasters, military peacetime and wartime contingency operations/exercises, serious accidents, civil disturbances, major mobilization or repatriation of non-combatants) may necessitate that the SC be flexible in arranging different levels of support and service operational hours. The SC shall respond to contingency situations and revise priorities as directed by the COR. If the SC cannot accomplish normal activities due to activation or exercise of any contingency plan, the ESC shall not be held liable for non-support of lower priorities. The COR will determine the lower priorities that can be

temporarily relaxed in contingency situations. If appropriate, the SC shall be reimbursed for contingency operations requiring a higher level of response and resources. The SC shall submit a Request for Equitable Adjustment detailing the impact resulting from the incorporation and operation of such contingency actions prior to the beginning of the contingency operations. In the event that operations are curtailed as a result of weather emergencies or other unplanned mission-related events, SC personnel may be considered non-essential personnel and thus, not required to be at the work site. They may, however, be required to be on call, to work at a designated evacuation site, or to be part of a crisis response team at a nearby site.

METHOD OF PAYMENTS: Vendors may submit invoices via Wide Area Work Flow (WAWF). For this situation, the words "Prompt Payment Certification" will be replaced by EFT (Electronic Funds Transfer) which is WAWF.

Invoices for goods received or services rendered under this contract shall be submitted electronically through WAWF in the Receipt and Acceptance section of WAWF.

INVOICING INSTRUCTIONS

Invoices will be processed via electronic submission (WAWF).

N68836-16-T-0377
SPS EPF COLOMBIA 2016 – LOGISTICS SUPPORT
QUESTIONS & ANSWERS

QUESTION #1: The point C.1.15.3 states: Provide 250 Gal of Motor Gas MOGAS, 20 gallons per day for use by the HOST NATION. Contractor should expect to deliver approximately 7 gallons of MOGAS a day point-to-point to 5-6 pieces of powered equipment.

This should mean 27 Gal per day, not fitting with the total quantity.

ANSWER:

C.1.15.3 has been amended to 50 GAL per week.

QUESTION #2: in the remarks of item 21 of Cabildo Cartagena spreadsheet it is reported 120 GL per day, but it does not match with what stated in the Statement of Work as it mentions 35 GL/day.

ANSWER:

Bid Sheet has been amended to “see SOW” to resolve discrepancy.

(End of Summary of Changes)