JUSTIFICATION FOR SOLE SOURCE (SAP <$100k)
Ref: FAR 13.106 and NAVSUP 4200.85D Chapter 5 Para. 2.b.(5)

The service or material listed on (Document numbers) **6043-6380** is sole source and competition must be restricted to one source, or to only one brand name for reasons indicated below. There are no substitutes available for this material.

Restricted to the following source or brand name. Provide ***original manufacturer's*** name. (If a sole source manufacturer distributes via dealers, ***ALSO*** provide dealer information.)
Manufacturer: **SQUARE D CORPORATION**
Manufacturer POC & [redacted]
3393.

_**X**_ Description of the item or service required, the estimated cost, and required delivery date.

5 EACH TRANSFORMERS WITH AN ESTIMATED COST OF $18,640.00 AND A 14 MACH 2016 REQUIRED DELIVERY DATE.

_**X**_ Specific characteristics of the material or service that limit the availability to a sole source or particular brand name (unique features, function of the item, etc.). Describe in detail **why** only this suggested source can furnish the requirements to the exclusion of other sources.

SHOP 99E HAS OVER $30,000,000+ OF SQUARE D EQUIPMENT FOR USE IN TEMPORARY ELECTRICAL DISTRIBUTION. FOR U.L. LISTING, THE EQUIPMENT IS SERIES RATED. SERIES RATING ENABLES US TO INSTALL AND/OR REMOVE EQUIPMENT WITHOUT REQUIRING ENGINEERING CALCULATIONS TO BE PERFORMED & THE ISOLATION OR DISRUPTION OF SERVICES WHICH CAN BE VERY EXPENSIVE. NO OTHER MANUFUFACTURER'S EQUIPMENT IS SERIES RATED WITH SQUARE D EQUIPMENT AND THE PROJECTS CANNOT AFFORD TO HAVE DELAYS IN THE REMOVAL/INSTALLATION OF ELECTRICAL SERVICES WHILE WAITING FOR EXTENSIVE ENGINEERING CALCULATIONS THAT COULD TAKE DAYS TO ACCOMPLISH.

_**X**_ The requested material or service represents the minimum requirements of the government

---

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

_**X**_ The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed. Describe the equipment you have **now** and **how** the new item/service must coordinate, connect, or interface with the existing system.

THE REQUESTED TRANSFORMERS ARE REPLACEMENT PARTS FOR SHOP 99 SQUARE D DISTRIBUTION EQUIPMENT.

____ A patent, copyright, or proprietary data limits competition. The proprietary data is:

_____

_**X**_ These are "direct replacements" parts/components for existing brand name equipment.
____ Other information to support a sole-source buy:

_____

_____

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN CLASSIFIED INFORMATION. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE-SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

Signature: [redacted] **Activity: PSNS & IMF - SHOP 99** KR[redacted]JOH N.[redacted]115 8149709

Digitally signed by KROESSER.JOHN.LOUIS.JV.1158149709
DN: c=US, o=U.S. Government, ou=DoD, ou=PKI, ou=USN, cn=KROESSER.JOHN.LOUIS.JV.1158149709
Date: 2016.02.12 12:11:45 -08'00'

Title: ELECTRICAL PLANNER **Date 2/12/2016**

Contracting Officer Signature Andu Hart **Date** 2/22/16

Rev 02/11/10