JUSTIFICATION FOR SOLE SOURCE (SAP <$150k)
Ref: FAR 13.106 and NAVSUP 4200.85D Chapter 5 Para. 2.b.(5)

The service or material listed on Doc # 6161-3015 is sole source and competition must be restricted to one source, or to only one brand name for reasons indicated below. There are no substitutes available for this material.

Restricted to the following source or brand name. Provide ***original manufacturer's*** name. (If a sole source manufacturer distributes via dealers, ***ALSO*** provide dealer information.)

Manufacturer: __	**HASKEL INTERNATIONAL, INC.**
Manufacturer POC & Phone Nr.	**JIM LAWE, PH: 253-246-4562**
Mfr. Address_	**100 EAST GRAHAM PLACE, BURBANK, CA 91502**
Manufacturers Dealer/Rep:	**WESTERN INTEGRATED TECHNOLOGIES, INC.**
Dealer/Rep Address/Phone Number:	**7651 S. 190TH ST. KENT, WA 98032 PH: 253-246-4562**

(X) Description of the item or service required, the estimated cost and required delivery Date.

(3 EA.) TEST PUMP, HASKEL MODEL: DGSF-35-C-4 ([redacted]), DEL. 05 JULY 16

(X) Specific characteristics of the material or service that limit the availability to a sole source or particular brand name (unique features, function of the item, etc.). Describe in detail **why** only this suggested source can furnish the requirements to the exclusion of other sources.

MODEL SPECIFIC PUMPS AND MODEL SPECIFIC PARTS EXTEND THE LIFE OF IN SERVICE A-680 TEST PUMP ASSEMBLIES. A-680 HYDROSTATIC TEST PUMP ASSEMBLIES REQUIRES MODEL SPECIFIC PUMP DUE TO DESIGN CHARACTERISTICS REQUIRED TO FULFILL REACTOR PLANT MANUAL TESTING. PROPRIETARY PUMP MODEL DESIGN PREVENTS USE OF GENERIC REPLACMENT PARTS.

(X) The requested material or service represents the minimum requirements of the government

---

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

____The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed. Describe the equipment you have **now** and **how** the new item/service must coordinate, connect, or interface with the existing system.

HASKEL PUMP MODEL DGSF-35-C-4 IS A REPLACEMENT PUMP USED IN A-680 HYDROSTATIC TEST PUMP ASSEMBLIES.

____A patent, copyright, or proprietary data limits competition. The proprietary data is:

_____

(X) These are "direct replacements" parts/components for existing brand name equipment.
____Other information to support a sole-source buy:

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN CLASSIFIED INFORMATION. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE-SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

[redacted]

Contracting Officer Signature_____ Date_____

JUSTIFICATION FOR SOLE SOURCE (SAP <$150k)
Ref: FAR 13.106 and NAVSUP 4200.85D Chapter 5 Para. 2.b.(5)

The service or material listed on Doc # 6161-3016 is sole source and competition must be restricted to one source, or to only one brand name for reasons indicated below. There are no substitutes available for this material.

Restricted to the following source or brand name. Provide ***original manufacturer's*** name. (If a sole source manufacturer distributes via dealers, ***ALSO*** provide dealer information.)

Manufacturer: __	**HASKEL INTERNATIONAL, INC.**
Manufacturer POC & Phone Nr.	**JIM LAWE, PH: 253-246-4562**
Mfr. Address_	**100 EAST GRAHAM PLACE, BURBANK, CA 91502**
Manufacturers Dealer/Rep:	**WESTERN INTEGRATED TECHNOLOGIES, INC.**
Dealer/Rep Address/Phone Number:	**7651 S. 190TH ST. KENT, WA 98032 PH: 253-246-4562**

(X) Description of the item or service required, the estimated cost and required delivery Date.

(4 EA.) HYDRAULIC BARREL, HASKEL P/N 17616-35 [redacted] DEL. 05 JULY 16

(X) Specific characteristics of the material or service that limit the availability to a sole source or particular brand name (unique features, function of the item, etc.). Describe in detail **why** only this suggested source can furnish the requirements to the exclusion of other sources.

MODEL SPECIFIC PUMPS AND MODEL SPECIFIC PARTS EXTEND THE LIFE OF IN SERVICE A-680 TEST PUMP ASSEMBLIES. A-680 HYDROSTATIC TEST PUMP ASSEMBLIES REQUIRES MODEL SPECIFIC PUMP DUE TO DESIGN CHARACTERISTICS REQUIRED TO FULFILL REACTOR PLANT MANUAL TESTING. PROPRIETARY PUMP MODEL DESIGN PREVENTS USE OF GENERIC REPLACMENT PARTS.

(X) The requested material or service represents the minimum requirements of the government

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

____The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed. Describe the equipment you have **now** and **how** the new item/service must coordinate, connect, or interface with the existing system.

P/N 17616-35 IS A REPAIR PART FOR HASKEL MODEL: DGSF-35-C-4 USED IN A-680 HYDROSTATIC TEST PUMP ASSEMBLIES.

____A patent, copyright, or proprietary data limits competition. The proprietary data is: _____

(X) These are "direct replacements" parts/components for existing brand name equipment.
____Other information to support a sole-source buy:

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN CLASSIFIED INFORMATION. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE-SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

[redacted]

FISCS 4200/100 (Rev. 10/1/10)

JUSTIFICATION FOR SOLE SOURCE (SAP <$150k)
Ref: FAR 13.106 and NAVSUP 4200.85D Chapter 5 Para. 2.b.(5)

The service or material listed on Doc # 6161-3017 is sole source and competition must be restricted to one source, or to only one brand name for reasons indicated below. There are no substitutes available for this material.

Restricted to the following source or brand name. Provide ***original manufacturer's*** name. (If a sole source manufacturer distributes via dealers, ***ALSO*** provide dealer information.)

Manufacturer: __	**HASKEL INTERNATIONAL, INC.**
Manufacturer POC & Phone Nr.	**JIM LAWE, PH: 253-246-4562**
Mfr. Address_	**100 EAST GRAHAM PLACE, BURBANK, CA 91502**
Manufacturers Dealer/Rep:	**WESTERN INTEGRATED TECHNOLOGIES, INC.**
Dealer/Rep Address/Phone Number:	**7651 S. 190TH ST. KENT, WA 98032 PH: 253-246-4562**

(X) Description of the item or service required, the estimated cost and required delivery Date.

(4 EA.) END CAP, HASKEL P/N 26131 [redacted] DEL. 05 JULY 16

__(X)__ Specific characteristics of the material or service that limit the availability to a sole source or particular brand name (unique features, function of the item, etc.). Describe in detail **why** only this suggested source can furnish the requirements to the exclusion of other sources.

MODEL SPECIFIC PUMPS AND MODEL SPECIFIC PARTS EXTEND THE LIFE OF IN SERVICE A-680 TEST PUMP ASSEMBLIES. A-680 HYDROSTATIC TEST PUMP ASSEMBLIES REQUIRES MODEL SPECIFIC PUMP DUE TO DESIGN CHARACTERISTICS REQUIRED TO FULFILL REACTOR PLANT MANUAL TESTING. PROPRIETARY PUMP MODEL DESIGN PREVENTS USE OF GENERIC REPLACMENT PARTS.

__(X)__ The requested material or service represents the minimum requirements of the government

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

____The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed. Describe the equipment you have **now** and **how** the new item/service must coordinate, connect, or interface with the existing system.

P/N 26131 IS A REPAIR PART FOR HASKEL MODEL: DGSF-35-C-4 USED IN A-680 HYDROSTATIC TEST PUMP ASSEMBLIES.

____A patent, copyright, or proprietary data limits competition. The proprietary data is: _____

(X) These are "direct replacements" parts/components for existing brand name equipment.
____Other information to support a sole-source buy:

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN CLASSIFIED INFORMATION. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE-SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

[redacted]

JUSTIFICATION FOR SOLE SOURCE (SAP <$150k)
Ref: FAR 13.106 and NAVSUP 4200.85D Chapter 5 Para. 2.b.(5)

The service or material listed on Doc # 6161-3018 is sole source and competition must be restricted to one source, or to only one brand name for reasons indicated below. There are no substitutes available for this material.

Restricted to the following source or brand name. Provide ***original manufacturer's*** name. (If a sole source manufacturer distributes via dealers, ***ALSO*** provide dealer information.)

Manufacturer: __	**HASKEL INTERNATIONAL, INC.**
Manufacturer POC & Phone Nr.	**JIM LAWE, PH: 253-246-4562**
Mfr. Address_	**100 EAST GRAHAM PLACE, BURBANK, CA 91502**
Manufacturers Dealer/Rep:	**WESTERN INTEGRATED TECHNOLOGIES, INC.**
Dealer/Rep Address/Phone Number:	**7651 S. 190TH ST. KENT, WA 98032 PH: 253-246-4562**

(X) Description of the item or service required, the estimated cost and required delivery Date.

(4 EA.) RING SEAL, HASKEL P/N 29385-35 [redacted] DEL. 05 JULY 16

(X) Specific characteristics of the material or service that limit the availability to a sole source or particular brand name (unique features, function of the item, etc.). Describe in detail **why** only this suggested source can furnish the requirements to the exclusion of other sources.

MODEL SPECIFIC PUMPS AND MODEL SPECIFIC PARTS EXTEND THE LIFE OF IN SERVICE A-680 TEST PUMP ASSEMBLIES. A-680 HYDROSTATIC TEST PUMP ASSEMBLIES REQUIRES MODEL SPECIFIC PUMP DUE TO DESIGN CHARACTERISTICS REQUIRED TO FULFILL REACTOR PLANT MANUAL TESTING. PROPRIETARY PUMP MODEL DESIGN PREVENTS USE OF GENERIC REPLACMENT PARTS.

(X) The requested material or service represents the minimum requirements of the government

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

____The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed. Describe the equipment you have **now** and **how** the new item/service must coordinate, connect, or interface with the existing system.

P/N 29385-35 IS A REPAIR PART FOR HASKEL MODEL: DGSF-35-C-4 USED IN A-680 HYDROSTATIC TEST PUMP ASSEMBLIES.

____A patent, copyright, or proprietary data limits competition. The proprietary data is: _____

(X) These are "direct replacements" parts/components for existing brand name equipment.
____Other information to support a sole-source buy:

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN CLASSIFIED INFORMATION. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE-SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

[redacted]

JUSTIFICATION FOR SOLE SOURCE (SAP <$150k)
Ref: FAR 13.106 and NAVSUP 4200.85D Chapter 5 Para. 2.b.(5)

The service or material listed on Doc # 6161-3019 is sole source and competition must be restricted to one source, or to only one brand name for reasons indicated below. There are no substitutes available for this material.

Restricted to the following source or brand name. Provide ***original manufacturer's*** name. (If a sole source manufacturer distributes via dealers, ***ALSO*** provide dealer information.)

Manufacturer:	**HASKEL INTERNATIONAL, INC.**
Manufacturer POC & Phone Nr.	**JIM LAWE, PH: 253-246-4562**
Mfr. Address	**100 EAST GRAHAM PLACE, BURBANK, CA 91502**
Manufacturers Dealer/Rep:	**WESTERN INTEGRATED TECHNOLOGIES, INC.**
Dealer/Rep Address/Phone Number:	**7651 S. 190TH ST. KENT, WA 98032 PH: 253-246-4562**

(X) Description of the item or service required, the estimated cost and required delivery Date.

(4 EA.) RING SEAL, HASKEL P/N 29383-35 [redacted] DEL. 05 JULY 16

(X) Specific characteristics of the material or service that limit the availability to a sole source or particular brand name (unique features, function of the item, etc.). Describe in detail **why** only this suggested source can furnish the requirements to the exclusion of other sources.

MODEL SPECIFIC PUMPS AND MODEL SPECIFIC PARTS EXTEND THE LIFE OF IN SERVICE A-680 TEST PUMP ASSEMBLIES. A-680 HYDROSTATIC TEST PUMP ASSEMBLIES REQUIRES MODEL SPECIFIC PUMP DUE TO DESIGN CHARACTERISTICS REQUIRED TO FULFILL REACTOR PLANT MANUAL TESTING. PROPRIETARY PUMP MODEL DESIGN PREVENTS USE OF GENERIC REPLACMENT PARTS.

(X) The requested material or service represents the minimum requirements of the government

CHECK & FILL IN ALL APPLICABLE BLANKS BELOW

____The material/service must be compatible in all aspects (form, fit and function) with existing systems presently installed. Describe the equipment you have **now** and **how** the new item/service must coordinate, connect, or interface with the existing system.

P/N 29383-35 IS A REPAIR PART FOR HASKEL MODEL: DGSF-35-C-4 USED IN A-680 HYDROSTATIC TEST PUMP ASSEMBLIES.

____A patent, copyright, or proprietary data limits competition. The proprietary data is: _____

(X) These are "direct replacements" parts/components for existing brand name equipment.
____Other information to support a sole-source buy:

I CERTIFY THAT STATEMENTS CHECKED, AND INFORMATION PROVIDED ABOVE, ARE COMPLETE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND DO NOT CONTAIN CLASSIFIED INFORMATION. I UNDERSTAND THAT THE PROCESSING OF THIS SOLE-SOURCE JUSTIFICATION PRECLUDES THE USE OF FULL AND OPEN COMPETITION.

[redacted]