AJ

DEFENSE LOGISTICS AGENCY
DLA Maritime at Mechanicsburg
5450 CARLISLE PIKE
MECHANICSBURG, PA 17055-0788

JUSTIFICATION FOR OTHER THAN FULL AND OPEN COMPETITION

REQUISITION NUMBER/PD: VARIOUS/SEE ATTACHED **FOLDER NUMBER:** 15216-0053

[redacted]		[redacted]	[redacted]
(Item Manager's Name) *Please Print*		(Extension)	(Code)
[redacted]		[redacted]	[redacted]
(Technician's Name) *Please Print*		(Extension)	(Code)
[redacted]		[redacted]	[redacted]
(Buyer's Name) *Please Print*		(Extension)	(Code)

1. **IDENTIFICATION OF AGENCY AND/OR CONTRACTING ACTIVITY:**

DLA Maritime at Mechanicsburg.

2. **NATURE/DESCRIPTION OF ACTION:** This J&A is for the negotiation and award of a contract through other than full and open competition.

3. **DESCRIPTION OF SUPPLIES/SERVICES:** This J&A cover the acquisition of the following article(s):

Nomen	CALIBRATOR,PORT,HD	Quantity	45 EA
NSN	7ZH 6625 016159773	Cage Code	13859
P/N	3750-3-1	Unit Price	[redacted]

Estimated Value (include option) [redacted]

Appropriation, Subhead and Cost Code:
97 00 XX XX 4930 NC1A 000 81004 0 050120 7R 000000 8PMC00000000

OPTION: NO

Item description required for all items:

The Digital Pressure Calibration System is a portable, self-contained kit that includes all required instruments, hoses, and tools. The system employs a scissor-action, hand pump to quickly generate pneumatic and hydraulic test pressures, calibrates pneumatic gauges from 28.5 in-Hg vacuum to 600 psig (40 Bar) and hydraulic gauges up to 6,000 psig (400 Bar). Precision digital gauges in the system are accurate to ±0.1% of indication from 20% to 100% of full scale. The complete system stows in a compact, rugged, watertight storage case.

Spares C1 J&A
Revised 11/13

REQUISITION NUMBER/PD: VARIOUS/SEE ATTACHED FOLDER NUMBER: 1521G-0053

4. IDENTIFICATION OF STATUTORY AUTHORITY: This J&A is based upon the authority of 10 USC 2304(c)(1), as implemented by Federal Acquisition Regulation 6.302-1. The supplies required by the agency are only available from one responsible source or a limited number of sources and no other type of supplies will satisfy agency requirements.

5. DEMONSTRATION OF CONTRACTOR'S UNIQUE QUALIFICATIONS:

The current Acquisition Method Code (AMC/AMCS) is | 3Q | . For the reasons explained below, these Supplies are only available from the following source(s): (CAGE) 13859 KING NUTRONICS CORP. (KNC)

Only the above manufacturing source(s) will be solicited because the article to be acquired is a highly specialized part. This Portable Pressure Calibrator Model 3750 is coded sole source to King Nutronics Corp. Cage 13859 who owns the drawings and was identified as the approved source of supply by the ISEA during initial provisioning. The Government does not have the rights to the drawings to be able to solicit competitively or to guarantee the same form, fit and function as the item currently being procured. No other viable sources of supply were identified during the provisioning phase for the item. Based on the information available to the Government at this time, Portable Pressure Calibrator Model 3750, King Nutronics Corp. has been identified as the only unit approved to meet the Government's minimum needs.

6. GOVERNMENTWIDE POINT OF ENTRY NOTICE/POTENTIAL SOURCES: The government will synopsize this contract action by posting a synopsis on FedBizOpps.gov as required by FAR Subpart 5.2.

7. DETERMINATION OF FAIR AND REASONABLE COST: The contracting officer determines that the anticipated cost to the Government will be fair and reasonable. In instances when certified cost and pricing data are required, an analysis of cost information will be performed which will consider field pricing reports, commerciality, procurement history and other available cost and pricing information in determining price reasonableness. When certified cost and pricing data is obtained it will be used to ensure reasonableness, completeness and realism of proposed costs as required.

8. DESCRIPTION OF MARKET SURVEY: A technical review, which consisted of searching several Government databases including ITIMP, FLIS and ERP, has been completed on this item. Search criteria included Part Number, Design Control Activity, Cage Code, NSN, Nomenclature, AMC/AMSC, AAC, Criticality Coding, recorded approved sources of supply, historical sources of supply and past contracts. Based on this market research NSWC Corona Division Measurement Science Department has determined that the only known manufacturing source is King Nutronics Corp. Sources Sought notification and market survey has been completed on 11/6/2015 FEDBIZ in accordance with DFARS PGI 208.303-2. No other vendors replied to source sought.

9. ANY OTHER SUPPORTING FACTS:

The main decision logic of the NAVSEA program office in selecting the KNC PPC next generation (3750 series) was they had invested a significant amount of resources into configuration control and management with the PPC 3731 series, which was initially competitively selected for this testing requirement. The afforded benefit of a seamless modernization with the 3750 series PPC meant there was very little additional cost. Infrastructure within the maintenance community was already in place. The cost to incorporate a new model/OEM would have been unachievable and insurmountable within the current budget climate. The current maintenance methodology within the Fleet PMS and schoolhouse/NEC training is established for the unique application and functionality of this type of equipment vice other portable high pressure calibration standards.

10. LISTING OF INTERESTED SOURCES: The following sources have expressed, in writing, an interest in this acquisition:

NONE

Spares C1 J&A
Revised 11/13

REQUISITION NUMBER/PD:	VARIOUS/ SEE ATTACHED	FOLDER NUMBER: 15216-0053

11. ACTIONS TO REMOVE BARRIERS TO COMPETITION: The government will include a clause in this solicitation that provides that the government will consider alternate offers, and that alternate offers should submit a source approval request (SAR) package that will be referred to the cognizant engineering activity. If, due to mission requirements, the current procurement cannot be delayed in order to allow sufficient time for the engineering activity to determine whether to approve the alternate offer, the SAR package will be considered for future awards. This item has been reviewed under the NAVSUP WSS limited screen process and determined that the item cannot be broken out. No additional actions to remove barriers to competition are required under this process. It is determined the efforts to improve competition as cited in the previous justification & approval dated Aug. 2013 utilizing authority at 10USC 2304(c)(1) as implemented by FAR 6.302-1 were completed.

12. STATEMENT OF DELIVERY REQUIREMENTS:

(a) The required delivery date (month/year) is: 11/16

Ship to: **W25G1U** **6 EA. New Cumberland PA.**
W62G2T **5 EA. San Joaquim CA.**

13. REFERENCE TO THE APPROVED ACQUISITION PLAN: An Acquisition Plan is not required for this acquisition.

14. DOCUMENTATION FOR SPARE/REPAIR PARTS ACQUISITIONS: The specifications for the above articles have been reviewed and reflect the minimum needs of the Government.

Spares C1 J&A
Revised 11/13

REQUISITION NUMBER/PD: VARIOUS/ SEE ATTACHED **FOLDER NUMBER:** 15050-0201

TECHNICAL AND REQUIREMENTS CERTIFICATION

REQUIRED BY FAR 6.303-2(b)

I certify that the facts and representations under my cognizance which are included in this justification and which form a basis for this justification are complete and accurate.

TECHNICAL COGNIZANCE:

(Signature)	(Name & Title)	(Code)	(Phone)	(Date)
[redacted]				18 November 2015

REQUIREMENTS COGNIZANCE:

(Signature)	(Name & Title)	(Code)	(Phone)	(Date)
[redacted]				18 November 2015

COMPETITION ADVOCATE REVIEW AND CONCURRENCE

(Signature)	(Name & Title)	(Code)	(Phone)	(Date)

CONTRACTING OFFICER'S CERTIFICATION REQUIRED BY FAR 6.303-2(a)(12)

I certify that this justification is accurate and complete to the best of my knowledge and belief. (Represents approval if less than $650K.)

(Signature)	(Name & Title)	(Code)	(Phone)	(Date)
Emily Bear	Contract Specialist Emily Bear	21C	x5885	12/3/15

APPROVAL REQUIRED BY FAR 6.304

APPROVAL: (Over **$650K**)

(Signature)	(Name & Title)	(Code)	(Phone)	(Date)

Approval Levels:

Contracting officer:	Up to $650,000
Competition Advocate:	$650,000 to $12,500,000
HCA:	$12,500,000 to $62,500,000
DLA HQ:	over $62,500,000