

Government Requirements List

WI-FI CABINETS, CABLING SUPPLIES, TIME APPLIANCE

Wi-Fi Cabinets, Cabling Supplies, Time Appliance Spec Sheet

Quantity	Description	Mfg. Part #	Manufacturer
10	CASE & CABINET E Series Enclosure, 30"H x 24"W x 32"D, 13 RMU, RoHS Airflow: FRONT-TO-REAR Color: BLACK Material: STEEL Model: NETWORK Mounting Width: 19" Multi-compartment: NO Nema Rating: NO Overall Depth: 32" Overall Height: 30" Overall Width: 24" Rack		Any that meets the specifications.
200	WIRING Housing, Surface Mount, 2 Port Color: WHITE Gang: 1 Loaded: NO Mounting: SURFACE MOUNT Number of Ports: 2; accepts standard HXJ & HJ Jacks, Fiber and AV Snap-Fits.		Any that meets the specifications.
8	WIRING Jack, Hxj, Cat6, 8Pos, Uni A/B, Or, 25Pk Category: CATEGORY 6 Color: ORANGE Family: NEXTSPEED Number of Ports: 1 Sub Family: XCELERATOR JACK Termination: 110 Wiring: A/B UNIVERSAL		Any that meets the specifications.
8	WIRING Jack, Hxj, Cat6, 8Pos, Uni A/B, BI, 25Pk Category: CATEGORY 6 Color: BLUE Family: NEXTSPEED Number of Ports: 1 Sub Family: XCELERATOR JACK Termination: 110 Wiring: A/B UNIVERSAL		Any that meets the specifications.
4	WIRING 24-PORT PANEL 110-MOD 8W8P T568A/B CAT6 NEXTSPEED BLACK 1U Category: CATEGORY 6 Color: BLACK Family: NEXTSPEED Number of Ports: 24 RMS: 1 Rack Units: 1 Sub Family: P6 PATCH PANEL Termination: 110-MOD Wiring: A/B UNIVERSAL		Any that meets the specifications.
200	3FT CAT6 Booted Snagless Gray patch cable		Any that meets the specifications.
200	5FT CAT6 Booted Snagless Violet patch cable		Any that meets the specifications.
20	CAT6 50FT Booted Snagless Blue patch cable		Any that meets the specifications.
5	1000' boxes of Multi-Conductor - Enhanced Category 6 Nonbonded-Pair Cables 4-pair U/UTP CMP Reel-in-Box Blue Category: CATEGORY 6 Conductor Size: 23 AWG (AMERICAN WIRE GAUGE) Conductor Type: SOLID Conductor/Pair Count: 4 PAIR Family: GIGAFLEX Fire Rating:		Any that meets the specifications.
5	1000' boxes of Multi-Conductor - Enhanced Category 6 Nonbonded-Pair Cables 4-pair U/UTP CMP Reel-in-Box Orange Category: CATEGORY 6 Conductor Size: 23 AWG (AMERICAN WIRE GAUGE) Conductor Type: SOLID Conductor/Pair Count: 4 PAIR Family: GIGAFLEX Fire Ratin		Any that meets the specifications.

1	<p>GPS Network Time Server Device Type: STANDALONE Type of Device: TERMINAL SERVER Key Features:</p> <ul style="list-style-type: none"> •High-Bandwidth NTP Time Server •Stratum 1 Operation Via GPS Satellites •4 Independent NTP Ports •Internal Dial-up Modem for Time Reference Redundancy •Stratum 2 	Any that meets the specifications.
---	--	------------------------------------

Cabinets must meet industry cabling and network equipment standards.

All cabling items must meet industry standard.

"Industry Standard" for cabling products means that an item follows the specifications required by the IEEE (<http://standards.ieee.org/>) and BICSI (Building Industry Consulting Service International <https://www.bicsi.com/>)

Delivery Date: 30 Days after Contract Award

(Institute of Electrical and Electronics Engineers
org/).