

RFQ: N00244-15-T-0058  
 Attachment 1\_ Product List

Line Item #	Quantity	Unit of Issue	Manufacturer Part Number	Product Specification/Description
1	4	Each	100g-cfp2-sr10	100 GbE CFP2 optic, SR10, for distances up to 100 m over MMF, 1-pack.
2	307	Each	10g-sfpp-lr	10GBASE-LR, SFP+ optic (LC), for up to 10km over SMF.
3	2	Each	10g-sfpp-lr-8	10GBASE-LR,SFP+ SMF LC CONNECTOR 8-PACK.
4	2	Each	10g-sfpp-zr	10GBASE-ZR SFP+ optic (LC), for up to 80km over SMF.
5	544	Each	40g-qsfp-c-00501	40GE QSFP Direct Attached Copper Cable, 0.5m, 1-pack, passive.
6	52	Each	40g-qsfp-c-0101	40GE QSFP Direct Attached Copper Cable, 1m, 1-pack.
7	44	Each	40g-qsfp-lr4	40GBase-LR4 QSFP+ optic (LC), for up to 10km over SMF, 1-pack.
8	12	Each	40g-qsfp-qsfp-c-0101	40GE Direct Attached QSFP+ to QSFP+ Active Copper cable, 1m, 1-pack.
9	26	Each	40g-qsfp-qsfp-c-0301	40GE Direct Attached QSFP+ to QSFP+ Active Copper cable, 3m, 1-pack.
10	8	Each	40g-qsfp-qsfp-c-0501	40GE Direct Attached QSFP+ to QSFP+ Active Copper cable, 5m, 1-pack.
11	2	Each	br-mlx-100gx2-cfp2-x2	Brocade MLXe two (2)-port 100GbE (X2) module with IPv4/IPv6/MPLS hardware support. Requires CFP2 optics. Supports simultaneous 2M IPv4 and 0.8M IPv6, or simultaneous 1.5M IPv4 and 1M IPv6 routes in FIB. Requires high speed switch fabric module.
12	2	Each	br-mlx-10gx20-m	Brocade MLXe twenty (20)-port 10-GbE/1-GbE (M) combo module with IPv4/IPv6/MPLS hardware support. Requires SFP+ and SFP optics. Supports 512K IPv4 routes in FIB. Requires high speed switch fabric modules.

RFQ: N00244-15-T-0058  
Attachment 1\_ Product List

13	2	Each	br-mlx-10gx20-x2	Brocade MLXe twenty (20)-port 10-GbE/1-GbE (X2) combo module with IPv4/IPv6/MPLS hardware support. Requires SFP+ and SFP optics. Supports simultaneous 2M IPv4 and 0.8M IPv6, or simultaneous 1.5M IPv4 and 1M IPv6 routes in FIB. Requires hSFM.
14	4	Each	br-mlx-40gx4-m	Brocade MLXe four (4)-port 40-GbE (M) module with IPv4/IPv6/MPLS hardware support - requires QSFP+ optics. Supports 512K IPv4 routes in FIB. Requires high speed switch fabric modules.
15	2	Each	br-mlxe-8-mr2-m-ac	Brocade MLXe-8 AC system with 1 MR2 (M) management module, 2 high speed switch fabric modules, 2 1800W AC power supplies, 2 exhaust fan assembly kits and air filter. Power cord not included.
16	2	Each	br-mlxe-acpwr-1800	16-, 8- and 4-slot MLXe and 16- and 8-Slot XMR/MLX AC 1800W power supply.
17	4	Each	br-vdx6740-2x40g-pod	2-PORT 40G Ports on Demand(POD) LICENSE FOR VDX6740 AND VDX6740T.
18	8	Each	br-vdx6740-48-f	VDX 6740,48P SFP+ PORTS ONLY - NO OPTICS, AC, NONPORT SIDE EXHAUST AIRFLOW.
19	2	Each	br-vdx6940-36q-ac-r	Brocade VDX 6940-36Q base system with 36 40GbE QSFP+ ports, AC power supply, PORTSIDE EXHAUST AIRFLOW.
20	2	Each	icx6450-c12-pd	12-port 1G Compact Switch (4 PoE+), 2X100M/1G SFP & 2X100M/1G Copper Uplinks, Fanless, PD, L3 static.
21	18	Each	icx7450-24p-e	24-port 1 GbE switch PoE+ bundle includes 4x10G SFP+ uplinks, 2x40G QSFP+ uplinks/stacking, 1x1000W AC power supply and one fan, front to back airflow.
22	2	Each	icx7450-48-e	48-port 1 GbE switch bundle includes 4x10G SFP+ uplinks, 2x40G QSFP+ uplinks/stacking, 1x250W AC power supply and one fan, front to back airflow.

RFQ: N00244-15-T-0058  
Attachment 1\_ Product List

23	90	Each	icx7450-48p-e	48-port 1 GbE switch PoE+ bundle includes 4x10G SFP+ uplinks, 2x40G QSFP+ uplinks/stacking, 1x1000W AC power supply and one fan, front to back airflow.
24	224	Each	icx7450-48p-stk-e	48-port 1 GbE switch PoE+ bundle includes 2x40G QSFP+ uplinks/stacking, 1x1000W AC power supply and one fan, front to back airflow (stack member).
25	2	Each	icx7750-26q	Brocade ICX 7750 with 26 40GbE QSFP+ ports, and one modular slot. Base layer 3 software feature set. Requires ICX7750-L3-COE to use advanced L3 features. Power supplies, fans, optional interface modules and optics ordered separately, not included.
26	29	Each	icx7750-48f	Brocade ICX 7750 with 48 10GbE SFP+ ports, 6 10/40GbE QSFP+ ports, one modular slot. Base layer 3 software feature set. Requires ICX7750-L3-COE to use advanced L3 features. Power supplies, fans, optional interface modules, optics ordered separately.
27	13	Each	icx7750-fan-e	Kit of 4 ICX7750 Fan assemblies port side air intake.
28	2	Each	pcusa	Power Cord for RPS2/3/5/9, USA version, 9'10" (~ 10')
29	4	Each	rps15-e	ICX7450/6610/6650 NON-POE 250W AC PSU, exhause airflow, front to back airflow.
30	327	Each	rps16-e	ICX7450/6610 POE 1000W AC PSU, exhaust airflow, front to back airflow.
31	24	Each	rps9+e	500W AC power supply with exhaust airflow.
32	8	Each	40G-QSFP-SR4	40Gb QSFP Transceiver for Brocade Switch.