

Statement of Work (SOW)

Background

Joint Base Pearl Harbor-Hickam (JBPHH) Police vehicles must be equipped in accordance with the Navy Law Enforcement and Physical Security NTTP 3-07.2.3 Edition dated August 2011. This contract requires procurement and installation of required vehicle components per the NTTP 3-07.2.3 on the following 37 vehicles: (2) Chevrolet Impalas, (10) Ford Explorers, (3) Chevy Equinox, (1) Ford Escape (3) Ford Ranger (2) Jeep Grand Cherokee (5) Ford Sport Trac's, (3) Chevy Silverado's, (1) Dodge Ram, (1) Dodge Dakota, (5) Ford F150/250, and (1) Chevy Trailblazer. The turn-around time is critical, outlined in the 'Vehicle Pick-up and Delivery Schedule' herein.

Reference Standard

The contractor shall supply and install the vehicle equipment in accordance with the Navy Law Enforcement and Physical Security NTTP 3-07.2.3 Edition dated August 2011, and as outlined in the Tables below:

Table -A. Two (2) Chevy Impalas will require the following components:

Exterior Light Bar Super LED -50"L X 14"W , 4 multi-color head LED light bar 50". Includes scan lock for flash pattern selection. Complete with appropriate mounting kit.	Each	1
Tail Light LED Flashers (Red) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Tail Light LED Flashers (Blue) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Front Light LED Flashers (Clear) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	2
Front Grill LED Light (Red) - 5"L X 4"W, Super-LED Light heads and Options, Surface Mount, Color Super-LED with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black Flange. Scan-Lock Flash Patterns including Steady-Burn and Synchronize Feature.	Each	1
Front Grill LED Light (Blue) - 5"L X 4"W Super-LED Light heads and Options , Surface Mount, Color Super-LED with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black Flange. Scan-Lock Flash Patterns including Steady-Burn and Synchronize Feature	Each	1
100 Watt Siren Speaker - Speaker 123DB, 100 WATT	Each	1
Siren Mounting Bracket – Mounting bracket to fit 100 watt siren speaker to vehicle	Each	1
Siren/Light Control Box applicable to vehicles in Para A. Hi/Low Tones and/or 24 Volts DC, 8 button/3 toggle siren and light control	Each	1
Rear Deck LED Light (Red) - 5"L X 6"W. Super-LED dash light , Has Integral Hood, Two Suction Cups, Scan-Lock Flash Pattern Switch.	Each	1
Rear Deck LED Light (Blue) - 5"L X 6"W, Super-LED dash light ,Has Integral Hood, Two	Each	1

Suction Cups and a Scan-Lock Flash Pattern Switch.		
Custom Console System(w/2 power ports and beverage holders) 21.8”L X 8.875”W16” Custom console to fit <u>vehicle type above</u> 25 degree slope, equipment mounting brackets, spacer fill plates, dual cup holders, dual power ports. Equipped w/ pre-drilled holes to allow an optional Laptop mount and power supply for Motorola Portable Radio install.	Each	1
Flip Up Troy Arm Rest - Adjustable arm rest with 4”x7” pad. Mounts to floor plate.	Each	1
Full Sliding Window Partition Cage Steel re-enforced partition cage unit equipped with sliding Plexiglas window panel	Each	1
Rear Door Window Bars - Steel re-enforced partition cage unit left rear door windows.	Each	1
Rear Door Window Bars- Steel re-enforced partition cage unit for right rear door windows.	Each	1
Partition Space Saver Insert - Partition insert (black/Plexiglas) to	Each	1
Dual Universal Gun Mount w/out trigger guards w/ Universal Electronic Locks -Fully universal long rifle/shotgun rack equipped with electronic locks set to control box button (8 second delay) and key override.	Set	1
BI ABS Prisoner transport seat	Each	1
Window Tint – Premium limo dark tint applied to rear (3) windows	Set	1
Equipment Installation – Install of all outlined equipment to fit the Chevy Impalas in Table A.	Group	1

Table-B. Seven (7) Ford Explorers, three (3) Chevy Equinox, three (3) Ford Sport Trac’s, (2) Jeep Grand Cherokee and one (1) Ford Escape will require the following components:

Exterior multi-color Light Bar Super LED -50”L X 14”W , 4 head LED light bar 50”. Includes scan lock for flash pattern selection. Complete with appropriate mounting kit.	Each	1
Tail Light LED Flashers (Red) - 5”L X 6”W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Tail Light LED Flashers (Blue) - 5”L X 6”W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Front Light LED Flashers (Clear) - 5”L X 6”W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	2
Front Grill LED Light (Red) - 5”L X 4”W, Super-LED Light heads and Options, Surface Mount, Color Super-LED with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black	Each	1

Flange. Scan-Lock Flash Patterns including Steady-Burn and Synchronize Feature.		
Front Grill LED Light (Blue) - 5”L X 4”W Super-LED Light heads and Options , Surface Mount, Color Super-LED with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black Flange. Scan-Lock Flash Patterns including Steady-Burn and Synchronize Feature	Each	1
100 Watt Siren Speaker - Speaker 123DB, 100 WATT	Each	1
Siren Mounting Bracket – Mounting bracket to fit 100 watt siren speaker to vehicle	Each	1
Siren/Light Control Box applicable to vehicles in Para. B. Hi/Low Tones and/or 24 Volts DC, 8 button/3 toggle siren and light control	Each	1
Rear Deck LED Light (Red) - 5”L X 6”W. Super-LED dash light , Has Integral Hood, Two Suction Cups and a Scan-Lock Flash Pattern Switch.	Each	1
Rear Deck LED Light (Blue) - 5”L X 6”W, Super-LED dash light ,Has Integral Hood, Two Suction Cups and a Scan-Lock Flash Pattern Switch.	Each	1
Custom Console System(w/2 power ports and beverage holders) 21.8”L X 8.875”W16” Custom console to fit vehicle type above 25 degree slope, equipment mounting brackets, spacer fill plates, dual cup holders, dual power ports. Equipped w/ pre-drilled holes to allow an optional Laptop mount and power supply for Motorola Portable Radio install	Each	1
Flip Up Troy Arm Rest - Adjustable arm rest with 4”x7” pad. Mounts to floor plate.	Each	1
Full Sliding Window Partition Cage Steel re-enforced partition cage unit equipped with sliding Plexiglas window panel	Each	1
Rear Door Window Bars - Steel re-enforced partition cage unit for left rear door windows.	Each	1
Rear Door Window Bars- Steel re-enforced partition cage unit for right rear door windows.	Each	1
Partition Space Saver Insert - Partition insert (black/Plexiglas) to	Each	1
Dual Universal Gun Mount w/out trigger guards w/ Universal Electronic Locks -Fully universal long rifle/shotgun rack equipped with electronic locks set to control box button (8 second delay) and key override.	Set	1
BI ABS Prisoner transport seat	Each	1
Window Tint – Premium limo dark tint applied to rear (3) windows and rear door windows.	Set	1
Equipment Installation – Install of all outlined equipment to fit the items in Table B.	Group	1

Table-C. Two (2) Ford Sport Trac's, one (1) Chevy Trailblazer and two (2) Ford Explorer [K-9 vehicles] will require the following components:

Exterior multi-color Light Bar Super LED -50"L X 14"W , 4 head LED light bar 50". Includes scan lock for flash pattern selection. Complete with appropriate mounting kit.	Each	1
Tail Light LED Flashers (Red) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Tail Light LED Flashers (Blue) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Front Light LED Flashers (Clear) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	2
Front Grill LED Light (Red) - 5"L X 4"W, Super-LED Light heads and Options, Surface Mount, Color Super-LED with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black Flange. Scan-Lock Flash Patterns including Steady-Burn and Synchronize Feature.	Each	1
Front Grill LED Light (Blue) - 5"L X 4"W Super-LED Light heads and Options , Surface Mount, Color Super-LED with Clear Outer Lens, 3.5" W x 1.1" H x 1.2" D. Includes Black Flange. Scan-Lock Flash Patterns including Steady-Burn and Synchronize Feature	Each	1
100 Watt Siren Speaker - Speaker 123DB, 100 WATT	Each	1
Siren Mounting Bracket – Mounting bracket to fit 100 watt siren speaker to vehicle	Each	1
Siren/Light Control Box applicable to vehicles in Para. C. Hi/Low Tones and/or 24 Volts DC, 8 button/3 toggle siren and light control	Each	1
Rear Deck LED Light (Red) - 5"L X 6"W. Super-LED dash light, has Integral Hood, Two Suction Cups and a Scan-Lock Flash Pattern Switch.	Each	1
Rear Deck LED Light (Blue) - 5"L X 6"W, Super-LED dash light, has Integral Hood, Two Suction Cups and a Scan-Lock Flash Pattern Switch.	Each	1
Custom Console System(w/2 power ports and beverage holders) 21.8"L X 8.875"W16" Custom console to fit <u>vehicle type above</u> 25 degree slope, equipment mounting brackets, spacer fill plates, dual cup holders, dual power ports. Equipped w/ pre-drilled holes to allow an optional Laptop mount and power supply for Motorola Portable Radio install.	Each	1
Flip Up Troy Arm Rest - Adjustable arm rest with 4"x7" pad. Mounts to floor plate.	Each	1
<u>Ace K9 Pager, K9 transport system, accessory, Hot-N-Pop unit, heavy duty, includes heat alarm pro, includes remote door pop system</u>	<u>Each</u>	<u>1</u>

Window Tint – Premium limo dark tint applied to rear (3) windows and rear door windows.	Set	1
Equipment Installation Install of all outlined equipment to fit the vehicles listed in Table C.	Group	1

Table-D. (1) Ford Explorer K9 vehicle will require the following components:

<u>Ace K9 Pager, K9 transport system, accessory, Hot-N-Pop unit, heavy duty, includes heat alarm pro, includes remote door pop system</u>	<u>Each</u>	<u>1</u>
Window Tint – Premium limo dark tint applied to rear (3) windows and rear door windows.	Set	1
<u>Equipment Installation Install of all outlined equipment to fit the vehicles listed in Table D.</u>	<u>Group</u>	<u>1</u>

Table-E. The (3) Chevy Silverado's, (5) Ford F150/250, (1) Dodge Ram (1) Dodge Dakota and (3) Ford Ranger security vehicles will require the following components:

Exterior Light Bar Super LED -50"L X 14"W, 4 multi-color head LED light bar 50". Includes scan lock for flash pattern selection. Complete with appropriate mounting kit.	Each	1
Tail Light LED Flashers (Red) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Tail Light LED Flashers (Blue) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	1
Front Light LED Flashers (Clear) - 5"L X 6"W Super-LED Light, with 25 Scan-Lock Flash Patterns, Including Steady-Burn.	Each	2
100 Watt Siren Speaker - Speaker 123DB, 100 WATT	Each	1
Siren Mounting Bracket – Mounting bracket to fit 100 watt siren speaker to vehicle	Each	1
Siren/Light Control Box applicable to vehicles listed in para. E. Hi/Low Tones and/or 24 Volts DC, 8 button/3 toggle siren and light control	Each	1
Dual Universal Gun Mount w/out trigger guards w/ Universal Electronic Locks -Fully universal long rifle/shotgun rack equipped with electronic locks set to control box button (8 second delay) and key override.	Set	1
Equipment Installation – Install of all outlined equipment to fit the vehicles listed in Table E.	Group	1

Government-Furnished Property, Material, Equipment, or Information (GFP, GFM, GFE, or GFI)

All vehicles are ready and available for pick-up in accordance with equipment installation schedule, as coordinated with the JBPHH Security Department POC referenced below.

Warranty

Contractor will provide any warranty service to installed equipment for a minimum period of one-year from the installation and vehicle delivery.

Security

Vendor will require access to Joint Base Pearl Harbor Hickam, Hawaii for delivery and pick-up of the vehicles.

Base Access: Commander, Navy Installations Command (CNIC), has established the Navy Commercial Access Control System (NCACS), a standardized process for granting unescorted access privileges to vendors, contractors, suppliers and service providers not otherwise entitled to the issuance of a Common Access Card (CAC) who seek access to and can provide justification to enter Navy installations and facilities. Visiting vendors may obtain daily passes directly from the individual Navy Installations by submitting identification credentials for verification and undergoing a criminal screening/ background check. Alternatively, if the vendor so chooses, it may voluntarily elect to obtain long-term credentials through enrollment, registration, background vetting, screening, issuance of credentials, and electronic validation of credentials through a designated independent contractor NCACS service provider. Credentials will be issued every five years and access privileges will be reviewed/renewed on an annual basis. Further information regarding NCACS can be found at http://cnic.navy.mil/CNIC_HQ_Site/index.htm (under "Popular Links").

Special Material Requirements

The contractor shall be responsible for providing the tools necessary for installation of the equipment installation requirements under this SOW.

Place of Performance/Facility Capability

The contractor shall have adequate facilities to allow for installation of equipment on at least two (2) vehicles at a time, and to allow for final installation of equipment and delivery by required delivery date of this contract.

Vehicle Pick-up and Delivery Schedule

The contractor shall pick up the first two (2) vehicles shall be picked up within twenty (20) days of contract award. Two (2) vehicles will be picked up at the same time from the Government delivery address and brought to the contractor facility for the equipment installation. Completion of the two vehicles will be not more than seven (7) calendar days from time of pick-up for installation. Final completion to outfit all vehicles will be not more than twenty two (22) weeks after contract award date. All vehicles will be picked up from the below address:

JPBHH Security Department Warehouse
505 Hangar Ave Building 1042
Joint Base Pearl Harbor-Hickam, HI 96853
POC: Added at time of award
Email:
Personal cell:
Office: