

PERFORMANCE WORK STATEMENT
PEARL HARBOR NAVAL SHIPYARD & INTERMEDIATE MAINTENANCE
FACILITY (PHNSY & IMF) NON-HAZARDOUS WASTE DISPOSAL

1.0 Background

1.1 Pearl Harbor Naval Shipyard and Intermediate Maintenance Facility (PHNSY & IMF) is a naval industrial facility that generates various non-hazardous wastes in the process of altering, repairing, and maintaining the U.S. Navy’s vessels and facility buildings/structures. Although these wastes generated are not regulated by the Environmental Protection Agency (EPA) as hazardous waste, they do require proper management, i.e., processing, handling and disposal to ensure that PHNSY & IMF is in compliance with all federal, state and local environmental rules and regulations.

2.0 Objective/Scope of Work

2.1 PHNSY & IMF seeks a qualified Contractor to provide non-hazardous waste disposal services. The Contractor shall operate a landfill facility on the Island of Oahu, authorized by the State of Hawaii and maintain a permit granted by the State of Hawaii Department of Health (DOH) for accepting non-hazardous waste disposal. The non-hazardous waste consists of the following categories as shown in Table A.

2.2 In the event that assistance is needed to empty wedged or trapped material, reload unacceptable material, or clean-up hydraulic fluid spills on the landfill, the estimates on Table B are shown. These services will be provided on an “As needed” basis.

2.1.1 NON-HAZARDOUS WASTES SUMMARY TABLE A

Waste	Est. loads per year	Est. weight per load	Est. Tons per year
a. Sandblast Grit (e.g., Aluminum Oxide, Garnet, Vitrified Smelter Slag, Steel)	250	15 Tons	3,750
a.1 Type or Methods of Containment: Woven polypropylene sacks in covered roll-off containers (e.g., Metal Cans/Drums, Polyethylene or Plastic Bottles/Drums/Pails), loose grit in covered roll-off containers, vacuum tank roll-off covered containers or 55 gallon drums.			
b. Rubber and Polyethylene Products (e.g., Hoses, Mats, Rubber Sheets)	12	2 Tons	24
b.1 Type of Method of Containment: Loose material in dump trailer(s).			
c. Hydroblast Paint Debris (e.g., Paint, Marine Growth)	3	3 Tons	9
c.1 Type or Method of Containment: Woven polypropylene sacks in roll-off container(s).			

d. Empty Containers (e.g., Metal Cans/Drums, Polyethylene or Plastic Bottles/Drums/Pails). The containers previously contained a hazardous material or waste and may have residues such as adhesives, corrosive liquids, epoxies, oils, paints, solvents or wastewaters.	14	2 Tons	28
d.1 Type or Method of Containment: Loose empty containers in covered roll-off container(s).			
e. Liquid Waste [i.e., Trisodium Phosphate (TSP) Solution from Sanitary Tank #2 Cleaning (Grey Water)]	3	2,500 Gallons or 10 Tons, estimated net volume per load	7500 gallons or 30 Tons
e.1 Type or Method of Containment: Tank truck.			

2.2.1 SERVICES TO BE PROVIDED ON AN “AS NEEDED” BASIS TABLE B

Service	Est. No of Occurrences Per Year
f. Assistance to empty wedged or trapped debris	6
g. Hydraulic fluid spills on landfill.	5
h. Assistance to reload unacceptable material.	5

3.0 Performance Requirements

3.1 The Contractor shall accept deliveries of non-hazardous waste only during the landfill facilities normal weekday hours of operation. The non-hazardous waste shall be transported by government employees in government owned vehicles or by government contractors and their vehicles.

3.2 Upon receipt of the non-hazardous waste, the Contractor shall provide the driver with the original signed manifest and or bill of lading and a receipt (i.e., weight ticket) for the waste accepted for disposal.

3.3 In accordance with the landfill permit, the Contractor is required to notify the State of Hawaii Department of Health in advance of any **planned** closure of the landfill facility. In addition, the contractor shall send a written e-mail notice regarding any planned closures to both the Technical Point of Contact (TPOC) and the Alternate Technical Point of Contact (ATPOC) so they can make arrangements to hold all non-hazardous waste deliveries until the facility is reopened.

3.4 Contractor shall notify the points of contact immediately of any **unplanned** closures of the landfill facility that prevent the Contractor from accepting deliveries of any waste (e.g., closures due to inclement weather or flooding.) The Contractor shall make every effort to re-open the facility within a reasonable time frame.

3.5 SERVICE DELIVERY SUMMARY TABLE C

Description	Reference	Performance
1. Acceptance of non-hazardous wastes during normal weekday business hours.	Paragraph 3.1	100% delivery and compliance.
2. Provide original signed manifest and receipt.	Paragraph 3.2	100% delivery and compliance.
3. Provide advanced notice of planned closures of the landfill.	Paragraph 3.3	100% delivery and compliance.
4. Provide immediate notice of unplanned closures of the landfill.	Paragraph 3.4	100% delivery and compliance.

4.0 Quality Control

4.1 The Contractor shall establish and maintain a Quality Control Program pursuant to Hawaii State and City laws, regulations, and policies and provide a copy to the government upon request.

5.0 Government Furnished Property and Services

5.1 The government will not provide any utilities, equipment or supplies to the Contractor.

6.0 Contractor Qualifications and Requirements

6.1 Contractor must possess a current Solid Waste Management Permit issued by the State of Hawaii Department of Health (DOH), Office of Solid Waste Management, and be licensed to operate as a landfill facility.

6.2 Contractor must operate in strict adherence to all rules and regulations established by the State of Hawaii DOH, Office of Solid Waste Management.

6.3 Contractor must have an operations plan that provides detailed procedures for landfill operators that complies with the requirements outlined in Hawaii Administrative Rules (HAR) 11-58.1-19. At a minimum, the Operations Plan shall contain the following elements: a) general site description and operation; b) equipment and personnel requirements; c) hazardous waste exclusion and special waste screening program; d) green waste diversion and exclusion program; e) liquids restrictions; f) temporary storage and final disposition of unacceptable items; g) cover material requirements; h) disease vector control; i) access control; j) storm water management systems; k) leachate collection systems; l) litter control; m) mud and dust prevention program; n) odor control program; o) emergency operating procedures; and record keeping requirements.

6.4 Contractor must have a groundwater monitoring plan that provides detailed procedures that complies with the requirements outlined in HAR 11-58.1-19.

7.0 Period of Performance:

- Base Period: 24 May 2016 to 23 May 2017
- Option Period 1: 24 May 2017 to 23 May 2018
- Option Period 2: 24 May 2018 to 23 May 2019
- Option Period 3: 24 May 2019 to 23 May 2020
- Option Period 4: 24 May 2020 to 23 May 2021

7.1 The option to extend for up to an additional 6 months per FAR 52.217-8 will also be included. The total POP will not exceed 66 months.

8.0 Place of Performance:

8.1 The non-hazardous waste will be transported by the Government to the contractor's landfill facility.

9.0 Enterprise-Wide Contractor Manpower Reporting Application (ECMRA):

"The contractor shall report contractor labor hours (including subcontractor labor hours) required for performance of services provided under this contract for the PHNSY & IMF via a secure data collection site. Contracted services excluded from reporting are based on Product Service Codes (PSCs). The excluded PSCs are:

- (1) W, Lease/Rental of Equipment;
- (2) X, Lease/Rental of Facilities;
- (3) Y, Construction of Structures and Facilities;
- (4) D, Automatic Data Processing and Telecommunications, IT and Telecom- Telecommunications Transmission (D304) and Internet (D322) ONLY;
- (5) S, Utilities ONLY;
- (6) V, Freight and Shipping ONLY.

The contractor is required to completely fill in all required data fields using the following web address <https://doncmra.nmci.navy.mil>.

Reporting inputs will be for the labor executed during the period of performance during each Government fiscal year (FY), which runs October 1 through September 30. While inputs may be reported any time during the FY, all data shall be reported no later than October 31 of each calendar year. Contractors may direct questions to the help desk, linked at <https://doncmra.nmci.navy.mil>."

10.0 Technical Point of Contacts:

Wayne Fukumoto, Supervisor, Supervisor Hazardous Waste Branch, Code 106.31
Phone: 473-8000 x4580 (Office), 306-9109 (Cellular)

Email: wayne.fukumoto@navy.mil

Alternate TPOC:

Gerald Lee

Phone: 473-8000 x4583

Email: Gerald.a.lee1@navy.mil