

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE J	PAGE OF PAGES 1   6
2. AMENDMENT/MODIFICATION NO. 0004	3. EFFECTIVE DATE 11-Sep-2015	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY NAVFAC MID ATLANTIC HAMPTON ROADS IPT 9324 VIRGINIA AVENUE NORFOLK VA 23511-3095	CODE N40085	7. ADMINISTERED BY (If other than item 6) <b>See Item 6</b>		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. N40085-15-R-0001	
		X	9B. DATED (SEE ITEM 11) 16-Mar-2015	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)  P-183 DESIGN BUILD INDOOR DYNAMIC RANGE, JOINT EXPEDITIONARY BASE LITTLE CREEK-FORT STORY, VIRGINIA BEACH, VIRGINIA  Contract POC: RONALD.SMILEY2@NAVY.MIL, Phone: 757-341-0836  SEE CONTINUATION PAGE:				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		11-Sep-2015

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

**SUMMARY OF CHANGES**

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

RESPONSES TO PPIs

**This amendment is being issued to provide the following:**

- Responses to PPIs 1 thru 95
  - Amended Technical Evaluation Factor Five – Technical Solution
  - Amended RFP Part 1 Proposal Forms & Documents
  - Amended RFP Part 3 Project Program
  - Amended RFP Part 6 Attachments
-

RFI No.	REFERENCE			QUESTION	GOVERNMENT RESPONSE
	Page	Section	Para.		
1	RFP	14	N/A	The Phase II proposal is currently due September 11, 2015 at 2:00PM (EST). In order to allow adequate time to prepare the bid, we request the submission deadline be adjusted to Friday, September 25th 2015 at 2:00 PM EST at a minimum.	See Amendment 0003 0004 Page 3 of 6
2	RFP page 3	N/A	N/A	The Phase II RFI cutoff date is currently COB 28 August 2015 at 2:00PM. In order to allow adequate time to prepare the appropriate questions, we request the cutoff date be adjusted to Friday, September 11th 2015 at 2:00 PM EST at a minimum.	See Amendment 0003
3	RFP	01 33 10.05 20	1.9.3	The RFP repeatedly refers to LEED, LEED Certification, and documentation and construction submittals for LEED Certification. Section 01 33 10.05 20 1.9.3 Sustainable Design indicates: "... provide documentation to support compliance with the USGBC LEED NC sustainable goal identified in RFP Part 3, Chapter 2." However we find no LEED goal identified there. We assume goal is LEED Silver, please confirm.	See Amendment 0004
4		01 33 10.05 20	1.9.3.2	Section 01 33 10.05 20 1.9.3.2 Guiding Principle Validation, indicates "Provide an analysis of the Guiding Principle Requirements identified in RFP Part 3, Chapter 2 as it applies to the design of this project and include updated information with each design submittal." However we find no Guiding Principle Requirements identified there. Please clarify. Section 01 33 10.05 20 1.9.3.2 also refers to the NAVFAC NSEDRC. This document lists 5 items under the heading "SUSTAINABILITY DATA – GUIDING PRINCIPLES for SUSTAINABLE NEW CONSTRUCTION and MAJOR RENOVATION". These 5 items are also contained within Chapter 2 of UFC 1-200-02. Are these the "Guiding Principle Requirements" to which Section 01 33 10.05 20 1.9.3.2 refers?	See Amendment 0004
5	1	Part 3 - Chapter 1	1.1	Please provide the AutoCAD files for the Civil and Architectural Drawings provided in Attachments O and P.	Bid Per RFP Documents
6	1			RFP Part 3 – Chapter 6, ESR A10 and B10 indicate to use "Occupancy Category I in Table 2-2 of UFC 3-301-	See Amendment 0004

## **TECHNICAL EVALUATION FACTOR FIVE - TECHNICAL SOLUTION**

(a) Solicitation Submittal Requirements Paragraph 2, First Sentence:

1. **DELETE** “Offeror shall use the conceptual floor, elevation and site plans provided as a basis for their design, per the RFP (Part 3 and 6).”
2. **ADD** “Offeror shall use the conceptual floor, and site plans provided as a basis for their design, per the RFP (Part 3 and 6)”.

### **RFP – Part 1 – PROPOSAL FORMS & DOCUMENTS**

1. **REVISE** Table of Contents Attachment designation N: Architectural Drawings...to be attachment “O”.
2. **REVISE** Table of Contents Attachment designation O: Civil Drawings...to be attachment “P”.
3. **ADD** Table of Contents Attachment N “Installation Appearance Plan (IAP) Signage and Master Plan List”.

### **RFP – Part 3 – PROJECT PROGRAM**

1. **Chapter 1, Page 2;**

DELETE the following from Electrical:

“...Incorporate dimming capable LED lighting to be able to simulate white, red and dusk (blue) lighting...”

2. **Chapter 2, Page 1;**

**REPLACE** paragraph 2.3.1 Sustainable Design with:

“The minimum sustainable design rating level for the project is to achieve LEED-NC v3.0, SILVER, and the constructed facility shall be certified by the USGBC as having met the USGBC LEED-NC v3.0 requirements for the required rating level. Strategies for achieving LEED-NC SILVER shall include compliance with UFC 1-200-02, High Performance and Sustainable Building Requirements to demonstrate compliance with Guiding Principles for New Construction.

Integrate sustainable strategies and features into the design to minimize the energy consumption of the facilities; conserve resources; minimize adverse effects to the environment; and improve occupant productivity, health, and comfort to reduce the total cost of ownership of the project using a whole building, life-cycle approach.

Incorporate sustainable design strategies and features to the fullest extent possible, consistent with mission, budget and client requirements. The contractor shall register the project with USGBC under LEED-NC.

EA-6 Green Power is not applicable to the project and must not be used by the Contractor to obtain the LEED certification.

Ensure sustainable strategies and features in the design phase are incorporated in the construction phase.

See Part 2, Part 3, and Part 4 sections for any additional sustainability requirements.”

**3. Chapter 4, ROOM REQUIREMENTS, Page 26;**

**REVISE** the following door size for 123 and 124 MAINTENANCE:

“(2)-3’x7””

**4. Chapter 4, ROOM REQUIREMENTS, Page 32;**

**REVISE** the following for 127 SIMULATOR RANGE VESTIBULE:

“Minimum Ceiling Height: 8’-0””

**5. Chapter 4, ROOM REQUIREMENTS, Page 38;**

**DELETE** the following for C3030 Ceiling Finishes:

“Paint exposed ceiling and structural systems”

**ADD** the following for C3030 Ceiling Finishes:

“1-3/8” bullet resistant fiberglass”

**6. Chapter 6, ESR A10, Page 3;**

**DELETE** the following from A1030 SLAB ON GRADE:

“Concrete floor in Shooting Ranges shall be designed to accommodate vehicular load from an RG33 MRAP.”

**7. Chapter 6, ESR E10, Page 3;**

**REPLACE** E102010 paragraph 1.5 with the following:

“1.5 A moving target system for the Roger's and Tactical ranges. The system consists of ceiling-mounted rails with rotating target carrier mechanisms running the length of each firing lane and with LED target lighting. It also consists of 2, parallel, ceiling mounted "running man" target systems in each range, running the width of the range and with LED target lighting. Therefore the number of rotating target carriers running the length of each firing lane will be equal to the total number of lanes in each range, and the number of "running man" target carriers will total 4 (2 for the Roger's Range and 2 for the Tactical range). The system shall be controlled from the Control Booth and through a future remote device such as an iPad or similar device. The government will provide silhouettes.”

**8. Chapter 6, ESR G40, Page 4;**

**ADD** the following to G403001:

“Provide new direct buried 4” conduit and new 100-pair UTP OSP copper cable from pedestal 851-3 to pedestal 10A. Pedestal 10A is located near Building 10 north of the new parking lot, approximate distance from pedestal to pedestal is 800’. Remove the existing direct buried 100-pair cable once the new cable has been put in service, coordinate outage and terminations with JEBFS NEC.”

**9. Chapter 6, ESR A10, Page 1;**

**REPLACE** Importance Factors paragraph with the following:

“Use Risk Category II in Table 2-2 of UFC 3-301-01 for determining Importance Factors for seismic, snow, and ice design.”

**10. Chapter 6, ESR B10, Page 1;**

**REPLACE** Importance Factors paragraph with the following:

“Use Risk Category II in Table 2-2 of UFC 3-301-01 for determining Importance Factors for seismic, snow, and ice design.”

**11. Chapter 6, ESR G20, Page 8;**

**REPLACE** G205005 paragraph B. with the following:

“B. For all new parking lots provide one shade tree for every 10 parking spaces that abuts a service drive. Any parking lot that abuts a service drive for the project must be separated by planted median with a minimum inside dimension of 9 feet. Provide no more than two tree species. Trees shall be planted within the median. These trees are in addition to those required in Part 4.”

## **RFP – Part 6 – ATTACHMENTS**

**1. Attachment B :**

**DELETE** Preliminary Report of Subsurface Exploration and Geotechnical Engineering Services dated July 23, 2014 in its entirety.

**ADD** Preliminary Report of Subsurface Exploration and Geotechnical Engineering Services dated December 3, 2014.

**2. Attachment N:**

**ADD** attached Installation Appearance Plan (IAP) Plant List. Title updated to “Installation Appearance Plan (IAP) Signage and Master Plan List”.

(END OF SUMMARY OF CHANGES)

(End of Summary of Changes)