

Design Revision 3

eProjects Work Order Number: 1313770
Construction Contract Number: N/A
Building: Gate 6
Project Title: Entry Control Point, Utilities and Roadways
Date: June 26, 2015

Design Revision Purpose

1. Revise 3 drawings and 2 specification sections in the **GATE 6 - BASE BID PACKAGE**.

Drawing Revisions

1.2 CONTRACT DRAWINGS

The following drawings are **REVISED** as of June 25, 2015 and accompany this Design Revision:

<u>NAVFAC Dwg. No.</u>	<u>Title</u>
12,694,725 (G-003)	Index, Sheet 2 of 2
12,694,929 (TS105)	Site Utilities – Communications Site Plan, Sheet 6 of 7
12,694,937 (SD501)	Decorative Wall Details, Sheet 1 of 3

Specification Revisions

The following specifications are **REVISED** as follows:

SECTION 34 71 13.19 ACTIVE VEHICLE BARRIERS,

2.6.1.2 Traffic Lights

Delete this paragraph in its entirety and replace with the following:

“2.6.1.2 Traffic Lights

One red and two yellow 12-inch traffic lights with aluminum back plates shall be supplied for each entrance and exit to alert motorists of the barrier position. Traffic lights are not required for manual barriers. Yellow flashing lights shall indicate that the barrier is fully open. All other barrier positions shall cause the light to show red. Lights shall be mounted on an overhead structure at the barrier. Two additional yellow 8-inch traffic lights with aluminum back plates shall be supplied for each entrance mounted to an advance warning sign to indicate gate position.”