

		1. CONTRACT ID CODE		PAGE	OF PAGES
		J		1	1
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 25-July-2016		4. REQUISITION/PURCHASE REQ. NO.	
				PROJECT NO. (If applicable)	
6. ISSUED BY NAVFAC MID ATLANTIC HAMPTON ROADS IPT 9742 MARYLAND AVENUE NORFOLK, VA 23511		Code OPHA		7. ADMINISTERED BY (If other than item 6.)	
				Code	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)				<input checked="" type="checkbox"/> 9A. AMENDMENT OF SOLICITATION NO. N40085-16-R-6167	
				<input checked="" type="checkbox"/> 9B. DATED (SEE ITEM 11) 25-July-2016	
				<input type="checkbox"/> 10A. MODIFICATION OF CONTRACT/ORDER NO.	
				<input type="checkbox"/> 10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers <input type="checkbox"/> is extended <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods: (a) By completing items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (if required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
<input type="checkbox"/> A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14. ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
<input type="checkbox"/> B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATION CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103 (b).					
<input type="checkbox"/> C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
<input type="checkbox"/> D. OTHER: (specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not <input checked="" type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)					
TOTAL SMALL BUSINESS DESIGN-BUILD/DESIGN-BID-BUILD MULTIPLE AWARD CONSTRUCTION CONTRACT (MACC) FOR NEW CONSTRUCTION, RENOVATION, ALTERATION, AND REPAIRS FOR PROJECTS IN THE HAMPTON ROADS AREA, VIRGINIA.					
<b>DESIGN-BUILD RM14-1272 Energy Saving RCxA and DDC Upgrades at Joint Expeditionary Base Little Creek – Fort Story Virginia Beach, VA. Project Work Order No. 1362575</b>					
The purpose of this amendment is to:					
1. Identify the site visit meeting place within the General Requirements; and					
2. Provide amended specifications to RFP.					
All other terms and conditions remain unchanged. All changes to the General Requirements have been highlighted in Red.					
The proposal due date is unchanged from Thursday, August 18, 2016 at 2pm local time.					
You are required to acknowledge ALL amendments in the price proposal form.					
<b>SEE CONTINUATION PAGES</b>					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
15B. CONTRACTOR/OFFEROR (Same as Item 8)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____		16C. DATE SIGNED
_____ (Signature of person authorized to sign)			_____ (Signature of Contracting Officer)		

**SECTION 01 35 26 GOVERNMENTAL SAFETY REQUIREMENTS**

1.7.1.2 CONTRACTOR QUALITY CONTROL (QC) MANAGER

Modify this sentence to: The Contractor Quality Control Manager cannot be the SSHO on this project.

**SECTION 01 45 00.05 20 DESIGN AND CONSTRUCTION QUALITY CONTROL**

Add Section 1.5.6 QC Specialists Duties and Qualifications

Provide a separate QC Specialist at the work site for each of the areas of responsibilities, specified in Part 3, Execution, of the technical sections, who must assist and report to the QC Manager and who may perform production related duties but must be allowed sufficient time to perform. QC Specialists are required to attend the Coordination and Mutual Understanding Meeting, QC meetings and be physically present at the construction site to perform the three phases of control and prepare documentation for each definable feature of work in their area of responsibility at the frequency specified below.

**SECTION 01 50 00.05 20 TEMPORARY FACILITIES AND CONTROLS FOR DESIGN BUILD**

2.2 Project Sign

Delete this section in its entirety.

**SECTION B30**

Part 3 Chapter 6 Section B30 Roofing should be modified to indicate roof work is related to HVAC repair/replacement and not new roofing

An Updated Section accompanies this Amendment.

## **B30 ROOFING**

Provide construction services as required for the repair of the roof system due to replacement or installation of mechanical systems. Roof system includes all necessary ancillary and incidental work necessary for a complete watertight roof system installation.

### **B3010 ROOF COVERINGS**

Provide all new insulation, roof membrane, membrane flashing, sheet metal flashing materials, and accessories and incidental work associated with mechanical or electrical modifications to the building. Any repairs should maintain a complete, watertight modified bitumen roof system installation.

Any new insulation system above roof deck shall be minimum R-20 where over environmentally interiors, but no less than that required by ASHRAE 90.1, Chapter 5 for project climate zone

### **B3040 ROOF WARRANTY**

Provide minimum two-year contractor warranty against defects in installation workmanship in accordance with referenced requirements of Standard Design-Build Template PTS B30. Contractor warranty shall provide for full removal and replacement of failed or defective workmanship and damaged materials, including sheet metal flashings.

### **B3050 ROOF SPECIFICATION AND DETAILING**

All work, materials, installation and details shall be in accordance with Standard Design-Build Template PTS B30 and comply with all applicable Unified Facilities Guide Specification (UFGS) materials and installation requirements. UFGS's are referenced in PTS B30 and are available at [www.ccb.org](http://www.ccb.org). Provide for complete rough carpentry, roof insulation, roof covering, sheet metal flashing, and other components necessary to complete the installation.

Utilize the applicable UFGS for development of the roof membrane specification. Edit for application to the specific project and compliance with the RFP. Provide complete rough carpentry, roof insulation, and sheet metal flashing specification sections coordinated and compatible with the membrane specification.

All details shall be in accordance with recommendations and guidelines of the National Roofing Contractors Association (NRCA) Roofing and Waterproofing Manual and Construction Details and as required by the RFP.

The roof system shall comply with the applicable requirements of the International Building Code. Refer to UFC 3-110-03, *Roofing*, and UFC 3-100-10, *Architecture* for additional technical requirements for the roof system to be installed.

### **B3060 ROOF DESIGNER REQUIREMENTS**

Provide materials specification, installation requirements, and system detailing to include all flashings, penetrations, closures, corners, intersections, terminations, transitions, interfaces, joint, and lap conditions to provide for a watertight installation.

The Contractor shall utilize the services of a Registered Roof Consultant (RRC) certified by the

## CONTINUATION SHEET

Roof Consultants Institute, or a Registered Professional Architect or Professional Engineer either of which is knowledgeable and experienced in roof investigation, inspection, and design and specializes in roof design and roof consulting services. Consultant shall be thoroughly familiar with the field conditions and prepare the design or provide design review and approval prior to design acceptance by the Contracting Officer. The consultant shall validate in writing familiarity with field conditions and that the design for the project is complete, in accordance with the RFP, and provides for a complete and effective roof system solution and design.

### **B3070 QUALITY CONTROL PROGRAM**

Contractor shall establish a quality control program to assure adherence to the RFP design and construction requirements and to report on the installation quality.