

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 41
2. AMENDMENT/MODIFICATION NO. 0005	3. EFFECTIVE DATE 29-Jul-2016	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY COMMANDING OFFICER - NAVFAC MARIANAS 36 CONS LGCB UNIT 14040 BLDG 22026 YIGO GU 96929	CODE N40192	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. N40192-16-R-7000	
		X	9B. DATED (SEE ITEM 11) 24-May-2016	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>5</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose of this amendment is to: 1) Respond to Pre-Proposal Inquires 2) Incorporate Revised Performance Work Statement Section 1503030 C 3) Revise Section L- Instruction to Offerors 3) Incorporate Revised Attachments: J-0200000 and J-1503030: Replaces all previous versions 4) Incorporate NFAS clause 5252.216-9314				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 29-Jul-2016

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

PRE-PROPOSAL INQUIRY RESPONSE
Section 1503030; Paragraph 3.3.4.2; Page 59

Question (Q) 1. Will the government be providing a specification for these containers?

Response (R)1. See 3.3.4

Q2. Is there a base standard for painting of these containers?

R2. No

Q3. Is there a base standard for labeling of these containers?

R3. See 3.3.4

Q4. Will the government be providing the quantity of containers required?

R4. See attachment J-1503030-04 – Site Maps and Locations

Q5. Is there existing containers in use now? And if so can they be utilized until new containers are procured and phased in to operations?

R5. No

Section 1503030; Paragraph 3.3.4.3; Page 59

Q6. Please clarify the contractor is to label all existing refuse and recycle 90 gallon containers in use now?

R6. Not required for Family Housing: Paragraph 3.3.4.3 has been revised.

Q7. Please clarify if 90 gallon refuse or recycle containers are damaged contractor is to notify GHO. The GHO will remove and replace damaged container?

R7. Yes. Contractor shall notify GHO to remove and replace damaged container.

Q8. The contractor at their own cost upon damaging a 90 GL container will replace at their own cost correct?

R8. Correct, if contractor damages Government 90 gallon containers, Contractor will replace at Contractor Cost to include label. As stated in 3.3.4.3, the contractor shall be responsible to replace any container/s damaged by the Contractor due to negligence or abuse at no cost to the government.

Q9. Will the contractor be able to procure 90GL containers from GHO office inventory? Or should contractor assume for bid purposes they should stock and inventory of 90 GL containers.

R9. No

Q10. What is the age of the refuse and recycle containers in service now.

R10. Good Condition

Q11. Will the Government be providing an inventory of the 90GL refuse and recycle containers?

R11. No, this inventory is controlled by the Government Housing Office and not a function of the Contracting Office or the ISWM.

Section 1503030; Paragraph 3.3.4; Page 58

Q12. Will the government be providing an inventory of existing type and size of containers in use now?

R12. The contractor shall use the data provided in J-1503030-04, Site Maps & Locations, to determine the appropriate size and quantity of containers needed.

Q13. Is there a base standard for painting of containers?

R13. No

Q14. Are there existing containers in use now and if so can they be procured for use on this contract?

R14. No

Q15. If existing containers cannot be procured will contractor be allowed a phase in period to obtain and supply new containers?

R15. No

Q16. Is it permissible to perform maintenance/repair and painting on base of the solid waste containers?

R16. No welding of the solid waste containers would be allowed on base. Only painting and marking would be allowed.

Section 1503030 Paragraph 2.3; Page 47

Q17. Please clarify we understand all load tickets and information will be submitted as per section F with the monthly invoice, The question is are we to turn in all load tickets from the wage bridge at the navy land fill as well as the load tickets from the solid waste transfer station in Harmon?

R17. Yes, all weight tickets need to be reviewed and certified by the Government.

Q18. Is the contractor responsible for the tipping fees at the Harmon transfer station?

R18. Yes.

Section 1503030; Paragraph 3.1; Page 48

Q19. Please clarify all tires and wood materials are not considered bulky items and shall not be collected by the contract during bulky item collection

R19. Tire and wood (non-contaminated, Trees, branches, lumber, pallets) are not considered bulky items and shall be left to be collected by the tire and wood contractor.

Q20. Will the contractor leave them where they find them?

R20. Yes.

Q21. This will not affect the contractors performance rating if left on the curb side in family housing or in or around a container enclosure?

R21. No. It is understood that it is not the ISWM contractor's responsibility.

Q22. Is solid wood furniture, such as tables, hutches, bedroom headboards considered as wood?

R22. The items are considered bulky items. Woods such as presswood, stained or painted woods that are basically chemically contaminated are considered bulky item/refuse and cannot be processed under the tire and wood contract.

Q23. If encountered furniture such as couches, fabric chairs, living rooms and or other types of upholstered furniture NBG landfill?

R23. Furniture shall not be disposed of at NBG Landfill but disposed of at a proper transfer station.

Section 0200000; Paragraph 2.7.2.2; Page 28

Q24. Sandals and open toe shoes shall not be worn. Does this apply to the office staff?

R24. If personnel is in the work area or tasked to do work where foot hazards are possible, the safety shoes should apply. Refer to EM385 to identify when necessary or not.

Section 0100000; Paragraph 1.5; Page 14

Q25. Verification of work load indicates a site visit. When is the site visit?

R25. All worksites/workload are indicated in the attachment. No site visit will be conducted.

Section 0100000; Paragraph 1.2; Page 13

Q26. Project location refers to 1) Andersen Air Force base. Is there work at this location?

R26. Currently there is no work in AAFB. Location is provided in case there is a need for other Navy clients currently located on AAFB. Modification to contract will be provided when necessary.

Q27. If yes what is the scope of the work and where is it located in the SOW?

R27. Currently there is no work in AAFB. Location is provided in case there is a need for other Navy clients currently located on AAFB. Modification to contract will be provided when necessary.

Page; 6 3.3.1

Q28. Performance Objective: Non Recycle waste is the same as 3.3. Please define meaning?

R28. Non-recyclable waste is solid waste intended for landfill disposal with no recycling options. Section J-1503030-01 has been revised to incorporate.

Attachment J-1503030-07

Q29. Foreign Port Waste: 1 contractor to provide containers. Are there existing containers in use can they be procured?

R29. No

Q30. If they cannot be procured will government provide a quantity required?

R30. Government Inventory-was-23 each 6CY Regulated and 5 each 20 CY regulated. However this is a performance contract and shall be available as required.

Q31. Does DZSP still operate the boiler plant for steaming foreign waste?

R31. Currently yes.

Q32. If the answer is yes, will contractor be able to obtain services from them and at what rates?

R32. Contractor will coordinate with the Base Operations Support Contractor for services. NAVFACMAR pays for the steam services.

Attachment J-1503030-05

Q33. NBG Coral Ridge Housing Naval Hospital 90 GL for all recycle materials. Is there a quantity of containers?

R33. Yes 44 Recycle and 44 trash 90 Gallon.

Attachment J-1503030-04

Q34. Will the government providing the area size in MSF for each map provided in the SOW for pavement clearance?

R34. Attachment J-0200000-06 ELIN schedule –Exhibits A-E – provides the area size in MSF.

Q35. If not, is the contract to measure all existing FH roads, parking lots to determine the MSF for reporting, billing and tracking purposes?

R35. Attachment J-0200000-06 ELIN schedule –Exhibits A-E – provides the area size in MSF.

General

Q36. Does the land fill wash rack have and oil water separator?

R36. No

Q37. Is it acceptable to conduct PM and minor repair work on contractors equipment in the staging area at the land fill?

R37. No

Q38. The SOW indicates that the landfill still accepts hazardous materials such as asbestos disposal. Is this correct?

R38. Yes this correct, however, at this time the landfill does not accept hazardous materials such as asbestos for disposal. It is the Government's intent to accept these items in the future.

Q39. Performance objective page 3, 3.1.2 Weight Scale. The contractor shall operate and maintain the scale does this include certification? If yes how often?

R39. Yes, annually or as needed.

Q40. Performance objective page 2, spec item 3.1 Land fill management and OPS Daily cover of land fill with GEPA approved method. Will the landfill cover be available on site and is there a cost associated with the material or can it be mined on site .please clarify?

R40. Yes, cover material will be on site at no cost.

Q42. Will the government be providing a total number of FH housing units to be serviced in this contract?

R42. Yes, see maps attached. J-1503030 -4, Site Maps and Locations.

Q43. Will the government be providing a daily route schedule for the FH housing unit refuse and recycling collection?

R43. See attachment J-1503030-04

Q44. What is the projected start date for the contract?

R44. 01 October 2016

Q45. Is there a translational period with the incumbent contractor?

R45. No

Q46. This is and SCA contract correct?

R46. Yes and Collective Bargaining Agreement (CBA) will be incorporated via amendment.

Q47. Is there a CBA with the UBEW in place on the existing contract?

R47. Yes, CBA will be incorporated via amendment.

Section C, Annex 0100000, Spec Item 1.2, Project Location; Page 13

Q48. Will the Government require ISWM&PC services on AAFB? Please provide clarification.

R48. Currently there is no work on AAFB. The location is provided in case there is a need for other Navy clients currently located on AAFB. A modification to the contract will be provided if/when necessary.

Q49. If the Government does require ISWM&PC services on AAFB, will the Government provide service locations and workload data for AAFB to allow the offeror to provide an accurate proposal?

R49. If there will be a modification to add AAFB or parts of AAFB, the modification will include workload data and the offeror will be allowed to provide a proposal for the new locations if required.

Q50. Will the Government, please clearly identify which of the unmarked statements found in the Description and Related Information columns of the specifications as "Clarifying Information," "Constraining Information," or "Requirement Information" as appropriate.?

R50. Informational notes helps in the understanding of the work to be performed. From the informational notes, contractors can obtain a general ideal of what can be expected.

Section C; Annex 0100000; Spec Item 1.7 Related Information; Pages 14-15

Q51. Will the Government also identify which of the three types of Related Information will result in a contractual commitment for either or both parties?

R51. Offerors may not rely upon the "Informational Notes" as material representations of the Government. Information provided in "Informational Notes" does not create a contractual requirement on either party to this contract. The PWS however, will be the contractual commitment for the contractor.

Section C; Annex 0100000; Spec Item 1.11 Technical Proposal Certification; Page 17

Q52. The Government states "The Contractor warrants that its proposal incorporated herein by reference will meet or exceed the performance objectives set forth in this contract." The Government does not provide any direction on this statement. Is the Government requiring the contractor to provide this certification statement as part of their Technical Proposal? If the Government is requiring the contractor to provide this statement as a part of their

Technical Proposal, will the Government please identify where the contractor will provide the statement in their proposal?

R52. Submittal of proposal and signature on the Standard Form 33, constitutes as certification.

Section C; Annex 0200000; Spec Item 2.2.2 Wage Determination; Page 20

Q53. The Government has provided a Wage Determination in Attachment J-0200000-03 of the RFP; however, the current contract is covered under a Collective Bargaining Agreement (CBA). Will the Government amend the contract to include a copy of the current CBA to cover the unionized employees?

R53. A CBA will be incorporated via amendment.

Section C; Annex 0200000; Spec Item 2.4.2 Government-Furnished Utilities; Page 23

Q54. Will the government please confirm whether the offeror is actually responsible for the maintenance and repair of the backflow prevention devices and transformer located at Bldg. 354 or the BOS contractor is responsible?

R54. Government outlets are provided. It would be the contractor's responsibility to provide prevention devices to these outlet connections. As an example of prevention devices – hose bib vacuum breakers and GFCI's.

Q55. If the offeror is responsible, will the government provide the backflow prevention device and transformer locations and specifications as well as required preventive maintenance frequencies to allow the offeror to accurately price the proposal?

R55. The government will not provide any backflow prevention devices.

Section C, Annex 0200000, Spec Item 2.6.7.1, Quality Management (QM) Plan: Page 25 & Attachment J-0200000-04

Q56. The referenced Spec Item and Attachment both provide minimum requirements for the Contractor's QM Plan. These minimum requirements conflict with each other. Will the government please specify which of the referenced minimum standards apply to the Contractor's QM Plan and delete the other from the RFP to avoid confusion?

R56. Quality Control Plan Components have been removed from J-0200000-04.

Section C; Annex 1503030; Spec Item 3.1 Landfill Management, Maintenance, and Operations

Q57. The second paragraph in the Related Information column states "The Contractor shall segregate all tire and wood materials during general household waste and recyclable waste collection periods and dispose in accordance with all applicable local, State and Federal laws and regulations at an off base disposal facility."

This paragraph seems to be misplaced. It refers to general household waste and recyclable waste collection periods which do not apply Landfill Management, Maintenance, and Operations.

The fourth paragraph in the Related Information column states "The Contractor shall accept construction, demolition (C&D) debris, asbestos containing material, municipal solid waste, wood/vegetative waste and other waste forbidden from the Harmon Transfer Station or Layon Landfill."

Will the Government delete this paragraph from Spec Item 3.1 and consider moving it to Spec Item 3.2, Solid Waste Collection, or other appropriate Spec Item, where it belongs?

R57. The fourth paragraph is revised to state "The Contractor shall accept construction, demolition (C&D), municipal solid waste, and bio-solids and other waste forbidden from the Harmon Transfer Station or Layon Landfill." The revised PWS is included with this amendment.

Q58. Since asbestos containing material, municipal solid waste, and wood/vegetative waste cannot be accepted at the Government landfill under the current operating permit, will the government remove these requirements from the Spec Item?

R58. The Navy landfill permit application will be submitted accordingly. As a result, the contractor must be prepared to accept and process these wastes accordingly as they become available. Typhoons and other natural disasters may require the contractor to utilize disposal options at the Navy landfill.

Section C; Annex 1503030; Spec Item 3.2.2 Landfill Management, Maintenance, and Operations; Page 55

Q59. In the Related Information column, the government states the “Metals or steel that contain lead containing material shall be decontaminated before being turned in to DLA.”

Based on this statement, the government seems to require the ISWM&PC to decontaminate metals and steel. Decontamination of the metal and steel should be the responsibility of the generator of the scrap metal and steel and should be accomplished before it is placed in scrape metal roll-off for subsequent turn-in to DLA. Will the government remove the requirement for the ISWM&PC contractor to decontaminate metal and steel containing lead containing materials and require the generator of the scrap metal or steel to decontaminate the items before placing them in the recycle container?

R59. The statement does not require ISWM to decontaminate. The statement notes that the material must be decontaminated and the ISWM should notify the client if it is found that they need to clean the metal prior to turning in to DLA.

Section C; Annex 1503030 Spec Item 3.3.3; Foreign Port Origin Waste; Page 56

Q60. Since the requirement to burn the municipal solid waste is banned by the Guam EPA, will the government remove the “**burning of**” requirement from this Spec Item and replace it with the word “**sterilization of**”?

R60. Paragraph 3.3.3 has been revised to include “sterilization and disposal”.

Section C; Annex 1503030 Spec Item 3.3.3.1 Sterilizing Services; Page 56

Q61. Will the Government please clarify whether or not the ISWM&PC contractor is required to operate the entire Waste Sterilization Facility including the boilers or continue to operate the sterilization units only as performed under the current ISWM&PC contract? Please provide clarification.

R61. Paragraph 3.3.3.1 has been changed to: “The Contractor shall coordinate with the BOS Contractor who provides steam for the Waste Sterilization Facility to sterilize wet garbage in accordance with all local, State and Federal laws and regulations.

Section C; Annex 1503030 Spec Item 3.3.4.3, Residential; Pages 59 & 69

Q62. Is the Government providing these containers to the ISWM&PC contractor as GFE for inventory and distribution to each Family Housing Unit or are they provided directly to the families by the Government?

Since the Government is replacing damaged containers, is the government also responsible for taking the replacement container to the appropriate Housing Unit and picking up the damaged container? Please provide clarification

R62. The Government Housing Office (GHO)) will replace the damaged 90 gallon containers when notified by the ISWM contractor. The Government (Housing Office) will be holding the replacement containers.

Yes. GHO will be responsible for removal of damaged container and delivering new container directly to family housing units.

Section I, 5252.245-9300. Page 114

Q63. Does this clause apply to the weight scales located at the government landfill?

If the clause does apply to the weight scales at the Government landfill, will the government please provide the original purchase price of the existing weight scales or an equivalent weight scale?

What is the age of the current weight scales and the life expectancy?

R63. Yes, it applies to the weight scale.

We do not know the original purchase price. The Contractor should conduct market research to identify the original purchase price.

We do not know the current age. Contractor should conduct market research to identify.

Section L, Proposal Submission Requirements, (a) (2) and (b) (2); Page 126

Q64. Will the government allow the use of a font size less than 10 point (e.g., 8 point) for graphics and figures as long it is legible?

R64. Yes, 8 point or larger for graphics and figures only.

Section L, Proposal Submission Requirements, (a) (1); Section L, Content of Proposal, (b) (3); Pages 126 & 129

Q65. Will the Government please clarify whether the offeror is to submit a total of five copies or six copies of the Volume I - Price Proposal?

R65. Five total (1 original plus 4 Copies) – Page 1, block 9 and Section L – Instruction to Offerors (5)(a)(1) have been revised.

Section M, 3., Factor 1, Recent, Relevant Experience of the Firm, (i) and (ii); Page 131

Q66. Will the government please confirm that a page limitation does not apply to this factor?

R66. Confirmed

Section M, 3., Factor 2, Technical Approach, (ii) Basis of Evaluation; 132

Q67. How does the government intend to evaluate these plan requirements if they are submitted after contract award?

Does the Government want the offeror to provide a concise overview of their plans in the Technical Proposal to address these evaluation criteria instead of the actual plans? Please provide clarification.

R67. “The Government will focus on whether the Offeror has proposed an overall plan, methods, procedures, and resources that are capable of accomplishing the requirements of the overall project. The Government preference is for a proposal that demonstrates a high probability of accomplishing solicitation performance requirements. Additionally, the Government will assess the Offeror’s resource plan, work processes, scheduling plan, quality plan, and risk mitigation plan for performing the work required. Failure to provide any of these requirements may result in an Unacceptable rating for this factor.”

Section M, 3., Factor 4, Safety, (i); Page 133

Q68. Is the offeror to assume the Factor 4 response is not page count limited?

R68. Factor 4 – Safety (i)(c) states “Technical Approach for Safety: Describe the plan that the Offeror will implement to evaluate safety performance of potential subcontractors, as a part of the selection process for all levels of subcontractors. Also, describe any innovative methods that the Offeror will employ to ensure and monitor safe work practices at all subcontractor levels. **The Safety Narrative shall be limited to two pages.**”

Section M, 3., Factor 4, Safety, (i) (c) and (ii) (c), Technical Approach for Safety; Page 133

Q69. Does the Government really want the offeror to address subcontractor safety oversight only?

If the prime contractor does not use subcontractors to conduct any part of the ISWM&PC contract, does the Government want the offeror to state subcontractors are not used and leave all references to their Safety program out of the response?

R69. Answer – As specified in Factor 4 – Safety: Technical Approach for Safety: Describe the plan that the Offeror will implement to evaluate safety performance of potential subcontractors, as a part of the selection process for all levels of subcontractors. Also, describe any innovative methods that the Offeror will employ to ensure and monitor safe work practices at all subcontractor levels. The Safety Narrative shall be limited to two pages single-sided. If a page is printed on two sides (double-sided), it will be counted as two (2) pages.

*The Basis of Evaluation reads: The Government is seeking to determine that the Offeror has consistently demonstrated a commitment to safety and that the Offeror plans to properly manage and implement safety procedures for itself and its subcontractors. **The Government will evaluate the Offeror’s overall safety record, the Offeror’s plan to select and monitor subcontractors, any and innovative safety methods that the Offeror plans to implement for this procurement.** The evaluation will collectively consider the following...*

Attachment J-0200000-06

Q70. Will the Government confirm whether or not File: N4019216R70000001J-0200000-06_02June2016.xls replaces File: N4019216R7000J-0200000-06,_RFP,_Final.xls?

R70. Confirmed. However J-0200000-06_ELINS_20JULY2016 replaces all previous versions of attachment J-0200000-06.

Q71. Will the Government replace the acronym as appropriate (e.g. HRS) to eliminate confusion between HOURS and THOUSAND SQUARE FEET?

R71. Error on key. It should read HOURS – HRS and THOUSAND SQUARE FEET – MSF. Attachment J-0200000-06 has been revised.

Q72. Is the offeror to assume that no A021 and A022 recycling services are provided during the Base Year? Please provide clarification?

R72. Values presented on spreadsheet for FREQUENCY are representation for all years. Total value as indicated on TOTAL column for EXHIBIT A is noted as N/A (not applicable).

Q73. If no A021 and A022 recycling services are provided during the Base Period, will the Government remove the referenced values to avoid confusion?

R73. Values presented on spreadsheet for FREQUENCY are representation for all years. Total value as indicated on TOTAL column for EXHIBIT A is noted as N/A (not applicable).

Section M, Evaluation Factors for Award, 3. (b), Factor 1 through Factor 5; Page 131

Q74. In Factor 1 (i), the Government does not provided a page limitation. In Factor 2 (i), the Government states “The narrative shall not exceed five (5) single-sided pages.” In Factor 3 (i), the Government states “The narrative shall not exceed five (5) single-sided pages.” In Factor 4 (i), the Government does not provided a page limitation. In Factor 5 (i), the Government does not provided a page limitation.

Based on this, it is assumed the following page limitations apply to the Technical Volume:

<u>Factor</u>	<u>Page Limitation</u>
Factor 1	None
Factor 2	5
Factor 3	5

Factor 4 None

Factor 5 None

Will the Government confirm that the assumed page limitations are correct?

R74.

<u>Factor</u>	<u>Page Limitation</u>
Factor 1	No page limit
Factor 2	5
Factor 3	5
Factor 4*	2
Factor 5	No page limit

**Factor 4 –(i)(c) “The Safety Narrative shall be limited to two pages.”*

Section M, Evaluation Factors for Award, 3. (b), Factor 3 (i) and (ii); Page 132

Q75. In order to allow the offeror to adequately respond to the requirements set forth by the government, will the government remove the key personnel response (resumes) from the 5 page limitation and identify them as non-page counted, leaving 5 pages for the offeror to adequately address the other mandated response criteria?

*R75. The narrative shall not exceed five (5) single-sided pages. If a page is printed on two sides (double-sided), it will be counted as two (2) pages. Pages that exceed the maximum number allowed will be removed and discarded prior to evaluation. *Note, the Government does not mention nor require resumes.*

General

Q76. What is the contract start date, we know proposed October 1? Can this extended to Jan. 1?

R76. October 1 is the proposed start date, it cannot be extended.

Q77. Why no government furnished commercial trash are bins supplies, per Attachment J-0200000-05 Government Furnished Property, Materials and Services?

R77. Contractor shall provide all trash bins required for this contract; except for residential container per section 3.3.4.3 (these bins are not considered Government Furnished Property).

Q78. Andersen Air Force listed as a site please clarify

R78. No, may be modified later into contract if required.

Q79. Bulky items contract separate. This is all items other than tires and wood?

R79. Yes, for all Housing areas and scheduled on Fridays.

Q80. Will historical data or past performance tonnage data be provided?

R80. EXIBIT A CLIN 9000 provides quantities for bidding. Historical data is found in section J-1503030-05.

Q81. Government shall provide 90 gallon containers however, the only government supplied per Attachment J-0200000-05 Government Furnished Property, Materials and Services, are Bldg 354 and weight scale.

R81. Correct Bldg-354 and weight scale are the only GFP. Housing shall provide 90 gallon containers

SECTION C REVISIONS

The following revisions replace the previous Section C Annex 15 -1503030

1503030 – Integrated Solid Waste Management & Pavement Clearance Services	
Table of Contents	
Spec Item	Title
1	General Information
1.1	Concept of Operations
2	Management and Administration
2.1	Definitions and Acronyms
2.2	Personnel
2.2.1	Certification, Training, and Licensing
2.3	Special Requirements
2.3.1	Recyclable Accounting
2.3.2	Weight Tickets (Non-Recyclable)
2.3.3	Permits and Licenses
2.4	References and Technical Documents
3	Recurring Work
3.1	Landfill Management, Maintenance and Operations
3.1.1	Vehicles And Equipment
3.1.2	Weight Scale
3.2	Solid Waste Collection
3.2.1	Residential Waste
3.2.1.1	General Household Waste
3.2.1.2	Recyclable Waste
3.2.1.3	Bulky Items
3.2.2	Non-Residential Waste
3.2.2.1	General Waste
3.2.2.2	Recyclable Waste
3.2.2.3	Bulky Waste
3.2.2.4	Foreign Port Origin Waste
3.3	Solid Waste Disposal
3.3.1	Non-Recyclable
3.3.2	Recyclable
3.3.3	Foreign Port Origin Waste
3.3.3.1	Sterilizing Services
3.3.4	Solid Waste Containers
3.3.4.1	Refuse
3.3.4.2	Recyclable
3.3.4.3	Residential
3.3.4.4	Foreign Port Origin
3.4	Pavement Clearance
3.4.1	Residential Areas
3.4.2	Non-Residential Areas

4	Non-recurring Work
4.1	Solid Waste Collection
4.2	Solid Waste Disposal
4.3	Pavement Clearance

1503030 - Integrated Solid Waste Management & Pavement Clearance Services		
Spec Item	Title	Description
1	General Information	<p>The Contractor shall provide all labor, management, supervision, tools, material, and equipment required to perform: landfill management, maintenance and operations; waste sterilization; refuse collection; disposal; and recycling of the material and to perform Pavement Clearance (sweeping) to include but not limited to: removal of sand, soil, aggregates, vegetation, grass, metals, and other foreign matter from paved roadways and parking lots to all Naval Base Guam Activities and tenants, and other U.S. Military Activities or DoD/Federal Agencies at various activities/locations, Guam, M.I. as described herein.</p> <p>All work herein is subject to the Service contract Act of 1965, As Amended, incorporated under Section I, Federal Acquisition Regulation (FAR) Clause 52.222-41. Services shall be provided by means of Recurring and Non-recurring work. All work shall be priced as Fixed Priced.</p>
1.1	Concept of Operations	<p>The intent of 1503030 Integrated Solid Waste Management is to specify the requirements related to the collection and disposal of solid waste and recyclable materials.</p> <p>Major operations include landfill management, maintenance and operations; waste sterilization; refuse collection; disposal; and recycling of the material and to perform Pavement Clearance (sweeping) to include but not limited to: removal of sand, soil, aggregates, vegetation, grass, metals, and other foreign matter from paved roadways and parking lots.</p> <p>The following services are not included in this Performance Work Statement:</p> <ul style="list-style-type: none"> ... Waste removal from inside buildings and service locations to waste collection points. ... Removal and disposal of biohazardous waste (from areas such as medical centers). ... ISWM services do not include any repair work of facilities or fixtures. <p>Installation Support Memorandum of Agreement (MOA) for Joint Region Marianas, Annex W. ICC-Approved Common Output Level Standards, 23 January 2009 is applicable.</p>

1503030 - Integrated Solid Waste Management & Pavement Clearance Services		
Spec Item	Title	Description
2	Management and Administration	
2.1	Definitions and Acronyms	Definitions and Acronyms are listed in J-1503030-01.
2.2	Personnel	The Contractor shall provide personnel with the qualifications, technical knowledge, experience and skills required for efficient operations within the Integrated Solid Waste Management function and Pavement Clearance Operations.
2.2.1	Certification, Training, and Licensing	The Contractor shall maintain personnel certification, training, and licensing records for employee requirements specified herein and within all technical annexes/sub-annexes. Certification, training, and licensing records shall be kept current and on file for the duration of the contract including all option periods. Records shall be made available for Government review within four (4) hours of request.
2.3	Special Requirements	
2.3.1	Recyclable Accounting	The Contractor shall submit receipts denoting the date, type and quantity of material recycled. The Contractor shall submit receipts of revenue generated by sale of recyclable materials. The Contractor shall submit Defense Reutilization management Office (DRMO) receipts. Submit all Revenue Receipts per Section F with the Contractor's monthly invoice.
2.3.2	Weight Tickets (Non-Recyclable)	Individual weight tickets denoting the customer, location of pick up, date, type of truck or container, and tonnage disposed shall be submitted per Section F with the Contractor's monthly invoice. The Contractor shall also provide the total tabulated tonnage disposed during the month.
2.3.3	Permits and Licenses	Within fifteen (15) calendar days after contract award, the Contractor shall without additional expense to the Government, obtain and submit all required permits, licenses, clearances, and authorizations to perform work under this contract and comply with applicable Federal, State and local laws and regulations. In addition, the contractor shall provide evidence of such permits and licenses to the Contracting Officer before work commences and at other times as requested by the Contracting Officer or Government Representative. The Contractor shall submit copies of permits and licenses per Section F.
2.4	References and Technical Documents	References and Technical Documents are listed in J-1503030-02.

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
3	Recurring Work	<p>The Contractor shall provide landfill management, maintenance and operations, refuse collection, sorting of refuse, disposal and recycling services to ensure refuse and recyclables are properly collected and disposed.</p> <p>The Contractor shall schedule container pickups at the minimum number that will prevent waste container overflow.</p>	<p>Common Output Level Standards (COLS) are defined by Commander, Navy Installations Command (CNIC) for Navy Shore Commands. Services for Integrated Solid Waste Management are specified for the Base Measures of COL3 and COL4 along with one level of Additional Measures for COL3 as shown in J-1503050-03.</p> <p>The Contractor shall provide services based on the awarded CLINs.</p> <p>ELINS in J-0200000-06 include pre-priced Line Items associated with the Optional CLINs which can be added or deleted to increase or decrease the level of performance.</p>	<p>Landfill Services Zero occurrences of Violations and 100% Environmental Compliance in accordance with legal and regulatory requirements.</p> <p>Refuse and recyclables are properly collected and disposed consistent with the COLS provided in J-1503030-03.</p> <p>Pickups are scheduled at the minimum number that will prevent waste container overflow.</p> <p>Recycling is performed to reduce solid waste volume.</p>

<p>3.1</p>	<p>Landfill Management, Maintenance and Operations</p>	<p>The Contractor shall manage, maintain and operate the landfill in accordance with applicable local, State and Federal laws, regulations and policies.</p>	<p>The Contractor shall comply with all applicable local, State and Federal laws, regulations and policies, local EPA, Title 22, Division 4 Chapter 23, 40 CFR 258, Chapter 51 Solid Waste Management and Litter Control of Guam Public Law 23-64 and OPNAVINST 5090.1B CH-4.</p> <p>The Contractor shall segregate all tire and wood materials during general household waste and recyclable waste collection periods and dispose in accordance with all applicable local, State and Federal laws and regulations at an off base disposal facility.</p> <p>All tire and wood materials are not considered bulky items and shall not be collected by the contractor during the bulky items collection period but shall be collected separately by another</p>	<p>Zero occurrences of Violation Classes 1 through 4. See attachment J-1503030-01.</p> <p>Daily cover of disposed C&D, Municipal Solid Waste and Asbestos waste with a GEPA approved method performed 100% of the time.</p> <p>Zero violations to Section 110 of the Clean Air Act or any additional requirements of the Guam Air Pollution Control regulations.</p> <p>No discharges into waters or wetlands to violate the requirements of the Clean Water Act.</p> <p>100% accountability for all required logs, reports, sampling results and laboratory analyses.</p>
------------	--	--	---	--

1503030 - Integrated		Solid Waste Management & Pavement Clearance Services		
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>contractor.</p> <p>The Contractor shall accept construction, demolition (C&D) debris, municipal solid waste, and bio-solids and other solid waste forbidden from the Harmon Transfer Station or Layon Landfill from:</p> <ul style="list-style-type: none"> a) All Naval Activities (including Housing) b) DoD or Navy approved contractors c) Other DoD or other authorized sources <p>The Contractor shall control and prevent unauthorized vehicular traffic, illegal dumping and scavenging at landfill.</p> <p>The Contractor shall maintain a daily disposal log to account for the contents of every vehicle that disposes C&D debris, asbestos containing material, bio-solids, municipal solid waste, wood/vegetative waste and other waste forbidden from the Harmon Transfer Station or Layon Landfill that is brought into the landfill. As a minimum, the log shall include the following fields:</p> <ul style="list-style-type: none"> a)License plate number or identifiable b)Date of disposal into the landfill c)Description of the materials d)Source of the materials e)Weight of solid waste in tons f)Job Order g)Project Name 	<p>100% Environmental Compliance in accordance with legal and regulatory requirements.</p>

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>h) Truck Driver/Operator Name</p> <p>The Contractor shall summarize the daily disposal logs on a monthly basis to account for the following:</p> <ul style="list-style-type: none"> ... Number of tons received ... Number of disposals by type of vehicle ... Types of waste materials received ... Name of company disposing of solid waste 	

			<p>The Contractor shall submit a monthly disposal log per Section F, Landfill Services.</p> <p>The summary shall be available for Government or regulatory inspections and reviews as required. The summary will be turned over to the Government at completion of contract.</p> <p>Informational Note: Fees will be charged in accordance with NAVFACMAR approved rates for DoD or Navy contractors. Actual out-year rates will be provided during the option periods.</p>	
--	--	--	---	--

<p>3.1.1</p>	<p>Vehicles And Equipment</p>	<p>The Contractor shall maintain vehicles and equipment in a manner to ensure a clean appearance, minimal foul odors and normal working condition</p>	<p>The Contractor's name and phone number shall be prominently displayed on the driver and passenger side of each vehicle utilized under this contract.</p> <p>The Contractor may clean vehicles and equipment on designated Government property located at the Naval Base Guam Landfill.</p> <p>Informational Note: Utility Fees will be charged in accordance with NAVFACMAR approved rates for DoD or Navy contractors.</p>	<p>Vehicles and equipment are clean, have minimal foul odors and are maintained in normal working condition.</p> <p>Vehicles utilized under this contract display the Contractor's name and phone number on the driver and passenger side of the vehicle.</p>
--------------	-------------------------------	---	--	---

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
3.1.2	Weight Scale	The Contractor shall operate and maintain the weight scale.	<p>The Contractor shall operate and maintain the Government furnished weight scale located at the Naval Base Guam Landfill in accordance with the manufacturer's O&M Manual.</p> <p>The Contractor shall submit an annual preventative maintenance plan for the weight scale as required per Section F, Weight Scale Operation and Maintenance Plan. The plan shall include as a minimum, inspection, calibration and any adjustments needed for proper operation. The Contractor shall furnish a complete written report on the condition and accuracy of the scale on a monthly basis, to include notification of any future required repairs.</p> <p>The Contractor shall ensure weight scales are kept clean free of debris and other contaminants.</p>	Weight scale is clean, free of debris and other contaminants and in operational condition 90% of the time during landfill operations.
3.2	Solid Waste Collection	The Contractor shall provide collection of residential, commercial, and industrial solid wastes to ensure refuse and recyclables are sorted and properly collected.	<p>The Contractor shall develop and submit a schedule that has been optimized for solid waste collection per Annex 2 Section F.</p> <p>The Contractor shall submit changes to the solid waste collection schedule in writing to the Contracting Officer for approval.</p> <p>If the scheduled collection day falls on an observed holiday, pickup shall be on the following work day. If the observed holiday falls on a Friday, the pickup shall be done on the day before the</p>	<p>Residential, commercial, and industrial solid wastes are collected per the Contractor's schedule.</p> <p>Waste collection areas are free of waste following collection operations.</p>

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>observed holiday.</p> <p>The Contractor shall collect and dispose of any spillage. Descriptions and locations of waste containers are shown in Site Maps and Locations and Collection Points as provided in J-1503030-04 and J-1503030-06</p> <p>Informational Note: The Government has found on previous contracts that solid waste collection at the frequencies listed in the Location and Frequency Historical Data as provided in J-1503030-05 has maintained services at an acceptable level.</p>	
3.2.1	Residential Waste	The Contractor shall remove general household, recyclable, and bulky item waste from waste collection areas to ensure refuse and recyclables are properly collected.	<p>The Contractor shall return each waste container to its original location.</p> <p>Residential Waste outside of a container but in a waste collection area shall be picked up during the scheduled collection day.</p>	<p>Residential waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Containers are returned to an upright position and lids are secured.</p> <p>Waste collection areas are free of waste following collection operations.</p>
3.2.1.1	General Household Waste	The Contractor shall remove general household waste from containers to ensure refuse is properly collected.	<p>Bagged waste outside of a container but in a waste collection area shall be picked up during the scheduled collection day.</p>	<p>General household waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Containers are returned to an upright position and lids are secured.</p> <p>Waste collection areas are free of waste following collection operations.</p>

3.2.1.2	Recyclable Waste	The Contractor shall remove recyclable waste to ensure it is properly collected.	<p>All recyclable waste to include metals shall be placed curbside by residents in designated containers or bags marked recyclable waste.</p> <p>Recyclable Waste shall be collected as per Common</p>	<p>Recyclable waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Containers are returned to an upright position and lids are secured.</p>
---------	------------------	--	--	---

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>Output Level Standards specified in J-1503030-03.</p> <p>Recyclable Waste Collection Points are designated in J-1503030-06.</p>	<p>Waste collection areas are free of waste following collection operations.</p>
3.2.1.3	Bulky Items	The Contractor shall remove bulky items to ensure they are properly collected.	<p>Bulky items include but not limited to: appliances, furnishings, debris and other boxed or bagged waste outside of a container but in a waste deposit area.</p> <p>All tire and wood materials are not considered bulky items and shall not be collected by the contractor during the bulky items collection period but shall be collected separately by another contractor.</p>	<p>Bulky items are removed from waste collection areas per the Contractor's schedule.</p> <p>Bulky items disposal complies with all applicable local, State, and Federal laws and regulations.</p>
3.2.2	Non-Residential Waste	The Contractor shall remove non-residential waste from containers to ensure refuse and recyclables are properly collected.	<p>The Contractor shall return each waste container to its original location.</p> <p>All Non-Residential waste shall be placed in designated containers or within a waste deposit area.</p>	<p>Non-residential waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Waste collection areas are free of waste following collection operations.</p>

3.2.2.1	General Waste	The Contractor shall remove general waste from containers to ensure refuse is properly collected.	Bagged waste outside of a container but in a waste deposit area shall be picked up during the scheduled collection day.	<p>General waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Containers are returned to an upright position and lids are secured.</p> <p>Waste collection areas are free of waste following collection operations.</p>
3.2.2.2	Recyclable Waste	The Contractor shall remove recyclable waste from containers to ensure it is properly collected.	<p>All recyclable waste shall be placed in designated containers that are segregated by the type of recyclable waste, including paper, plastics, glass, metals, and cardboard.</p> <p>Recyclable Waste shall be collected as per Common Output Level Standards</p>	<p>Recyclable waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Containers are returned to an upright position and lids are secured.</p> <p>Waste collection areas are free of waste following</p>

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			specified in J-1503030-03.	collection operations.
			Recyclable Waste Collection Points are designated in J-1503030-06.	
3.2.2.3	Bulky Waste	The Contractor shall remove bulky waste to ensure it is properly collected.	Bulky waste includes all refuse too large or heavy to be placed in designated containers but is within a waste collection area.	<p>Bulky waste is removed from waste collection areas per the Contractor's schedule.</p> <p>Bulky waste disposal complies with all applicable local, State, and Federal laws and regulations.</p>
3.2.2.4	Foreign Port Origin Waste	The Contractor shall remove foreign port origin waste to ensure it is properly collected.	The Government will provide at least twenty-four (24) hours notice of the location, date, and time or the required collection to the Contractor.	<p>Foreign port origin waste is removed from designated locations within four (4) hours of the specified collection time.</p> <p>Foreign port origin waste is collected in accordance with all local, State and Federal requirements.</p>

<p>3.3</p>	<p>Solid Waste Disposal</p>	<p>The Contractor shall dispose of residential, commercial, and industrial solid waste to ensure compliance with all applicable local, State, and Federal laws and regulations.</p>	<p>All fees associated with the disposal shall be paid by the Contractor with the exception of tipping fees which shall be paid for by the government.</p> <p>Open burning is prohibited and is not an authorized means of solid waste disposal.</p> <p>The Contractor shall collect and dispose of any spillage.</p>	<p>Solid waste disposal complies with all applicable local, State and Federal laws and regulations 100% of the time.</p>
<p>3.3.1</p>	<p>Non-Recyclable</p>	<p>The Contractor shall dispose of non-recyclable solid waste to ensure compliance with all applicable local, State, and Federal laws and regulations.</p>	<p>Prior to disposal, all solid waste shall be sorted to remove recyclable materials banned at Layon Landfill.</p> <p>The Contractor shall comply with treatment procedures for all foreign port origin waste prior to disposal in accordance with local policy as listed in References and Technical Documents in J-1503030-02.</p> <p>The Contractor shall submit monthly disposal log per Section F.</p>	<p>Solid waste disposal complies with all applicable local, State and Federal laws and regulations 100% of the time.</p>

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard

<p>3.3.2</p>	<p>Recyclable</p>	<p>The Contractor shall recycle solid waste to ensure compliance with the installation's waste reduction policy.</p>	<p>The Contractor shall process listed recyclables as per Common Output Level Standards specified in J-1503030-03.</p> <p>The Contractor shall deliver industrial and commercial recyclable solid waste to a permitted recycle facility off base.</p> <p>All metal/steel recyclables shall be disposed of through DLA Disposition Services Guam, NBGAH or an EPA permitted disposal facility off-base in accordance with local, State and Federal laws and regulations at the option of the Contractor at no additional cost to the government and must be approved by the Contracting Officer. Metals or steel shall not be disposed of at the Navy landfill. The Contractor shall call and make an appointment with DLA personnel prior to delivering metal recyclable material. The Contractor shall coordinate with DLA personnel for scheduling and proper paperwork necessary prior to delivery of metals, as well as obtaining information on the proper size of metals accepted. Metals or steel that contain lead containing material shall be decontaminated before being turned in to DLA. Once metal or steel is free of lead material, DLA personnel shall inspect metals or steel before turn-in to ensure it is lead-free. DLA does not charge for metal and steel disposal.</p> <p>The Contractor shall separate all metals and steel from construction waste prior to</p>	<p>Solid waste is recycled in accordance with all applicable local, State and Federal laws and regulations 100% of the time.</p>
--------------	-------------------	--	--	--

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>disposal. Depending on quantities, DLA may require the Contractor to separate waste by metal type. The Contractor at Contractor's expense shall perform metal separation and delivery to DLA. Metal waste is property of the Government and no salvage value will be paid to the Contractor.</p> <p>The Contractor shall submit</p>	
			<p>monthly disposal log per Section F. Type of recyclable waste, including but not limited to: paper, plastics, glass, metals and cardboard.</p> <p>Income generated from the sale of recyclable material shall be returned to the Government.</p> <p>The Contractor shall obtain a line of accounting for dd-1348a for metals recycled thru DRMO via NAVFACMAR ISWM Manager.</p>	

3.3.3	Foreign Port Origin Waste	The Contractor shall provide services for the disposal and sterilization of solid quarantine waste, and garbage generated by vessels and aircraft returning from foreign countries and by vessels and aircraft visiting from foreign countries.	All handling shall be conducted in a manner approved by the Department of Agriculture. For historical quantity of foreign port origin waste, see Location and Frequency Historical Data provided in J-1503030-05.	Foreign Port Origin Waste disposal complies with all applicable local, State, and Federal laws and regulations 100% of the time.
3.3.3.1	Sterilizing Services	The Contractor shall coordinate with the BOS Contractor who provides steam for the Waste Sterilization Facility to sterilize wet garbage in accordance with all local, State and Federal laws and regulations.	The Contractor shall comply with all local, State and Federal laws and regulations. Garbage will be inducted as designated by the Government. The Contractor shall submit a steam sterilization requirement permit report per Section F. The Contractor shall ensure	Zero occurrences of Violation Classes 1 through 4. See J-1503030-01.

			<p>that all plastic bags used in the transportation or storage of regulated garbage be in accordance with EPA requirements and must be easily identifiable by either tags labeled “REGULATED GARBAGE” or by unique color.</p> <p>The Contractor shall record the date, conveyance numbers, time, type of units (bags, carts, containers, etc.), number of units, quantity of weight (tons) and temperature for each batch of garbage processed at the Waste Sterilization Facility. Each batch shall have a time and temperature record that is initialized and dated by the sterilizer operator and signed and dated by the supervisor. This record shall be retained for six (6) months and will be available for Government review as required per Section F, Time and Temperature Record for Waste Processed at the Waste Sterilization Facility.</p> <p>The Contractor shall coordinate transportation of sterilized garbage to the approved EPA transfer station for disposal.</p> <p>The Contractor shall ensure no destruction of critical, endangered, or threatened plant, fish and wildlife species due to waste sterilization facility operations.</p> <p>The Contractor shall ensure no washout of solid waste to pose a hazard to human life and the surrounding ecosystem.</p> <p>The Contractor shall ensure all</p>	
--	--	--	--	--

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			garbage leaving the waste sterilization facility has been treated in accordance with the Solid Waste Steaming Operation.	
			Containers shall be marked "WET GARBAGE ONLY".	

3.3.4	Solid Waste Containers	The Contractor shall provide containers suitable for the collection and disposal of solid waste.	<p>The Contractor shall submit recommended changes to the size and location of solid waste containers in writing to the Contracting Officer for approval.</p> <p>The Contractor's name, phone number and type of waste being disposed of (i.e.: wood, cardboard, metal, glass, plastic, aluminum) shall be prominently displayed on each container.</p> <p>All doors, lids, hinges, rollers, breaking devices and other moving parts shall be maintained to keep containers in normal working condition. Bent, damaged, leaking, rusting and unsightly containers shall be repaired or replaced in a timely manner at no additional cost to the Government.</p> <p>The Contractor shall clean containers on designated Government property located at the Naval Base Guam Landfill.</p> <p>Containers shall be placed in waste collection areas as shown on the Site Maps and Locations and Collection Points provided in J-1503030-04 and J-1503030-06.</p>	All containers are of standard commercial-industrial grade and are clean, have minimal foul odors, and maintained in normal working condition 100% of the time.
3.3.4.1	Refuse	The Contractor shall provide containers suitable for the collection and disposal of refuse.	Containers shall be specifically designed for food waste and shall be leak-proof and rust-proof.	All containers are suitable for the collection and disposal of refuse 100% of the time.

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			Industrial Container Painting Specifications: Containers shall painted to be uniform in color (reference Material Safety Data Sheet “code B66T204 ultra deep” or similar product and color and shall be free of lead based materials).	Containers do not leak.
3.3.4.2	Recyclables	The Contractor shall provide containers suitable for the collection and recycling of materials.	<p>The Contractor shall provide containers for the listed recyclables as per Common Output Level Standards specified in J-1503030-03.</p> <p>Containers shall be placed in recyclable collection areas as shown on the Site Maps and Locations provided in J-1503030-04 and J-1503030-06.</p> <p>Containers shall be prominently labeled with the type of recyclable materials to be collected.</p>	All containers are suitable for the collection and recycling of materials and correctly labeled 100% of the time.

3.3.4.3	Residential	The Government (U.S. Navy Housing Office) shall provide containers suitable for residential refuse and recyclable waste.	<p>Residential containers shall include lids.</p> <p>The Government shall provide one 90 gallon container for general waste and one 90 gallon container for recyclable waste per family housing unit.</p> <p>The Contractor shall label all trash containers to correspond with the assigned housing unit number no later than forty-five (45) days after start of this contract.</p> <p>The contractor shall notify the Government if any general waste and/or recyclable waste containers are cracked, leaking, missing lids, vandalized, or are otherwise damaged or unusable and shall be replaced by the Government Housing Office.</p>	All containers are suitable for residential refuse and recyclable waste 100% of the time.
---------	-------------	--	--	---

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>The contractor shall be responsible to replace any container/s damaged by the Contractor due to negligence or abuse at no cost to the government.</p> <p>General waste containers and/or recyclable containers</p>	
			<p>identified as unusable by the Contractor to the Government Housing Office shall be replaced within one (1) working day.</p>	

3.3.4.4	Foreign Port Origin Waste	Foreign Port Origin Waste disposal complies with all applicable local, State, and Federal laws and regulations.	Foreign port origin waste containers shall be six (6) CY in capacity, closed top, and modified to comply with specified treatment procedures. Containers shall be marked "FOREIGN ORIGIN GARBAGE ONLY".	All containers are suitable for foreign port origin waste 100% of the time.
3.4	Pavement Clearance	<p>Contractor shall provide pavement clearance to achieve a cleared appearance and safe use of paved surfaces.</p> <p>The Contractor shall sweep paved surfaces to ensure paved surfaces are clear.</p>	<p>Common Output Level Standards (COLS) are defined by Commander, Navy Installations Command (CNIC) for Navy Shore Commands. Services and associated frequencies are specified for the Base Measures of COL1 and COL2 as shown in J-1503050-03.</p> <p>The Contractor shall develop a schedule for pavement sweeping services consistent with the specified Common Output Level Standards in J-1503030-03 and submit per Annex 2 Section F.</p> <p>The Contractor shall provide services at the frequencies specified based on the awarded CLINs.</p> <p>ELINS in J-0200000-06 include pre-priced Line Items associated with the Optional CLINs which can be added or deleted to increase or decrease the level of performance.</p>	<p>Paved surfaces are clear, safe, and passable in accordance with the specified COLS.</p> <p>Paved surfaces are swept per the schedule and in accordance with specified COLS.</p>

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
			<p>Pavement clearance Site Maps are included in J-1503030-04.</p> <p>Perform street sweeping in areas during hours that do not adversely disturb Housing residents, Naval Hospital patients and operations and create additional traffic and safety hazards.</p>	

			<p>Minimize the creation of excess dust when sweeping.</p> <p>The Contractor shall provide pavement sweeping to remove debris, improve the appearance of paved areas, improve the safety of paved areas, reduce maintenance costs by keeping the drainage systems clean and, reduce pollutants entering the storm drain system.</p>	
3.4.1	Residential Areas	The Contractor shall sweep roads and other paved surfaces to ensure they are clear.	<p>Roads and other paved surfaces include: roads, parking areas and open storage areas identified on Site Maps provided in J-1503030-04.</p> <p>The Contractor shall identify specific times of performance for each road and other paved surfaces.</p>	Roads and other paved surfaces are clear in accordance with specified COLS.
3.4.2	Non-Residential Areas	The Contractor shall sweep roads and other paved surfaces to ensure they are clear.	<p>Roads and other paved surfaces include: roads, parking areas and open storage areas identified on Site Maps provided in J-1503030-04.</p> <p>The Contractor shall identify specific times of performance for each road and other paved surfaces.</p>	Roads and other paved surfaces are clear in accordance with specified COLS.

1503030 - Integrated Solid Waste Management & Pavement Clearance Services				
Spec Item	Title	Performance Objective	Related Information	Performance Standard
4	Non-recurring Work	Non-recurring work may be ordered utilizing DoD EMALL in accordance with Section H or on a task order in accordance with the PROCEDURES FOR ISSUING ORDERS clause in Section G. The order will specify the exact locations and types of work to be accomplished. The period of performance will be specified in each order.	Refer to Non-recurring ELINs for task listings, descriptions, and related requirements. All periods of performance are measured from issue date of order to acceptance of the work. Performance standards for Non-recurring work will be the same as those in Spec Item 3 where applicable.	
4.1	Solid Waste Collection	Same as Spec Item 3.1		
4.2	Solid Waste Disposal	Same as Spec Item 3.2		
4.3	Pavement Clearance	Same as Spec Item 3.4		

SECTION A - SOLICITATION/CONTRACT FORM

The number of offeror copies required has decreased by 1 from 5 to 4.

SECTION I - CONTRACT CLAUSES

The following have been added by full text:

5252.216-9314 ECONOMIC PRICE ADJUSTMENT FOR CHANGES IN LANDFILL/DISPOSAL FEES (JUN 1994)

(a) The Contractor shall notify the Contracting Officer, at any time during contract performance, the disposal fee unit prices shown in the schedule in Section B either increase or decrease as a result of new landfill/disposal fees set by the County Commissioners. The Contractor shall furnish this notice within 20 calendar days after being notified of any increase or decrease, or within any additional period that the Contracting Officer may approve in writing. Adjustment for increases shall not be retroactive beyond the 20 calendar day notification period or such time as approved in writing by the Contracting Officer. Adjustments for decreases shall be made effective immediately on the date they are implemented by the landfill. The notice shall include the amount of the adjustment (increase or decrease), the effective date and supporting data explaining the cause of the adjustment.

SECTION L - INSTRUCTIONS, CONDITIONS AND NOTICES TO BIDDERS

The following have been modified:

INSTRUCTIONS TO OFFERORS

TIME AND RECEIPT OF PROPOSALS

(1) Page limits are defined for the proposals. Offerors should note that unnecessarily elaborate brochures or other presentation beyond those sufficient to present a complete and effective response to the solicitation are not desired. Elaborate art work, expensive paper and bindings, and expensive visual and other presentation aids are neither necessary nor wanted.

(2) A minimum of three (3) and a maximum of five (5) past performance questionnaires must be submitted directly from references no later than the proposal due date. Complete proposals shall be submitted not later than the date and time provided in Block 9 of the Standard Form 33, "Solicitation, Offer and Award," in sealed envelopes/boxes marked in the bottom right corner "RFP No. N40192-16-R-7000."

(3) Past performance questionnaires and proposals shall be submitted to the following address:

(a) If sent by regular mail/private courier:

Naval Facilities Engineering Command Marianas
36th Contracting Squadron / Flight LGCB
Attn: Jennifer L. Mattivi
Unit 14040, Bldg. 22026
Yigo, GU 96929

(b) If hand carried:

Naval Facilities Engineering command Marianas
Facilities 36th Contracting Squadron / Flight LGCB
Attn: Jennifer L. Mattivi
Building 22026
Andersen Air Force Base
Yigo, GU 96929

NOTE: If hand carrying or express mailing proposals, the offeror is advised that the address is on a secured base and passes are required to gain access. Anticipate delays in base access.

(4) Proposals not received at the above address on or before the hour and date set forth for receipt of proposals shall be subject to the provision of FAR 52.215-5-1(c), "Submission, modification, revision and withdrawal of proposals."

(5) Offerors shall submit complete and accurate information. The Government may elect not to request additional information to perform the evaluation.

MULTIPLE AWARDS

The Government does not intend to make multiple awards. The Government intends to issue one contract resulting from this solicitation.

PROPOSAL SUBMISSION REQUIREMENTS

The price proposal and the technical proposal shall be submitted in separate volumes. Each volume, as described below, shall be appropriately tabbed and present a clear, concise offer. Both volumes shall contain precise and complete information so as to permit a detailed evaluation.

Volume I – Price Proposal

Volume II – Technical Proposal

(a) VOLUME I – Price Proposal

(1) Submit **one original and four** paper copies of the price proposal, along with one electronic copy on CD compatible with IBM-type CPU and Microsoft Word and Excel 2003 software.

(2) The printed format of Volume I shall be as follows:

- 8-1/2" x 11" paper format (charts, graphs, or spreadsheet excepted), printed on one side only;
- bound in 3 D-ring binders;
- Arial font with type size equivalent to 10 point or larger; and
- original and copies should be marked accordingly on their respective covers, along with solicitation number, offeror's name, and volume title.

(3) At a minimum, Volume I shall be provided in six parts and tabbed as follows:

- i) Standard Form 33, with blocks 12 through 18 completed;
- ii) Section B and accompanying exhibits from Section J of the solicitation with all CLIN and ELIN unit pricing and amounts completed that will become the prices effective at contract award.
- iii) Name title, e-mail address, phone, and facsimile number of the person or persons authorized to negotiate and bind your firm and/or address proposal clarifications;
- iv) Representations, Certifications and Other Statements of Offerors (Section K of the solicitation) with all representations and certifications executed.
- v) Evidence of financial capability for the previous three fiscal years, certified by an independent accounting firm, if practicable, or at least by an authorized officer of the organization. In addition, submit evidence of availability of working/operating capital, which will be used for the performance of the resultant contract.
- vi) Joint Venture agreements, if applicable, a copy of their joint venture shall be submitted with this solicitation.

(4) Price Information Rating Criteria

Price Factor: As part of their pricing proposal, offerors shall submit prices for each contract period by ELIN to support the amounts specified for each Contract Line Item Number (CLIN) in the Schedule (see Section B of the solicitation).

(b) VOLUME II – Technical Proposal

(1) Submit an original and four paper copies along with one electronic copy on CD compatible with IBM type CPUs and Microsoft Word software. Technical proposal shall be complete to address all factors. Incomplete proposals shall be disqualified and shall not be considered for award.

(2) The printed format of Volume II shall be as follows:

- i) 8-1/2" x 11" paper format, printed on one side only;
- ii) bound in 3 D-ring binders;
- iii) Arial font with type size equivalent to 10 point or larger; and
- iv) original and copies should be marked accordingly on their respective covers, along with solicitation number, offeror's name, and volume title.

(3) At a minimum, each technical proposal shall be tabbed by each evaluation factor below. In addition, each technical proposal shall contain a narrative description in sufficient detail that addresses each of the following technical factors. See Section M – Evaluation Factors for Award for complete description.

(1) Factor 1 – Recent, Relevant Experience of the Firm:

(2) Factor 2 – Technical Approach:

- (3) Factor 3 – Management Plan/Quality Control:
- (4) Factor 4 – Safety:
- (5) Factor 5 – Past Performance on Recent, Relevant Projects:

QUESTIONS, AMENDMENTS, NOTICES

(1) Questions regarding the solicitation shall be submitted in writing via electronic mail to jennifer.mattivi@us.af.mil no later than 10 calendar days prior to the proposal due date. Verbal inquiries will not be entertained.

(2) Amendments and notices will be available on the following websites; <http://www.neco.navy.mil> and <http://www.fbo.gov>. It is the offeror's responsibility to check the website periodically for any amendments to the solicitation. Please note that notices do not change the solicitation. Changes to the solicitation can only be made by issuance of amendments.

(End of Summary of Changes)