

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 4
2. AMENDMENT/MODIFICATION NO. 0001	3. EFFECTIVE DATE 13-May-2015	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY NAVFAC HAWAII SERVICES ACQUISITION DIVISION (PR.J233) 400 MARSHALL ROAD JBP HH HI 96860-3139	CODE N62478	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. N62478-15-R-2436	
		X	9B. DATED (SEE ITEM 11) 04-May-2015	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) RFP NO. N62478-15-R-2436, RUGID SCADA SYSTEMS MAINTENANCE AT VARIOUS LOCATIONS, OAHU, HAWAII THERE IS NO CHANGE TO THE PROPOSAL RECEIPT DATE.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA		16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)		13-May-2015

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

The following items are applicable to this modification:

SUMMARY OF CHANGES (REV)

SUMMARY OF CHANGES

SECTION J

Attachment J-0200000-16 – Replace page 1 of 1 with the attached page 1 of 1 (Amendment No. 0001).

SECTION M - EVALUATION FACTORS FOR AWARD

The following have been modified:

EVALUATION CRITERIA

a. The solicitation requires the evaluation of price and the following non-price factors:

- Factor 1 – Corporate Experience
- Factor 2 – Rigid Factory Field Representative Certification
- Factor 3 - Safety
- Factor 4 – Past Performance

The distinction between corporate experience and past performance is corporate experience pertains to the types of work and volume of work completed by a contractor that are comparable to the types of work covered by this requirement, in terms of **timeframe**, size, scope, and complexity. Past performance pertains to both the relevance of recent efforts and how well a contractor has performed on the contracts.

b. Price Proposal.

(1) Basis of Evaluation: The Government will evaluate price based on the total price. Total price consists of the basic requirements and all option items. The Government intends to evaluate all options and has included the provision FAR 52.217-5, Evaluation of Options in the solicitation. In accordance with FAR 52.217-5, Evaluation of Options will not obligate the Government to exercise the option(s). Analysis will be performed by one or more of the following techniques to ensure a fair and reasonable price:

- (a) Comparison of proposed prices received in response to the RFP.
- (b) Comparison of proposed prices with the IGCE.
- (c) Comparison of proposed prices with available historical information.
- (d) Comparison of market survey results.

c. Non-price Proposal:

(1) Factor 1, Corporate Experience:

Basis of Evaluation:

(a) The Government will evaluate the offeror's relevant corporate experience on RUGID SCADA maintenance contracts or subcontracts which included the creation and/or management, maintenance and upkeep of a Windows© based Oracle© database or equivalent program which records and extracts field collected SCADA data that provides both numerical and geographical outputs, utilizing the "Corporate Experience List" of contracts completed during the past seven years prior to the issuance date of this solicitation, or currently in progress. If the Government's evaluation of the Corporate Experience list does not result in an Acceptable rating for Corporate Experience, the Government will consider the offeror's Project Manager and Quality Manager experience, using the attachment entitled, "Key Personnel Experience List" to assess an offeror's qualifications to manage and complete the requirements of the solicitation. The Government will consider corporate experience and Project Manager and Quality Manager of subcontractors that will perform major or critical aspects of the requirement when such information is relevant to the acquisition.

(b) Contracts and/or subcontracts will be considered relevant if:

(1) it was similar in scope (i.e., RUGID SCADA maintenance which included the creation and/or management, maintenance and upkeep of a Windows© based Oracle© database or equivalent program which records and extracts field collected SCADA data that provides both numerical and geographical outputs) to the subject solicitation, and

(2) it was completed no more than seven years prior to the issuance date of this solicitation, or is currently in progress,

(3) it was valued at \$20,000.00 or more per year. The dollar value is based on the amount for standalone projects or multiple projects that collectively equate to \$20,000.00 or more per year and were on-going concurrently.

(c) The "Key Personnel Experience List" (experience of your firm's and your subcontractors' firm's Project Manager and Quality Manager) will be considered relevant if:

(1) The Project Manager and Quality Manager each have at least three years of relevant experience working on contracts and subcontracts similar in scope to the subject solicitation (i.e., RUGID SCADA maintenance services which included the creation and/or management, maintenance and upkeep of a Windows© based Oracle© database or equivalent program which records and extracts field collected SCADA data that provides both numerical and geographical outputs).

(2) The contracts for the Project Manager and Quality Manager were completed no more than seven years prior to the issuance date of this solicitation, or are currently in progress.

(3) The Project Manager and Quality Manager each have relevant experience valued at \$20,000.00 or more per year. The dollar value is based on the amount for standalone projects or multiple projects that collectively equate to \$20,000.00 or more per year and were on-going concurrently.

(4) The "Key Personnel Experience List" must be submitted for both the Project Manager and Quality Manager. If you submit the list for only one position, it will not be considered.

(2) Factor 2 – RUGID Factory Field Representative Certification

Basis of Evaluation:

(a) Offeror provided current RUGID factory certification. The Government will not award the contract to a firm who does not possess the required RUGID factory certification.

(3) Factor 3 – Safety

Basis of Evaluation:

(a) The Government is seeking to determine that the Offeror has consistently demonstrated a commitment to safety and that the Offeror plans to properly manage and implement safety procedures for itself and its subcontractors. The Government will evaluate the Offeror's overall safety record, the Offeror's plan to select and monitor subcontractors, any innovative safety methods that the Offeror plans to implement for this procurement. The Government's sources of information for evaluating safety may include, but are not limited to, OSHA, NAVFAC's Facility Accident and Incident Reporting (FAIR) database, and other related databases. While the Government may elect to consider data from other sources, the burden of providing detailed, current, accurate and complete safety information regarding these submittal requirements rests with the Offeror. The evaluation will collectively consider the following:

- Experience Modification Rate (EMR)
- OSHA Days Away from Work, Restricted Duty, or Job Transfer (DART) Rate
- Offeror Technical Approach to Safety
- Other sources of information available to the Government

(1) Experience Modification Rate (EMR): The Government will evaluate the EMR to determine if the Offeror has demonstrated a history of safe work practices taking into account any upward or downward trends and extenuating circumstances that impact the rating.

(2) OSHA Days Away from Work, Restricted Duty, or Job Transfer (DART) Rate: The Government will evaluate the OSHA DART Rate to determine if the Offeror has demonstrated a history of safe work practices taking into account any upward or downward trends and extenuating circumstances that impact the rates.

(3) Technical Approach to Safety: The Government will evaluate the narrative to determine the degree to which subcontractor safety performance will be considered in the selection of all levels of subcontractors on the upcoming project. The Government will also evaluate the narrative to determine the degree to which innovations are being proposed that may enhance safety on this procurement.

(4) Factor 4, Past Performance

Basis of Evaluation: The degree to which past performance evaluations and all other past performance information reviewed by the Government (e.g., PPIRS, Federal Awardee Performance and Integrity Information System (FAPIIS), Electronic Subcontract Reporting System (eSRS), performance recognition documents, and information obtained for any other source) reflect a trend of satisfactory performance considering:

- A pattern of successful completion of tasks;
- A pattern of deliverables that are timely and of good quality;
- A pattern of cooperativeness and teamwork with the Government at all levels (task managers, contracting officers, auditors, etc.);
- Tasks that are identical to, similar to, or related to the task at hand; and
- A respect for stewardship of Government funds

(End of Summary of Changes)

RUGID SCADA COMPUTER PROGRAM AND DATABASE REQUIREMENTS

1. Contractor shall furnish a fully functioning Windows 7 based program (“Program”) to record and extract field collected SCADA data and provide both numerical and graphical outputs as described below.
 - a. Currently collected SCADA potable water, salt water, steam, LP Air and HP Air parameters include, but is not limited to flowrate, totalized flow, water level, pressure, temperature, vibration, and chlorine and fluoride levels.
 - b. Program shall graph each parameter in an x-y format, where the parameter shall be plotted along the y-axis. Date/time shall be plotted along the x-axis.
 - c. Graphed parameters shall be capable of being zoomed in by selecting a window on the base graph (i.e. say base graph of flow is plotted from April 1, 2010 to April 30, 2010. Program shall be able to allow a window within this time frame to be zoomed in, such as from April 12 to 23, 2010).
 - d. For each parameter, Program shall allow up to six different locations to be graphed and displayed simultaneously on the same date/time x-axis.
 - e. Program shall display 3 different parameters on the same date/time x-axis.
 - f. Program shall have capabilities to display a grid, plot individual SCADA data points for each parameter, and have a crosshair function to enable the user to select a specific data point and have it display the parameter value and date/time of point.
 - g. Specific requirements for each parameter are as follows:
 - 1) Flowrate - Program shall graph flowrate in units of million gallons per day, MGD.
 - 2) Totalized Flow – Program shall be capable of totalizing flow between selectable time periods. The selected start date/time shall display the totalized amount at the start of the period and the selected end date/time shall display the totalized amount at the end of the period. The difference between the start and end periods shall constitute the total flow between the selected time period. These values shall be summarized in a pop-up window, which will also include the average flow rate over the selected time period. Average flow rate shall be expressed in MGD.
 - 3) Water Level – Program shall graph water level in units of feet.
 - 4) Pressure – Program shall graph pressures in units of pounds per square inch, psi.
 - 5) Temperature – Program shall graph temperature in units of degrees Fahrenheit.
 - 6) Vibration – Program shall graph vibration in standard vibration units.
 - 7) Chlorine - Program shall graph chlorine in units of milligrams per liter (mg/L).
 - 8) Fluoride - Program shall graph fluoride in units of milligrams per liter (mg/L).
 - h. **Program shall be installed at site(s) and fully functional within three working days of the contract start date. (i.e., ensure minimal disruption in service).**