

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

Ques. #	Reference (page #, etc.)	Question	Government Response
2	Diving Support for Syncrolift Operations  0600000 Port Operations Spec Item 3.2.1.8 (page 21)	<p>Discussion: Section 3.2.1.8 (Syncrolift Operations) includes the following language: The Contractor shall provide support for diving operations when requested by the Port Operations Officer. The Contractor shall submit Diving Plan and Diving Operations Risk Assessment in support to any dry docking, undocking evolution, equipment maintenance &amp; waterborne recovery effort. Performance of work must be in compliance with applicable sections of EM-385-1-1 and U.S. Navy Diving Manual.</p> <p>Question(s):</p> <p>1. Does the Government (Navy) provide divers to support dry docking/undocking operations or will divers be provided by the contractor?</p> <p>2. If Navy provided divers, and a dry docking operation is delayed due to lack of government-provided diving support, will such delay result in extension of the allowable vessel down time during emergency repairs (for example tugboat allowable down time of 48 hours in Annex 0600000 Section 3.3.1)?</p>	<p>1. The Contractor shall provide divers per Annex 0600000, 3.2.1.8 Syncrolift Operations that states "The Contractor shall provide support for diving operations when requested by the Port Operations Officer. The Contractor shall submit Diving Plan and Diving Operations Risk Assessment in support to any dry docking, undocking evolution, equipment maintenance &amp; waterborne recovery effort. Performance of work must be in compliance with applicable sections of EM-385-1-1 and U.S. Navy Diving Manual."</p> <p>2. No. USG will not provide divers.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

3	<p>MSC Riding Gangs</p> <p>0600000 Spec Item 3.4 Military Sealift Command, page 36 0600000-04 EQ</p>	<p>Discussion: 0600000 Port Operations Spec Item 3.4 Military Sealift Command requires that the contractor provide “ship riding gangs” To be provided 6 days per week excluding Sundays and Holidays. 0600000-04 EQ lists 17 personnel to be provided for “riding gang support”.</p> <p>Question(s):</p> <p>1. Is the total requirement and composition by job classification estimated to be 17 personnel as listed in O600000-04 EQ?</p> <p>2. Do these personnel work as a single “gang” or do they divide into work crews on different ships?</p> <p>3. Only a single painting supervisor is listed as a requirement – does this mean that it will be acceptable for independent work crews to be deployed on separate ships without a supervisor?</p>	<p>1. Yes, per J-0600000-04 Estimated Quantities.</p> <p>2. The personnel are divided into work crews on different ships, consistent with Annex 0600000, Spec Item 3.4.</p> <p>3. Contractors shall determine whether a supervisor is required for each work group, depending on the type of work being accomplished. Contractor shall comply with all Contract Safety references including but not limited to EM385-1-1 and MSC Safety protocols.</p>
4	<p>Fuel Barges</p> <p>1003000 POL Spec Item 1.1 page 2, and 3.1.2.3, page 30 0600000-04 EQ Item 3.3.2</p>	<p>Discussion:</p> <p>1030000 POL Spec Item 1.1 requires contractor to operate ship/barge fueling and defueling operations. 1030000 POL Spec Item 3.1.2.3 indicates that barges are used for the majority of ship refueling operations J060000-04 EQ Item 3.3.2 indicates that GFE includes four non-propelled fuel barges</p> <p>Question(s):</p> <p>1. Are the GFE fuel barges currently in use single skin barges? The Oil Prevention Act of 1990 required phase out of all single skin oil barges operating in U.S. waters by 2015.</p> <p>2. While understanding that BIOT is not “U.S. Waters”, as these old and single skin craft greatly increase the risk and magnitude of an oil spill, does government intend to replace the single skin fuel barges?</p>	<p>1. The GFE fuel barges are single skin barges. Per NAVY Inspection &amp; Survey ( INSURVE), single hull fuel barges are allowed for OCONUS fuel operations.</p> <p>2. No.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

5	<p>0600000 Port Ops Crew Boats</p> <p>0600000 Spec Item 3.3.3 (page 33)</p>	<p>Discussion: 0600000 Port Operations Spec Item 3.3.3 (Crew Boats) indicates that the contractor shall man and operate five contractor-provided crew boats (page 33) and that the contractor-provided crew boats shall be certified by the American Bureau of Shipping (ABS).</p> <p>Question(s): When were the contractor-furnished crew boats last certified and/or inspected by ABS or US Coast Guard?</p>	<p>USG will not provide the information. This information is considered proprietary.</p>
6	<p>Contractor Generated Standard Operating Procedures0200000 Management &amp; Administration Spec Item 2.6.14 (page 23)</p>	<p>Annex 0200000 Management &amp; Administration, Spec Item 2.6.14 indicates that information generated and/or collected by the Contractor in the performance of this contract, in any media (e.g., electronic, paper, etc.), is considered to be Government owned (i.e. is not proprietary to the Contractor) and must be returned to the possession of the Government at the completion of the contract. Question(s):1. Does this mean that the incumbent contractor's standard operating procedures will be available, and could be provided upon request to the follow-on contractor? We understand that new contractor is responsible to generate own specific operating procedures but access to such reference material would facilitate a smooth transition.</p>	<p>USG will not provide the information. This information is considered proprietary.</p>
7	<p>Pre-existing Solid Waste Issues</p> <p>1800000 Spec Item 3.1.8 (page 16)</p> <p>1503030 Spec Item 3.4.4 Monitoring of Closed Landfill (page 19)</p>	<p>Discussion: 1800000 (Environmental) Spec Item 3.1.8 concerns the conduct of contractor's solid waste compliance oversight. 1503030 (Solid Waste) Spec Item 3.4.4 concerns contractor monitoring of closed landfills (page 19)</p> <p>Question(s): Will the government provide relief to new contractor for any liability related to pre-existing conditions in the closed or active landfills?</p>	<p>The USG may or may not provide relief to new contractor for any liability related to pre-existing conditions in the closed or active landfills depending on the facts and circumstances.</p>
8	<p>US/UK Agreement</p> <p>Annex 0100, page 3 of 14, Spec Item 1.4.6</p>	<p>Discussion: Third paragraph indicates the agreement between US and UK will expire in 2036 unless the US or UK provide notice of termination by 2014.</p> <p>Question(s): Has either US or UK provided notice of termination?</p>	<p>No, at this time, there has been no notice of termination.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

9	<p>Potable Water</p> <p>Annex 1606000 - Water, Spec Item 1.1, page 2 of 29</p>	<p>1. Please confirm that the proposals are to be for existing water treatment capacity without regard to the new water treatment plant planned in the current on-going MILCON project.</p> <p>2. Please indicate when this MILCON project is planned to be completed.</p> <p>3. Will the new water treatment facility be capable of producing water in accordance with all applicable water standards or will potable water continue to be trucked to distribution tanks throughout the island?</p>	<p>Annex 1606000 has been updated and issued in this Amendment (0003). Distribution shall be per Annex 1606000 Spec Item 3.1.3.</p>
10	<p>Telephone Service Provider</p> <p>0100000 – General Information, Spec Item, page 9 of 14, Spec Item 1.4.12.3 Telephones</p>	<p>Please confirm that the private telephone service provider on DG is Sure, rather than Cable and Wireless.</p>	<p>The private telephone service provider on DG is Sure. See revised Annex 0100000, Spec Item 1.4.12.3 Telephones.</p>
11	<p>Condition of Government Furnished Facilities</p> <p>0200000, page 11 of 66, Spec Item 2.4.1, J-0200000-03</p>	<p>Discussion: Spec Item 2.7.7.2 discusses in detail the plan to migrate from existing GFF housing to contractor-provided CLUs beginning third option year. In the meantime, contractor housing is to be provided "as is" for contractor use. These units are required to meet fire and life safety standards at contractor expense. The condition codes shown in the J-0200000-03 table indicate ranging from 36% to 82%, with most being in the 60s and 70s.</p> <p>Question(s):</p> <p>1. Are the condition codes shown in the J-table in accordance with EM 385-1-1 and relevant UFCs?</p> <p>2. Is the government certifying the existing contractor living units meet the minimum required safety and building standards?</p> <p>3. Whose responsibility will it be to bring those units to the minimum standard, government or contractor?</p>	<p>1. The Conditions Codes shown in J-0200000-03 table are not based on EM 385-1-1 and UFCs. However, the building (or location) Condition Index (CI) numbers shown are based on the Navy's Infrastructure Condition Assessment (ICAP) program as described in the CBMM Training Manual, per 2.3.17 ICAP Condition Assessments of Dynamic Equipment in GFF.</p> <p>2. Per Annex 0200000, Spec Item 2.4.1, Government- Furnished Facilities (GFF). "Government Furnished Facilities are facilities available upon request for Contractor use and are provided "as is"".</p> <p>3. Per Annex 0200000, Spec Item 2.4.1, Government- Furnished Facilities (GFF). "The Contractor will maintain and repair all Contractor utilized GFF at Contractor expense and maintain GFF based upon minimum safety and building standards including but not limited to EM385-1-1 and relevant UFCs."</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

12	<p>Government Furnished Utilities</p> <p>0200000, page 12 of 66, spec item 2.4.2 and J-0200000-12</p>	<p>Discussion:</p> <p>1. Spec item 2.4.2 indicates historical billing rates from FY05 – FY12, however the table shows the date range is from FY10 – FY16.</p> <p>2. The table shows Potable water rates of \$5.53 but Non-Potable water rates at \$9.49.</p> <p>Question(s):</p> <p>1. Please confirm the table shows the rates from FY10-FY16.</p> <p>2. It does not make sense that non-potable water would be \$3.96/KGAL, or 71% more expensive than Potable water. Please confirm these rates for contractor use in calculating our costs over the duration of the performance period.</p>	<p>See revised J-0200000-12 in this Amendment.</p>
13	<p>Government Furnished Materials0200, page 12 of 66, Spec Item 2.4.3, J-0200000-09</p>	<p>Discussion:Last paragraph states the Contractor shall provide no less than 3 months' supply of start-up materials and consumable supplies to satisfactorily perform the requirements of the contract. A review of the items listed in the J-table cause concern about whether quantities of critical materials, within the appropriate shelf life, are indicated. Shortages would require the winning contractor to for pay costly urgent or emergency shipment of these items. Example: Lines ASB-IP Anion Exchange resin and C-267 Cation Exchange Resin. Both of these are long lead time items critical for potable water production.</p> <p>Question(s):1. Please confirm the Incumbent contractor is required to provide the same 3 months' supply to the winning proposer? 2. Can the government please confirm that the quantities shown as being on-hand represent 3 months' supply?</p>	<p>1. Yes, the Incumbent Contractor is required to provide the same 3 months' supply to the sucessor Contractor per N62742-12-D-3601, Annex 0200000 Spec Item 2.4.3 Government-Furnished Materials (GFM). 2. Yes, Annex 0200000 J-0200000-09 information is the most currently available data.</p>
14	<p>Government Furnished Equipment</p> <p>0200, page 12 of 66, Spec Item 2.4.4., J-0200000-04</p>	<p>Discussion: Several lines in the J Table refer to a "3601 List" for condition code.</p> <p>Question(s):</p> <p>Will the Government provide this 3601 list so contractors can determine condition of GFE?</p>	<p>Per J-0200000-04 01 GFE 3601 OLD REF which is included in Annex 0200000 J Attachments. Refer to the revised Annex 0200000, J-0200000 Table of Contents in this Amendment.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

15	Contractor Furnished Equipment  J-0200000-05	<p>Discussion:</p> <p>1. Contractors are required to provide equipment necessary for contract performance. Historically, the favored source of this equipment is the Incumbent existing fleet. The current incumbent fleet is extremely old, as evidenced by the extreme high mileage indicated on J-0200000-05.</p> <p>2. There is significant risk to the Government that, in order to be competitive, various proposers' fleet assumptions will cause the inability of contractor to perform the contract requirements.</p> <p>Question(s):</p> <p>1. Will the government consider providing a "plug number" for Contractor fleet calculations to ensure even playing field and to ensure the winning contractor has included sufficient fleet assets for successful performance?</p>	No, USG will not consider a plug number.
16	Contractor Furnished Equipment  0200, page 16 of 66, Spec Item 2.5	<p>Discussion:</p> <p>Second paragraph of this spec item requires Contractor-owned vehicles to meet the same safety requirements established for Government owned vehicles.</p> <p>Question(s):</p> <p>Given the extreme age and mileage of the Incumbent contractor fleet evidenced by J-0200000-05, does the government certify the existing contractor fleet meets these safety requirements?</p>	N62742-12-D-3601 Annex 0200000, Spec Item 2.5 Contractor-Furnished Items states that "Contractor-owned vehicles and equipment shall meet the same safety requirements established for the Government owned vehicles and equipment and marked in accordance with base and Host Nation laws and regulations."
17	DG Regional Coordinator Instructions  ATTACHMENT J-0200000-02 REFERENCES & TECHNICAL DOCUMENTS Multiple locations	<p>Discussion:</p> <p>Multiple locations throughout the PWS require contractor compliance with DG Regional Coordinator Instructions. These are not available to off-island contractors, giving an advantage to the incumbent.</p> <p>Question(s):</p> <p>Will the Government distribute the DGREGCOORDINSTs available to all proposers?</p>	Yes, this will be made available in an upcoming Amendment.

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

18	<p>CMMS</p> <p>0200000 - Management and Administration, page 20 of 66, Spec Item 2.6.7. Government's Computerized Maintenance Management Systems (CMMS)</p>	<p>Discussion: PWS states that ICAP requirements for utilities and structures are still under development.</p> <p>Question(s): Will these be developed before the 16 August 2016 proposal due dates?</p>	<p>No, additional Utilities ICAP (UICAP) requirements for utilities and structures will not be developed prior to 16 Aug 2016.</p>
19	<p>Quality Management Plan/Water Conservation Plan</p> <p>0200000 - Management and Administration, page 21, Spec Item 2.6.8.1. Quality Management (QM) Plan</p> <p>0200000 - Management and Administration, page 58, Spec Item 2.11.10 Water Conservation Plan</p>	<p>Discussion: The QM plan and the Water Conservation Plan are due as a deliverable within 15 days after contract award. This will be before mobilization of key personnel.</p> <p>Question(s): Will the government considered changing these requirements to be "Before Full Performance"?</p>	<p>No.</p>
20	<p>SSHO/Competent Person</p> <p>0200, page 26 of 66, Spec Item 2.7.2.3</p>	<p>Please explain the requirement for the Competent Person. Can this be the same person as the SSHO or designated alternate?</p>	<p>1. Per Annex 0200000 Spec Item 2.7.2.3 Site Safety and Health Officer (SSHO) and Competent Person,"A Competent Person, per the EM385-1-1, one who can identify existing and predictable hazards in the working environment or working conditions that are dangerous to personnel and who has authorization to take prompt corrective measures to eliminate them."</p> <p>2. The SSHO or designated alternate and Competent Person cannot be the same person.</p>
21	<p>US Citizen requirementJ-0200000-14, page 2</p>	<p>Discussion: This table requires the Wastewater Treatment Plant Operator to be a US citizen. The requirement to have an ORC or AORC certified by a US State authority does not necessarily mean the person must be a US citizen. Question(s):Please confirm the government requires a US citizen in this position.</p>	<p>Yes, Annex 1604000, Spec Item 2.2.1 Wastewater Treatment Plant Operator requires a US citizen for the Waste Water Plant Operator .</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

22	<p>Housing For All Other Personnel</p> <p>0200, page 33 of 66, Spec Item 2.7.7.2; J-0200000-30/31/32 and /33</p>	<p>1. J-0200000-30, para N indicates showers shower be provided with body soap and individual clean towels. Please confirm it is the government intent that soap and towel service be provided.</p> <p>2. J-0200000-31 requires significant construction, and specifies the sites have gravel fill. Is there a suitable approved source gravel on-island, or must contractors price include barging in the appropriate construction materials?</p> <p>3. J-0200000-33 indicates one 1-person CLU for the entire camp. Please specify whom the government envisions will occupy that unit.</p>	<p>1. Yes, per J-0200000-30 Contractor Employee Living Facilities Minimum Standards and Examples the Contractor shall provide soap and individual clean towels.</p> <p>2. There is no suitable approved source for gravel on-island. Contractors must determine the best way to obtain and price the appropriate materials required to comply with Annex 0200000 Spec Item 2.7.7.2 Housing for All Other Personnel.</p> <p>3. Amendment 0002 J-0200000-33 shows that CLU is for the Priest.</p>
23	<p>Contractor Dining Facility</p> <p>0200000 - Management and Administration, page 35, Spec Item 2.7.7.4. Meals for Non-Management Personnel</p>	<p>Discussion: Para 2 requires Contractor Dining Facility to meet minimum applicable UFC and EM385-1-1 standards.</p> <p>Question(s):</p> <p>1. Does the Government certify that the existing facility meets these requirements?</p> <p>2. Please specify the condition of the existing Air Handling Units and Refrigeration Units at the BOS Galley.</p>	<p>1. Per Annex 0200000, Spec Item 2.7.7.4,Meals for Non-Management Personnel, "The Government will make facilities available in an "as-is" condition for Contractor's use to operate a Dining facility for feeding its employees."</p> <p>2. Offerors are referred to Annex 0200000, Spec Item 2.4.1, USG-Furnished Facilities (GFF). "USG Furnished Facilities are facilities available upon request for Contractor use and are provided "as is," to J-0200000-03 Facilities and J-1501000-06 ICAP DG Dynamic Assets as of July 20 2015.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

24	<p>MAFTD and Structural Fire Trainer availability</p> <p>0402, page 17 and 18 of 29, Spec Items 3.2.3.1 and 3.2.3.4</p>	<p>Discussion: These Spec items require contractor to meet crash rescue and structural fire training requirements. The incumbent contract includes use of Government furnished equipment Military Aircraft Fire Training Device (MAFTD). In addition, the Incumbent has use of a Structural Fire Training container. Both of these devices allow contractor to conduct training on island without the need or expense of sending personnel off-island for this training. These devices are not included in Table J-0200000-04, Government Furnished Equipment.</p> <p>Question(s): Can the government confirm these devices are available for contractor use, or must proposal contain additional travel cost to send personnel off-island?</p>	<p>Yes, the USG will make available the Military Aircraft Fire Training Device (MAFTD) and Structural Fire Training container to the incoming Contractor at no costs. The updated section showing the availability of these items is in this Amendment 0003.</p>
25	<p>Fire Permits</p> <p>0402, page 27 of 29, Spec Item 3.3.10</p>	<p>Discussion: The Performance Objective column for Spec Item 3.3.10 provides apparent internal note: "Lloyd: need to rewrite these statements; i.e. "No ops conducted ..."</p> <p>Question(s): 1. Has this re-write occurred? 2. When can proposers expect to receive these re-written statements?</p>	<p>The Internal Note has been deleted and the statements have been updated in Amendment 003.</p>
26	<p>Replacement Tugs</p> <p>0600, page 26 of 43, spec item 3.3.1, and J-0600000-04</p>	<p>Discussion: PWS shows requirement for 2 tugs in operation and requires replacement within 48 hours. In order to move a tug from Singapore and install proper submarine fenders requires a minimum of 10 to 12 day. It is not possible for the contractor to meet the 48 hour requirement.</p> <p>Question(s): 1. Will the government consider changing the replacement requirement to 12 days? 2. Or, will the government consider changing the number of tugs to three to ensure DG mission capability is met?</p>	<p>1. USG will not change Tug replacement requirement to 12 days. 2. USG will not change the number of tugs to three.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

27	<p>Fire and Emergency Services</p> <p>Sub-Annex 0402000 Spec Item 3.2.2.6 - Pier Standby - Harbor Ops Page 17</p>	<p>Requirement (Performance Objective) is to "provide pier standby, as required by the Government, to ensure prompt response by emergency personnel to minimize the risk of injuries and loss of life."</p> <p>Related Information column states "This service includes Pier Standby for IQ work."</p> <p>This means that if Port Ops has an IDIQ (Non-Recurring Spec Item 4), task order for a task, that Fire and Emergency (0402000) would be required to provide support under Recurring Work (FFP).</p> <p>This is not the traditional or proper process to follow, if Port Ops has an IDIQ task order to perform, ALL support, regardless of Sun-Annex should be accounted under that task. This could potentially affect Annex 15, to construct things dockside, Annex 10 to supply Stevedores or Laborers, Annex 17 for BSVE needs and so on.</p> <p>This is a dangerous precedent to set, and NAVFAC should clarify that an IQ task order should include ALL support required, regardless on contributing Annex.</p>	<p>Annex 0402000 Spec Item 3.2.2.6 Pier Standby - Harbor Ops has been deleted and the updated section will be issued in Amendment 0003.</p>
28	<p>RFP Solicitation NumberSF 33 page 1 box 3 Attachment JB-2 Attachment JE-1, page 16</p>	<p>Discussion: RFP provides two difference solicitation numbers within the RFP. For example, page 1 of 99 shows N62742-16-R-3600 in box 3, while footers in Attachments JB-2 and page 16 of Attachment JE-1 reference N62742-12-D-3601. Question(s): Please provide clarify the difference and provide correct solicitation number reference.</p>	<p>The Solicitation Number for this procurement is N62742-16-R-3600. The footers in Attachment JB-2 has been revised to reference the correct Solicitation Number "N62742-16-R-3600." Attachment JE-1 has been revised and now shows "N62742-17-D-3600." This is the anticipated contract number. Note that Attchment JE-1 is a DRAFT.</p>
29	<p>Page limits for table of contents, list of abbreviations, and executive summary</p>	<p>Please confirm that the table of contents, list of abbreviations, and executive summary are excluded from the page count limitations in Non-Cost Volume II.</p>	<p>No, the table of contents, list of abbreviations, and executive summary are included from the page count limitations in Non-Cost Volume II.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

30	<p>Pesticides Use Sheets</p> <p>Annex 1503000 - Facility Services , Spec Item 2.4.3 Pesticides, page 4</p>	<ol style="list-style-type: none"> <li>1. Please confirm that the Planned Pesticide Use Sheets including labels and SDS are required to be submitted with the proposal.</li> <li>2. Please confirm that this requirement is outside of the 366-page limit for Technical Proposal.</li> <li>3. Please clarify in which section of the Technical Proposal should the sheets and labels be included.</li> </ol>	<p>The Spec Item in question is found in Annex 1503020 Pest Control, spec item 2.3.4.</p> <ol style="list-style-type: none"> <li>1. Yes.</li> <li>2. No, this is not outside the 366 page limit for the Technical Proposal.</li> <li>3. This should be included in Factor E.</li> </ol>
31	<p>Operations, Maintenance and Test Plan</p> <p>0304030, Telephone System and Services, Spec Item 3 Recurring Work</p>	<p>Discussion: Spec Item 3 on page 11 States: "The Contractor shall develop and submit (as a reviewable portion of the technical proposal) an Operations, Maintenance and Test Plan (OMTP) for the entire NSF Diego Garcia telecommunications system including all Navy-owned telephone switch, OSP copper and optical fiber distribution systems, premise cabling, and associated auxiliary equipment. The OMTP shall be consistent with all standards, codes, orders and instructions listed herein"</p> <p>Question(s):</p> <ol style="list-style-type: none"> <li>1. Where in the Technical Proposal should this be placed?</li> <li>2. What are the page restrictions for such a large plan?</li> <li>3. As only the incumbent could possibly meet this requirement of: "for the entire System," this presents an unfair advantage to the incumbent. Please clarify the requirement.</li> </ol>	<ol style="list-style-type: none"> <li>1. Factor E.</li> <li>2. Refer to Section L Volume II Non-Cost/Price Proposal instructions which states a maximum of three hundred sixty-six (366) single-sided pages. Offerors are free to determine what they can include in their Proposals as long as the 366 page limitation instructions are followed.</li> <li>3. See #1 and #2 above.</li> </ol>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

32	<p>Factor A (Past Performance) page count</p> <p>Section L, page 10 (Amendment 0001), paragraph L.6, Volume II, A(1) and Factor A (page 11)</p>	<p>Discussion:</p> <p>1. If an offeror proposes the maximum of ten projects with only a five page limit, that equals half a page per project; this is not nearly enough room to address the seven Section M evaluation factors for Factor A, and will therefore make it more difficult for the evaluator.</p> <p>2. There is currently no page allowance for CPARs evaluations.</p> <p>3. The statement in Factor A, page 11 of Amendment 0001, to “Include performance recognition documents” seems to indicate the actual documents and not a list, as is described in the summary of breakdown of page limits by factor.</p> <p>Question(s):</p> <p>1. Please clarify if the maximum amount of pages allowed for Factor A is five (5), or if the maximum amount of pages allowed for each project referenced is five pages. If an offeror proposes the maximum of ten projects with only a five page limit, that equals half a page per project; this is not nearly enough room to address the seven Section M evaluation factors for Factor A, and will therefore make it more difficult for the evaluator.</p> <p>2. Please confirm that CPARs are excluded from page count.</p> <p>3. Please confirm that the Government requests only a list of performance recognition documents, and not the documents themselves.</p>	<p>1. Per Factor A, the maximum amount of pages allowed is five (5) pages.</p> <p>2. Yes, CPARs are excluded from page counts.</p> <p>3. Yes. The maximum amount of pages for performance recognition documents is one.</p>
33	<p>Factor B (Corporate Experience) page count</p> <p>Section L, page 10 (Amendment 0001), paragraph L.6, Volume II, A(2)</p>	<p>Discussion:</p> <p>If an offeror proposes the maximum of ten projects with only a five page limit, they are left with half a page per project; this is not nearly enough room to address the three Section M evaluation factors for Factor B, nor is it enough room to address experience in the 32 subannexes, as we must reference proposal page number(s) and paragraph(s) on Attachment JL-7. These page limitations will make it extremely difficult for an evaluator to effectively evaluate this factor.</p> <p>Question(s):</p> <p>1. Please confirm if the maximum amount of pages allowed for Factor B is five (5), or if the maximum amount of pages allowed for each project referenced is five pages.</p>	<p>1. Per Factor B, the maximum amount of pages allowed is five (5) pages.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

34	<p>Attachment JL-7 – Corporate Experience Worksheet</p> <p>Section L, page 13 (Amendment 0001), paragraph L.6, Volume II, Factor B and page 11, Notes for Factors A and B, (2) and (5)</p>	<p>Discussion:</p> <p>In two different places in the Notes for Factors A and B, the Government states that projects must be “performed within the past five (5) years preceding the issuance date of this solicitation.” The issuance date of this solicitation was 6 May 2016, which would mean that projects must be performed on/After 6 May 2011. However, Attachment JL-7, in column J, states that a project “Must be Completed After 11 May 11.”</p> <p>Question(s):</p> <p>1. Please confirm which date should be used to relevancy purposes; 6 May 2011, or 11 May 2011.</p>	<p>The solicitation was posted on 6 May 2016. Therefore, use 6 May 2011 for relevancy purposes. Attachment JL-7, Column J was revised and now states that Period of Performance “must be completed after 6 May 11.”</p>
35	<p>SEHP0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel</p>	<p>Does the Contractor include the cost of the SEHP in its bid or is such a proposal generated and negotiated after the award, but prior to Option year #3?</p>	<p>Yes, the Contractor shall include the cost of the SEHP in their proposal. Per Annex 0200000 Spec Item 2.7.7.2 Housing for All Other Personnel, “during the mobilization, base and up to the end of the 2nd Option Period, the Contractor shall do the necessary planning and coordination in preparation of providing Contractor housing beginning in the 3rd Option period.”</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

<p align="center">36</p>	<p align="center">SEHP 0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel</p>	<ul style="list-style-type: none"> <li>• Paragraph 1, Page 33</li> <li>o What type of temporary swing spaces will the Government provide during the 5-year construction period?</li> <li>o Who is responsible for installing the temporary swing spaces including utilities, personnel access, etc.?</li> <li>o Will the Government allow the Contractor to transfer furnishings from GFF slated to be demolished just prior to the demolition into the temporary swing spaces?</li> <li>o Who provides (purchases, funds, installs) furnishings for new CFF permanent housing?</li> <li>o Why would the Government stipulate Contractor required housing standards then in the second to the last sentence in the paragraph state their temporary swing spaces housing may not meet those standards?</li> </ul>	<ol style="list-style-type: none"> <li>1. Per Annex 0200000, 2.7.7.2 Housing for All Other Personnel, the USG "will also make available temporary GFF to act as swing spaces while the Contract works towards housing 65% of its workforce in Contractor provided housing. Those temporary GFF will also be provided to the Contractor in an "as-is" condition". Refer to Annex 0200000 J-0200000-03 Facilities.</li> <li>2. Per Annex 0200000, 2.7.7.2 Housing for All Other Personnel, "The Contractor shall ensure current and future Contractor employee living facilities (cantonments and villages for example) especially for non-management personnel, whether it is Contractor or Government provided, are habitable, safe, sanitary and meets at the minimum applicable UFC and EM385-1-1 04.A.05 standards."</li> <li>3. No. Per J-0200000-30 Contractor Employee Living Facilities Minimum Standards and Examples, "f. Have standard furniture such as beds, chairs, tables and suitable storage facilities (such as wall lockers for clothing and personal articles) shall be provided in every room used for sleeping purposes. Furniture shall be of quality deemed acceptable by the USG as found in a US "Motel 6" or equivalent."</li> <li>4. The Contractor shall provide furnishings for new CFF permanent housing per J-0200000-30 Contractor Personnel Living Facilities Minimum Standards and Examples and J-0200000-31 General Technical Requirements for CLUs.</li> <li>5. Annex 0200000, 2.7.7.2 Housing for All Other Personnel has been revised in Amendment 0003.</li> </ol>
--------------------------	--	--	---

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

37	<p>SEHP</p> <p>0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel</p>	<ul style="list-style-type: none"> <li>• Paragraph 2, Page 33</li> <li>o Will the Contractor be allowed to develop and implement the SEHP prior to Option Year #3 while still performing the reconstruction in a 5 consecutive year SEHP?</li> <li>o Will the Government entertain a longer than 5-year reconstruction period?</li> </ul>	<p>1. No. Per Annex 0200000, Spec Item 2.7.7.2 the "SEHP shall outline the Contractor's approach for housing approximately 13% of its non-management workforce in Contractor provided units per 12 month Contract period beginning in the 3rd Option Period with the end goal of housing 65% of its non-management workforce in Contractor provided housing at the end of the Contract".</p> <p>2. No. See #1 above.</p>
38	<p>SEHP</p> <p>0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel</p>	<ul style="list-style-type: none"> <li>• Paragraph 2, Page 34</li> <li>o Who will physically demolish the existing GFF housing?</li> <li>o Will the GFF housing demolition debris be disposed of on-island or off-island?</li> </ul>	<p>1. Per Annex 0200000, Spec Item 2.7.7.2 the USG "will be responsible for demolishing GFF taken offline including existing concrete slabs."</p> <p>2. USG will be responsible for demolition debris.</p>
39	<p>SEHP</p> <p>0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel</p>	<ul style="list-style-type: none"> <li>• Paragraph 3, Page 34</li> <li>o Who will physically demolish the temporary swing spaces?</li> <li>o Will the temporary swing spaces demolition debris be disposed of on-island or off-island?</li> <li>o What are the prevailing utilities rates (electricity, domestic water, wastewater)?</li> <li>o What are the prevailing land rates in BIOT?</li> <li>o Will the CFF demolition debris for newly installed permanent housing be disposed of on-island or off-island at the end of the contract?</li> </ul>	<p>1. Per Annex 0200000, Spec Item 2.7.7.2, the USG "will be responsible for demolishing GFF taken offline including existing concrete slabs."</p> <p>2. USG will be responsible for demolition debris.</p> <p>3. J-0200000-12 Historical Utility Billing Rates FY10-FY16 has been updated in this Amendment 0003</p> <p>4. There are no BIOT land rates.</p> <p>5. Contractor demolition of any and all CFF shall follow Annex 0200000 Spec Items 2.11.1.1 Non-Hazardous Waste Disposal and 2.11.1.2 Hazardous Waste Disposal resulting from the work under this contract which includes BIOT and USG Environmental regulations, Final Governing Standards laws and references.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

40	SEHP 0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel	<ul style="list-style-type: none"> <li>• Paragraph 5, Page 34</li> <li>o Why is the Government requiring a higher level of furnishing quality for new permanent housing than is currently installed in existing housing?</li> </ul>	Per Annex 0200000, Spec Item 2.7.7.2, Housing for All Other Personnel, the housing units are not permanent. The USG reserves the right to mandate Contract requirements as it sees fit as long as such requirements do not conflict with BIOT and USG laws and regulations.
41	SEHP0200000 - Management and Administration, pp. 33-34, Spec Item 2.7.7.2 Housing for All Other Personnel	<ul style="list-style-type: none"> <li>• Paragraph 6, Page 34o Will the Government provide temporary swing spaces to the Contractor in the event the Government decides to replace GFF with new ones?</li> </ul>	Yes. Per Annex 0200000, 2.7.7.2 Housing for All Other Personnel, the USG "will also make available temporary GFF to act as swing spaces while the Contract works towards housing 65% of its workforce in Contractor provided housing. Those temporary GFF will also be provided to the Contractor in an "as-is" condition". Refer to Annex 0200000 J-0200000-03 Facilities.
42	Annex 1402000 Unaccompanied Housing C 1402000 Unaccompanied Housing, page 6, Spec Item 3.1.1.1 Front Desk Operations	<p>Discussion: The seventh performance standard listed for Spec Item 3.1.1.1 Front Desk Operations, is "Sufficient quantity and variety of Sundries are stocked to meet customers' needs." However, there is nothing listed under "Related Information" to correspond to this standard.</p> <p>Question(s): Will the Government please clarify if stockage of sundries at the front desk is part of the performance objectives of Spec Item 3.1.1.1?</p>	No, that requirement is not part of the Performance Objective. However, the Sundries requirement has been added to C 1402000 Unaccompanied Housing, page 6, Spec Item 3.1.1.1 Front Desk Operations, Related Information column and included in this Amendment 0003.
43	Annex 1402000 Unaccompanied Housing C 1402000 Unaccompanied Housing, page 6, Spec Items 1.1 (Concept of Operations), and 3.5 (TV Antenna and Signal Distribution System), and Attachment J 1402000 06 TV Ant Signal Dist Sys.pdf	<p>Discussion: Spec Item 1.1, Concept of Operations, lists 15 total buildings for Annex 1402000: 14 Unaccompanied Housing (UH) buildings and 1 NGIS/UH combination building. However, Spec Item 3.5, TV Antenna and Signal Distribution System, states that "the existing community TV antenna and signal distribution system consist of 27 antenna (1 per building)" which would indicate that there are, in fact 27 buildings. In addition, Attachment J 1402000 06, TV Ant Signal Dist Sys.pdf, lists a total of 27 buildings.</p> <p>Question(s): Would the Government please clarify the number of buildings for which the Contractor is responsible in Annex 1402000?</p>	There are 27 buildings as follows: 13 NGIS, 12 UPH, and 2 NGIS/UPH. 1402000 Unaccompanied Housing, Spec Item Spec Item 1.1, Concept of Operations has been updated and included in this Amendment 0003.

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

44	<p>Asbestos Compliance Oversight, Lead Base Paint (LBP) compliance oversight</p> <p>Page 21, Spec item 3.1.12 (LBP) page 25, Spec item 3.1.15</p>	<p>Question(s):</p> <p>1. Can the USG provide historical volumes of Asbestos removal and disposal?</p> <p>2. Can the USG provide historical volumes of Lead Base Paint removal and disposal?</p>	<p>1. Asbestos received by Annex 1800000 for disposal is estimated as follows:                  2014 = 27,398 lbs                  2013 = 21,602 lbs                  2012 = 4,896 lbs                  2011 = 15,552 lbs                  2010 = 16,009 lbs                  The updated section is included in this Amendment 0003.</p> <p>2. USG does not have this information.</p>
45	<p>Pesticides Use Sheets</p> <p>Annex 1503000 - Facility Services , Spec Item 2.4.3 Pesticides, page 4</p>	<p>1. Please confirm that the Planned Pesticide Use Sheets including labels and SDS are required to be submitted with the proposal.</p> <p>2. Please confirm that this requirement is outside of the 366-page limit for Technical Proposal.</p> <p>3. Please clarify in which section of the Technical Proposal the sheets and labels should be included.</p>	<p>Refer to the Answer for Question #30.</p>
46	<p>Contractor Furnished Item</p> <p>0200000 - Management and Administration, page 16, Spec Item 2.5</p>	<p>Can the USG provide the current contractor furnished vehicle list to industry with year, make, model, purchase price, and condition codes?</p>	<p>USG will not provide the information. This information is considered proprietary.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

47	<p>Factor A: Past Performance Project Value(s)</p> <p>Section L, page 86 - 88 of 387 (Amendment 0001), paragraph L.6, Volume II</p>	<p>Discussion: Factor A: Past Performance - The Offeror and team members (e.g., subcontractors, JV partners, Mentor Protégé Partners, etc.) shall demonstrate past performance in at least three (3) recent relevant projects with a minimum value of approximately \$50 million. Projects with a value of \$600 million will be considered more relevant.</p> <p>(5) Projects must be stand-alone contracts or task orders, performed within the past five (5) years preceding the issuance date of this solicitation, which demonstrate its ability to perform the proposed effort. The submission of information on a basic IDIQ contract will not be considered. The Offeror must demonstrate in its proposal how a project is relevant to this acquisition.</p> <p>Standard practice on many "stand-alone contracts" is to place funding or award option periods by Task Order or have each location and option period as a Task Order. This is different than a Multiple Award or IDIQ Task Order Contract where there is not set location or work assigned to the base contract. It is to be used to award Task Orders on an as need basis.</p> <p>Question: Will the Government consider a stand-alone contract that has multiple locations and or option periods awarded as Task Orders as a single relevant project meeting the minimum value requirement?</p>	<p>No per Section L. Projects must be stand-alone contracts or task orders, each with a minimum value of \$50 million each.</p>
----	---	--	---

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

48	<p>Government Furnished Facilities – Contractor Housing</p> <p>0200000 Spec Item 2.7.7.2 page 33 and Spec Item 2.4.4 page 13</p>	<p>Discussion: 0200000 Spec Item 2.7.7.2 page 33, indicates that contractor will be responsible to provide housing for approximately 65% of non-management workforce (estimated 1086 persons) by end of the contract. This contractor-furnished new housing is to replace current government furnished housing.</p> <p>0200000 Spec Item 2.4.4 (Government Furnished Equipment) page 13 included the category government furnished, contractor replaced and contractor titled equipment (similar to government furnished, contractor replaced and contractor titled housing) and includes the statement "the government reserves the right to purchase contractor replaced, contractor titled equipment at the end of the contract at fair market value." No such provision is included in the requirement for contractor replaced housing.</p> <p>Questions: What is government's intent with regards to the government-furnished, contractor-replaced, contractor-titled housing (CLUs) at the completion of the contract?</p>	<p>Per Annex 0200000, Spec Item 2.7.7.2, at the completion of the Contract, the "Contractor shall be fully responsible for disposing of the CLUs upon end of the Contract".</p> <p>The section has been updated in this Amendment 0003.</p>
49	<p>Requisition and Procurement of Food Items</p> <p>1300000-Galley, Spec item 3.1.2.4, Page 10</p>	<p>Discussion: The spec item states that "The Contractor shall requisition and procure food items as needed to ensure basic and contingency limits are maintained."</p> <p>Questions: 1. Can the USG provide historical volumes of subsistence requisitioned and procured weekly, monthly, etc.? 2. Can the USG provide the prime vendor source for subsistence and consumables?</p>	<p>1. USG does not possess this information.</p> <p>2. Per Annex 1300000 Spec Item 3.1.1 Menu Planning, "All food will be provided by the Government; however, the Contractor shall work with the NSF Food Service Officer in procuring food stores".</p>
50	<p>Asbestos Compliance Oversight, Lead Base Paint (LBP) compliance oversight</p> <p>1800000 – Environmental, Page 21, Spec item 3.1.12 (LBP) and page 25, Spec item 3.1.15</p>	<p>Questions: 1. Can the USG provide historical volumes of Asbestos removal and disposal? 2. Can the USG provide historical volumes of Lead Base Paint removal and disposal?</p>	<p>Refer to the Answer for Question #44.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

51	<p>Restriction to Contractor Working Hours</p> <p>Annex 0200000 Spec Item 2.2.1.2 Page 7</p>	<p>Questions:</p> <p>1. Is the contractor required to obtain government approval for any work outside of the Government's Regular Working Hours for overtime?</p> <p>2. Is the Contractor obligated under this spec item to obtain approval from the Government for work outside of Regular Working Hours for otherwise unscheduled work?</p>	<p>1. Per Annex 0200000 Spec Item 2.2.1.2 Restriction to Contractor Working Hours, "If the Contractor wishes to work outside of the Government's regular working hours for the Contractor's convenience, the Contractor shall submit a written Request to Work Outside USG's Regular Working Hours to the KO for approval at least seven calendar days prior to requested day." Under Recurring work, USG will not compensate the Contractor for overtime.</p> <p>2. See #1 above.</p>
52	<p>Required Conferences and Meetings</p> <p>Annex 0200000 Spec Item 2.3.1 Page 8</p>	<p>Questions:</p> <p>1. Are any of the conferences and meetings required by the Government off site?</p> <p>2. If yes, please provide locations and frequencies of these types of meeting and conferences?</p>	<p>1. Per 2.3.2.1 Contract Partnering Level A, "The Government intends to hold the initial partnering session on Diego Garcia. Follow-on sessions may be held at locations agreed to by both parties."</p> <p>2. See #1 above.</p>
53	<p>Government Furnished Utilities</p> <p>Annex 0200000 Spec Item 2.4.2 Page 12 J-0200000-12</p>	<p>Questions:</p> <p>1. What are the average monthly consumption levels of each of these utilities at this time?</p> <p>2. Is there a "down payment" of utility cost to be borne by the contractor at this time and if so what is it?</p>	<p>1. USG will not provide the information. This information is considered proprietary.</p> <p>2. There is no "down payment".</p>
54	<p>Contractor Furnished Items</p> <p>Annex 0200000 Spec Item 2.5 Page 16</p>	<p>Questions:</p> <p>1. With respect to Contractor Owned Vehicles and Equipment, does the current contractor operated fleet meet all safety regulations as stated?</p>	<p>1. USG will not provide the information. This information is considered proprietary.</p>
55	<p>Contractor Furnished Fuel</p> <p>Annex 0200000 Spec Item 2.5.1.1. Page 17</p>	<p>Questions:</p> <p>1. Does this include C-Pool vehicles and equipment?</p>	<p>1. No. Annex 0200000 Spec Item 2.5.1.1 is intended only for Contractor Furnished Items.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

56	<p>Quality Management System</p> <p>Annex 0200000 Spec Item 2.6.8 Page 21</p>	<p>Questions:</p> <ol style="list-style-type: none"> <li>1. Does the Government have a Quality Assurance Surveillance Plan (QASP) to evaluate contractor performance?</li> <li>2. If the Government has a QASP, is it available to the contractor?</li> </ol>	<ol style="list-style-type: none"> <li>1. No. The USG utilizes the NAVFAC Performance Assessment (PA) methodology.</li> <li>2. Refer to #1 above.</li> </ol>
57	<p>Housing for All Other Personnel</p> <p>Annex 0200000 Spec Item 2.7.7.2 Pages 33-35 Attachment J-0200000-33 Seabreeze Contractor Housing Concept</p>	<p>Questions:</p> <ol style="list-style-type: none"> <li>1. Is there a phasing plan that shows flow of personnel to temporary camp housing which includes relocation of areas?</li> <li>2. The Government asserts that "The Contractor shall be fully responsible for housing approximately 65% of its non-management workforce or about 1086 persons using Contractor provided housing by the end of the Contract." Does the Contractor retain ownership of this housing at the end of the contract?</li> <li>3. Spec Item states "The Government will also make available temporary GFF to act as swing spaces while the Contract works towards housing 65% of its workforce in Contractor provided housing. Those temporary GFF will also be provided to the Contractor in an "as-is" condition." What are those GFF units?</li> <li>4. Is adequate sand and gravel available on island for use with temporary construction of CLUs?</li> <li>5. Spec Item states "The Contractor shall continue to maintain and repair Contractor and Government furnished housing units under its cognizance at Contractor expense to ensure clean, safe, and habitable conditions for Contractor employees." Does the Government expect the contractor to clean the interior of the employees quarters for them?</li> </ol>	<ol style="list-style-type: none"> <li>1. No. Refer to USG initial concept for demolishing GFF, Attachment J-0200000-32 GFF Demolition Schedule which is subject to change along with Attachment J-0200000-33 Contractor Housing Concept which is also subject to change.</li> <li>2. Yes.</li> <li>3. Per Annex 0200000, 2.7.7.2 Housing for All Other Personnel, the USG "will also make available temporary GFF to act as swing spaces while the Contract works towards housing 65% of its workforce in Contractor provided housing. Those temporary GFF will also be provided to the Contractor in an "as-is" condition". Refer to Annex 0200000 J-0200000-03 Facilities.</li> <li>4. There is no suitable approved source for gravel on-island. Contractors must determine the best way to obtain and price the appropriate materials required to comply with Annex 0200000 Spec Item 2.7.7.2 Housing for All Other Personnel.</li> <li>5. Per Annex 0200000, 2.7.7.2, the "Contractor shall ensure current and future Contractor employee living facilities (cantonments and villages for example) especially for non-management personnel, whether it is Contractor or Government provided, are habitable, safe, sanitary and meets at the minimum applicable UFC and EM385-1-1 04.A.05 standards." Offerors are free to determine the best method in their proposals.</li> </ol>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

58	<p>Meals for Non-Management Personnel</p> <p>Annex 0200000 Spec Item 2.7.7.4 Page 35</p>	<p>Discussion: The BOSC Galley is provided in an "as is" condition yet is a GFF.</p> <p>Questions: 1. Will the Government please provide an assessment of the conditions of the facility and equipment? 2. Should the basic structure (refrigeration, freezer boxes, etc.) disrepair, is the contractor responsible for bringing it into a safe and operable condition for standard of living?</p>	<p>1. Yes. Refer to J-0200000-03 Facilities and J-1501000-06 ICAP DG Dynamic Assets as of July 20 2015.</p> <p>2. Yes, the contractor is responsible for bringing facilities and equipment to a safe and operable condition. Annex 0200000, Spec Item 2.4.1, USG-Furnished Facilities (GFF). "USG Furnished Facilities are facilities available upon request for Contractor use and are provided "as is". Further, the "Contractor will maintain and repair all Contractor utilized GFF at Contractor expense and maintain GFF based upon minimum safety and building standards including but not limited to EM385-1-1 and relevant UFCs."</p>
59	<p>Medical Evacuation</p> <p>Annex 0200000 Spec Item 2.10.5 Page 54</p>	<p>Questions: 1. On the average, how many Medical Evacuations are dispatched per year for the contractor?</p>	<p>1. For Annex 0200000, Spec Item 2.10.5 Medical Evacuation (MEDEVAC), the average number ranges about 8-10 medical evacuations per year. The Spec Item has been updated and included in this Amendment 0003.</p>
60	<p>Key personnel resumes and letters of intent</p> <p>RFP Section L, VOLUME II – NON-COST/PRICE PROPOSAL, Factor D (page 90) and Factor C (page 89)</p>	<p>Discussion: Currently, 6 resumes are required for Annex 2 (not including SSHO resume), with an estimated two pages each for a total 12 pages. Additionally, letters of intent require 6 pages, bringing the total to 18 pages. It will be difficult to adequately and thoroughly discuss the Management Approach, as required by sections L and M, within the remaining 17 pages under Factor D.</p> <p>Questions: 1: Will the Government exclude required resumes and letters of intent from the Factor D 35 page count?  2: Please confirm the SSHO resume and letter of acceptance do not count as part of the 5-page limit for Factor C Safety.</p>	<p>1. No.</p> <p>2. No. The Site Safety and Health Officer resume and letter of acceptance does count as part of the 5 page maximum.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

61	<p>Page limits for organization charts</p> <p>RFP Section L, VOLUME II – NON-COST/PRICE PROPOSAL, Factor D (page 89)</p> <p>RFP Section L, VOLUME II – NON-COST/PRICE PROPOSAL, Factor E (page 90)</p>	<p>Discussion: The requirement states that “Offerors shall demonstrate the staffing approach for the overall contract (Annex 2) showing lines of management authority, supervision, span of control and accountability.” Additionally, in factor E, section L requires to submit “a staffing plan identifying the proposed organization and workforce including project management planned for each Annex/Sub-Annex.” These requirements may necessitate additional pages for organization charts to provide sufficient amount of detail.</p> <p>Questions: 1. Will the Government exclude organization charts from the page count in both factors D and E?</p>	1. No.
62	<p>JL-6 Resources Sheet</p> <p>RFP Section L, VOLUME II – NON-COST/PRICE PROPOSAL, Factor E (page 90)</p>	<p>Questions: 1. Please confirm that filled out JL-6 for each Annex is outside of page count?</p>	1. Yes, JL-6 Resources Worksheet is excluded from the 350 page limit. The section has been updated and issued the Amendment 0003
63	<p>Mission Essential Services Plan</p> <p>F-0200000_Deliverables_AM D_0002, page 6</p>	<p>Questions: 1. Please confirm that this plan is not included in page count. 2. Please clarify where this plan is to be provided.</p>	<p>1. No, this is included in the page count. 2. Factor D.</p>

**Solicitation No. N62742-16-R-3600, Diego Garcia Base Operations Support (BOS) Services Contract  
JL-8 Questions and Answers**

64	<p>Factor A: Past Performance – Performance Recognition List/Documents</p> <p>Section L, page 8 (Amendment 0002), paragraph A.1 Volume II</p>	<p>Discussion: Section L for VOLUME II – NON-COST/PRICE PROPOSAL states: “(1) Factor A (Past Performance) – The maximum is five (5) pages. In addition include a one (1) page list of performance recognition documents. See Factor A for details.”</p> <p>Details in FACTOR A: PAST PERFORMANCE state to “Include performance recognition documents received on relevant contracts within the last 5 years such as awards, award fee determinations, customer letters of commendation, and any other forms of performance recognition.”</p> <p>Questions: 1. Does the Government require full copies of performance recognition documents or a one page list of performance recognition documents? Please clarify. 2. If full copies of performance recognition documents are required, will the Government exclude them from the page count?</p>	<p>1. No. The maximum amount of pages for performance recognition documents is one.</p> <p>2. See #1 above.</p>
----	---	--	---