

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 6
2. AMENDMENT/MODIFICATION NO. 0003	3. EFFECTIVE DATE 09-Jul-2015	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY NAVFAC SOUTHEAST IPT SOUTH CENTRAL BLDG 135, PO BOX 30 NAS JACKSONVILLE JACKSONVILLE FL 32212-0030	CODE N69450	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. N69450-15-R-1612	
		X	9B. DATED (SEE ITEM 11) 04-Jun-2015	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose of this amendment is to post PPI responses and revise Drawings and Specifications.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 09-Jul-2015

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

AMENDMENT 0003

1. Provide the following additions/changes to Drawings and Specifications:

Add Drawings Sheet A731 Signage, dated 6/29/2015.

The following drawings, bearing revision date of 6/29/2015 supersede drawings bearing the same number and title:

Revised Sheets:

Sheet	Narrative of change
A101	Finish schedule added.
A105	Added color finish schedule.
A200	1. Replaced EIFS with masonry. 2. Add Building number. 3. Ext. finish schedule added.
A301	Replaced EIFS with masonry.

<u>SPECIFICATION</u>	<u>CHANGE</u>	<u>TITLE/DESCRIPTION OF CHANGE</u>
04 20 00	1	Under 2.16 WEEP HOLE VENTILATORS; Change the last sentence "Color of mesh shall be selected by Contracting Officer from manufacturers standard color chart." to read "Color of mesh shall be black."
06 41 16.00 10	1	Under 1.4.2 MOCK-UPS; Change the third sentence "The mock-up shall utilize specified finishes in the patterns and colors selected." to read "The mock-up shall utilize specified finishes in the patterns and colors as indicated on drawings."
06 61 16	1	Under 2.3.5 COUNTER AND VANITY TOPS; Change the seventh sentence "Solid polymer material shall be of a pattern and color selected by Contracting Officer." to read "Solid polymer material shall be of a pattern and color as indicated on the drawings."

07 24 00	1	Delete Section 07 24 00 in its entirety.
07 41 13	1	Under 2.2 FACTORY FINISH AND COLOR PERFORMANCE REQUIREMENTS, subpart e; Change "The exterior finish chosen from the manufacturer's standard and custom color chart." to read "The exterior finish shall be as indicated on the drawings."
07 92 00	1	Under 2.1.1 INTERIOR SEALANT, subparts a, b, c, d, e, f, g and h; Change "As selected" to read "Match adjacent finish".
	2	Under 2.1.3 FLOOR JOINT SEALANT, subparts a and b; Change "As selected" to read "Match adjacent finish".
	3	Under 2.4.5 BUTYL RUBBER BASED; Change "...color as selected" to read "color shall be black".
	4	Under 2.4.6 SILICON RUBBER BASE; Change "...color as selected" to read "color shall be black".
08 14 00	1	Under 2.3.6.2 COLOR; Change "Provide door finish colors as selected by Contracting Officer." to read "Provide door finish colors as indicated on the drawings."
08 51 13	1	Under 1.4.2.1 FINISH SAMPLE REQUIREMENTS; Change "Submit color chart of standard factory color coatings when factory-finish color coating is to be provided." to read "Color shall be as indicated on the drawings."
08 71 00	1	Replace Section 08 71 00 with the attached Section 08 71 00 DOOR HARDWARE.
08 81 00	1	Replace Section 08 81 00 with the attached Section 08 81 00 GLAZING.
08 91 00	1	Under 2.4.1 ALUMINUM; Change the second sentence "Color shall be dark bronze." to read "Color shall be as indicated on the drawings."
09 30 00	1	Under 2.1 TILE; Change the ninth sentence "Coordinate the Color as selected." to read "Color as indicated on the drawings."
	2	Under 2.1.1 MOSAIC TILE; Change the last sentence "Coordinate the color as selected." to read "Color as indicated on the drawings."

	3	Under 2.4 MARBLE THRESHOLDS; Change second sentence "Provide a fine sand-rubbed finish marble with white in color as approved by the Contracting Officer." to read "Provide marble with finish and color as indicated on the drawings."
09 51 00	1	Under 2.5 COLORS AND PATTERNS; Change "Use colors and patterns for acoustical units and suspension system components as selected by Contracting Officer." to read "Use color and patterns for acoustical units and suspension system components as indicated on the drawings."
09 62 38	1	Under 2.7 MANUFACTURER'S COLOR, PATTERN AND TEXTURE; Change the first sentence "Provide color, pattern and texture as selected by Contracting Officer." to read "Provide color, pattern and texture as indicated on the drawings."
09 65 00	1	Under 2.8 MANUFACTURER'S COLOR, PATTERN AND TEXTURE; Change the first sentence "Provide color, pattern and texture for resilient flooring and accessories as selected by Contracting Officer." to read "Provide color, pattern and texture for resilient flooring and accessories as indicated on the drawings."
09 90 00	1	Under 1.10 COLOR SELECTION; Change the first sentence "Colors of finish coats shall be as selected by Contracting Officer." to read "Colors of finish coats shall be as indicated on the drawings."
	2	Under 1.10 COLOR SELECTION; Change the third paragraph "Color, texture, and pattern of wall coating systems shall be as selected by Contracting Officer." to read "Color, texture, and pattern of wall coating systems shall be as indicated on the drawings."
10 51 13	1	Under 2.2.2.1 COLOR; Change "As selected by Contracting Officer from manufacturers standard color chart." to read "Color shall be as indicated on the drawings."
12 21 00	1	Under 2.2 COLOR; Change "Provide color, pattern and texture as selected by Contracting Officer from manufacturers standard and custom chart." to read "Provide bronze color with matt finish."
26 56 00	1	Replace Section 26 56 00 with the attached Section 26 56 00

EXTERIOR LIGHTING.

- 27 10 00 1 Under 2.5.3 COVER PLATES; Change second sentence “Coordinate with architect for color.” to read “Color shall be ivory.”
- 28 31 76 1 Replace Section 28 31 76 with the attached Section 28 31 76 INTERIOR FIRE ALARM AND MASS NOTIFICATION SYSTEM.
- 31 00 00 1 Replace Section 31 00 00 with the attached Section 31 00 00 EARTHWORK.
- 32 11 23 1 Delete Section 32 11 23 in its entirety.
- 32 11 24 1 Replace Section 32 11 24 with the attached Section 32 11 24 GRADED CRUSHED AGGREGATE BASE COURSE FOR FLEXIBLE PAVEMENT.
- 32 12 17 1 Under 1.2 SUBMITTALS; Add a “G” designation to “Job-mix formula” under SD-05 Design Data; Add a “G” designation to “Bituminous mixture tests”, “Aggregate tests” and “Bituminous mix tests” under SD-06 Test Reports.

- 2 Under 2.1.4 AGGREGATE GRADATION, Table I; Change Table I as follows:

Table I. Aggregate Gradations	
Sieve Size, inch	Gradation 1
	Percent Passing by Mass
1	100
3/4	100
1/2	97-100
3/8	83-100
No. 4	58-80
No. 8	42-62
No. 30	20-40
No. 100	5-20
No. 200	2-9

- 3 Under 2.3.1 JMF REQUIREMENTS, Table II and Table III; Change Table II and Table III as follows:

Table II. Marshall Design Criteria	
Test Property	50 Blow Mix
Stability, pounds minimum	*1350
Flow, 0.01 inch	8-18

Air voids, percent	3.5-4.5
Percent Voids in mineral aggregate (minimum)	See Table III
Maximum RAPL (%)	20
*This is a minimum requirement. The average during construction shall be significantly higher than this number to ensure compliance with the specifications.	

Table III. Minimum Percent Voids in Mineral Aggregate (VMA)**	
Aggregate (See Table II)	Minimum VMA, Percent
Gradation 1	14.5
**Calculate VMA in accordance with AI MS-2, based on ASTM D2726/D2726M bulk specific gravity for the aggregate.	

32 17 24.00 10	1	Under 2.1 PAINT; Change "Paints shall conform to FS TT-P-1952, color as selected." to read "Paints shall conform to FS TT-P-1952, color shall be white."
32 31 14	1	Add Specification Section to project manual

The following documents have been added to the RFP:

- 1) PPI Log dated 7/9/2015 has been posted to NECO under the Additional Documents section.
- 2) "Revised Drawings and Specifications for Amendment 0003" file has been posted to NECO under the Additional Documents section.

All other solicitation terms and conditions remain unchanged.

(End of Summary of Changes)