

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 2	
2. AMENDMENT/MODIFICATION NO. 0001		3. EFFECTIVE DATE 30-Mar-2016	4. REQUISITION/PURCHASE REQ. NO.		5. PROJECT NO.(If applicable)
6. ISSUED BY NAVFAC SOUTHEAST SOUTH TEXAS AREA PWD CORPUS CHRISTI/PWD INGLESIDE 8851 OCEAN DRIVE, BLDG 19 CORPUS CHRISTI TX 78419-5525		CODE N69450	7. ADMINISTERED BY (If other than item 6) See Item 6		CODE
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)			X	9A. AMENDMENT OF SOLICITATION NO. N69450-16-Q-3227	
			X	9B. DATED (SEE ITEM 11) 23-Mar-2016	
				10A. MOD. OF CONTRACT/ORDER NO.	
				10B. DATED (SEE ITEM 13)	
CODE			FACILITY CODE		
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS					
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.					
12. ACCOUNTING AND APPROPRIATION DATA (If required)					
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.					
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.					
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).					
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:					
D. OTHER (Specify type of modification and authority)					
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.					
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) STATEMENT OF WORK REVISION					
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.					
15A. NAME AND TITLE OF SIGNER (Type or print)			16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) JOEL OVERSON / CONTRACTING OFFICER TEL: 361-961-3397 EMAIL: joel.overson@navy.mil		
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)		15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 30-Mar-2016

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been added by full text:

STATEMENT OF WORK REVISION

THE STATEMENT OF WORK IS AMENDED TO ADD THE FOLLOWING:

g. The Contractor shall cut out an 8' x 6' section of wall that adjoins the Subway Restaurant in the Men's Restroom. See Attachment F for wall location. Once the wall has been exposed the contractor shall install a new 2" x 4" sill plate and sister up new 2" x 4" wall joist to the existing wall joist 16" on center. Once the wall has been repaired the contractor shall install cement board that is the same thickness as the existing wall board in the bathroom side of the wall and new green board drywall of the same thickness as the existing drywall on the Subway side of the wall. The green board shall be taped, floated and receive an orange peel texture that matches the existing wall's texture. The contractor shall then apply one (1) coat of interior latex primer and two (2) coats of an interior latex paint that matches the existing color and finish as the original paint. Once the wall has been painted the contractor will install a new ceramic tile base board that matches the existing base board.

h. The contractor shall prep the cement board on the men's bathroom side of the wall to receive new 1" x 1" wall tiles and radius tiles for the base. Radius shall match that of the existing radius base tiles. Wall tiles shall be of the same color and style as the original tiles.

(End of Summary of Changes)

STATEMENT OF WORK

REPAIR THE WALLS AND FLOORS IN THE MEN'S AND WOMAN'S BATHROOMS IN THE BOWLING ALLEY, NAS CORPUS CHRISTI, TX

Date: 29 MAR 16

PW#: BP7LZT

Written by: MIKE QUINTANILLA

1. **GENERAL DESCRIPTION:** The Contractor shall provide all supervision, transportation, labor, materials, equipment and incidental work necessary to repair the walls and floors in the men's and woman's bathrooms. See paragraph 13 for detailed statement work.
2. **LOCATION:** The work is located at Building 1707, N. A. S. Corpus Christi, Texas. See Attachment A for project location.
3. **PERIOD OF PERFORMANCE:** The period of performance is 90 calendar days. The period of performance starts when the contract/task order is awarded, and ends when the work is completed and accepted by the Government. The period of performance includes pre-construction submittals, material/equipment lead time, and all construction activities up to final acceptance. The period of performance is negotiable; hence, if the contractor believes a different/longer period of performance is needed, they should negotiate this with the Contract Specialist prior to task order/contract award.
4. **EXAMINATION OF SITE:** Bidders are expected to visit the site, take their own measurements, inspect carefully the work area and satisfy themselves as to the character and amount of work to be done. Site visits may be made at 9:00 A.M. and 1:00 P.M., Monday through Friday, and must be scheduled in advance. Arrangements to visit the site may be made by contacting the Contracting Office.
5. **WORK RESTRICTIONS:** The following work restrictions apply to this project:
 - 5.1 **Schedule hours:** The work shall be so scheduled as to cause a minimum of interference to the normal operations of the tenants. Work shall be accomplished between the hours of 7:30 A.M. and 4:30 P.M., Monday through Friday. If the Contractor desires to work on Saturday, Sunday, holidays, or outside of the Station's regular hours, an application may be submitted to the Contracting Officer for approval.
 - 5.2 **RAPID Gate:** All contractor and subcontractor personnel shall obtain a RAPID Gate pass to gain access to NAS Corpus Christi. Please allow three days for processing of all RAPID Gate applications. See <http://www.rapidgate.com> for additional information and costs. Costs incurred to obtain base access credentials are not directly reimbursable. No equitable adjustment in contract cost/price or schedule shall be allowed on account of the contractor participating in any program to obtain installation access.
 - 5.3 **Flight Line Pass:** All contractor and subcontractor personnel working on airfield or flight line shall obtain flight a line pass. The flight line pass is offered at no costs to the contractor, but

requires up to three days to process. Once the individual's application is processed, he/she shall proceed to the pass and tag office to have the flight line pass issued. Flight line passes are the property of the Government and must be returned upon completion of the project. Final payment will not be made until all cards are returned.

5.4 Airfield Vehicle Operators License: For projects located on the flight line or airfield, contractor or subcontractor personnel operating vehicles must also obtain one of two levels of licenses: (1) the Area 1 license (controlled movement areas), or (2) the Area 2 (aprons, non-runway/taxiway area). This license is required so ensure that all drivers are familiar with the airfield, its safety rules and radio protocols when operating vehicles where aircraft are present. The license must be obtained before the flight line pass. The license must be presented when obtaining the flight line pass in order to properly code the flight line pass to allow the driver to pass through the airfield access gate. Licenses are offered at no cost to the contractor.

5.4.1 Area 2 License - Area 2 includes all parking aprons, hangars, and associated facilities. To obtain an Area 2 license, vehicle operators must attend a one-hour class conducted on Tuesdays.

5.4.2 Area 1 License - Area 1 includes all runways, taxiways, and the perimeter road. To operate a vehicle in Area 1, the driver must attend an 8-hour class that is offered on Thursdays and continues into the next day(s). To obtain an Area 1 license, the operator must attend the class, pass a written test, and complete a day and night time practical test. An Area 1 license enables the driver the ability to drive on the entirety of the airfield, but the Area 2 license does not grant access to drive beyond the aprons.

5.5 Material deliveries: Material delivery trucks do not necessarily require RAPID Gate passes, flight line passes, or ramp passes. However, any material delivery driver that does not have a RAPID Gate pass must be escorted by Government personnel. To properly plan for Government escort availability, three (3) working days' notice is required for all material deliveries. Any material delivery driver that possesses a RAPID Gate pass does not require Government escort or advance notification unless the material is to be delivered on the flight line or airfield.

5.6 Time-Sensitive Material Deliveries: Time-sensitive material deliveries such as asphalt or concrete require pre-arrangement by NAS Security personnel to ensure expedited access at the entrance gate. Seven (7) calendar days' notice is required for time-sensitive material deliveries.

6. PROTECTION OF EXISTING WORK: Existing work to remain shall be protected from damage. Work damaged by the Contractor shall be repaired to original condition at no additional cost to the Government.

7. NAS FIRE REGULATIONS: "Hot work" permits are issued to the Contractor by the Fire Prevention Inspectors by calling 961-4151 or 961-4983. Permits are issued on a daily basis only and from start of work until finished. Permits are required for all "hot work" and before entering buildings. ("Hot work" includes all welding, cutting, soldering/brazing, blow torches, etc.)

8. SAFETY REQUIREMENTS: The Contractor shall comply with the safety rules and regulations pertaining to the activity, and shall govern employees according to, and in compliance with applicable OSHA Regulations and U.S. Army Corps of Engineers Safety and Health Manual EM 385-1-1. The Contractor shall maintain an accurate record of exposure data on all accidents incidental to work performed under this contract resulting in death, traumatic injury, occupational

disease, or damage to property, materials, supplies, or equipment. The Contractor shall report this data in the manner prescribed by the Contracting Officer. A written safety plan, outlining all Contractor Safety Procedures, will be required for all work under this contract, and is subject to acceptance by PWD Corpus Christi FEAD prior to commencement of work.

8.1 Lock out/ Tag Out Policy:

- a. Combination locks shall not be used for lockout;
- b. No two (2) lockout devices (locks) shall be keyed alike;
- c. No more than two (2) keys shall exist for any lock. The worker shall maintain one key, and the supervisor shall maintain the other in a location readily accessible in the event of an emergency;
- d. Both lockout and tag-out devices shall indicate the identifier of the employee applying the device(s). Tag-out devices shall include the cognizant shop (or code), the telephone number where the employee can be reached during working hours, name of his/her supervisor, date the device was applied, and the machine, equipment, or system component that is de-energized.

9. ASBESTOS AND LEAD: There is no known asbestos containing material (ACM) and/or lead based paint on this project. If additional materials are encountered which may contain ACM and/or lead, DO NOT TOUCH THE MATERIAL. IMMEDIATELY NOTIFY THE CONTRACTING OFFICER IN WRITING. Within a reasonable time, the Government will perform tests to determine if asbestos or lead is present. If the materials are determined not to contain ACM or lead, the Contractor shall proceed without change. If it is determined that ACM and/lead are present and must be disturbed, the Contracting Officer may direct a change accordingly.

10. WEIGHT HANDLING EQUIPMENT (WHE): The provision of NAVFAC Publication P-307 apply to all civilian, military, and contractor personnel who operate weight handling equipment and use crane related rigging gear on board Naval Air Station Corpus Christi, Texas.

11. EXCAVATIONS AND OUTAGES: Any excavation greater than 6 inches below grade requires an excavation permit. Any utility or HVAC outage affecting inhabited work space, inhabited living space, or exit from an inhabited work space/living space requires an Outage Permit. For Excavation and Outage contact the government point of contact listed in paragraph 13.3.

12. ATTACHMENTS: The following sketches are a part of this specification and shall not be used for any purpose other than that contemplated by this contract:

Attachment	Title
A	Project Location
B	Solid Waste Report
C	Bldg. 1707 Floor Plan

D	Photos of Existing Conditions
E	Exterior Sewer Line Location
F	Photos of Wall in Men's Room

13. SCOPE OF WORK: The services that the contractor shall provide including furnishing all supervision, transportation, equipment, labor and materials required to repair the walls and floors in the men's and woman's bathrooms.

Work tasks shall include the following;

- a. The contractor shall saw cut the existing asphalt and excavate the ground to a depth of approximately 4' to expose the existing 6" sanitary sewer line leading out of the west side of the building to where it ties into the main sewer line. See Attachment E for sewer line location.
- b. Once the existing sewer line has been exposed and removed the Contractor shall install approximately 25 feet of new 6" schedule 40 PVC pipe. The new pipe shall be tied into the existing sewer main. Once the new line has been tied back into the main sewer line the contractor shall then backfill and compact the trench leaving 3" for new asphalt. The new asphalt shall be 3" thick hand compacted so that the grade matches the existing asphalts grade. There is a grease trap line tied into the sewer line on the exterior of the building, the contractor shall re-connect that line back into the new 6" line when tying into the sewer main.
- c. The contractor shall install one (1) new Government furnished toilet in the woman's bathroom. The contractor shall furnish the wax ring and all fittings to have the toilet plumbed into the existing drain. Public Works will have the toilet on hand and shall arrange through the Public Works QA to pick up the toilet from the warehouse when ready to install it.
- d. The contractor shall install two (2) Government furnished new urinals in the men's bathroom. Public Works will have the new urinals on hand and shall coordinate with the Public Works QA to pick up the urinals from the warehouse when ready to install. The toilet in the men's room will have to be plumbed with fittings as well. The contractor will be responsible for all fittings to have the urinals and the toilet plumbed and tied into the existing drain.
- e. Once all the toilet fixtures have been installed the contractor shall back fill the hole in the floor in the men's room with the backfill soil that is sitting out behind the bowling center. The soil shall be compacted to 4" below the grade of the existing concrete floor. The contractor shall then pour reinforced concrete with a minimum 3000 psi on the floor surface to match the existing floor grade. The finished concrete floor shall be prepped and ready to be tiled. Once the concrete floor has been properly prepped the contractor shall install a ceramic tile that matches the existing floor tile style, size and color. .
- f. The holes in the walls in the men's room shall be patched with a 1/2" concrete backer board suitable to receive new wall tile. The Contractor shall then install new ceramic wall tile that matches the existing wall tile size, style and color.
- g. The Contractor shall cut out an 8' x 6' section of wall that adjoins the Subway Restaurant in the Men's Restroom. See Attachment F for wall location. Once the wall has been exposed the contractor shall install a new 2" x 4" sill plate and sister up new 2" x 4" wall joist to the existing wall joist 16" on center. Once the wall has been repaired the contractor shall install cement board that is the same thickness as the existing wall board in the bathroom side of the

wall and new green board drywall of the same thickness as the existing drywall on the Subway side of the wall. The green board shall be taped, floated and receive an orange peel texture that matches the existing wall's texture. The contractor shall then apply one (1) coat of interior latex primer and two (2) coats of an interior latex paint that matches the existing color and finish as the original paint. Once the wall has been painted the contractor will install a new ceramic tile base board that matches the existing base board.

- h. The contractor shall prep the cement board on the men's bathroom side of the wall to receive new 1" x 1" wall tiles and radius tiles for the base. Radius shall match that of the existing radius base tiles. Wall tiles shall be of the same color and style as the original tiles.

13.1 The contractor shall conduct his own survey of the site to determine existing features, conditions, and measurements. The contractor shall report any discrepancy between the statement of work and existing conditions prior to the commencement of work.

13.2 The contractor shall coordinate with the FEAD Department approximately three working days in advance of start of work to let the occupant of the building know when the construction is to take place so that they may notify their personnel to remain clear of the jobsite and to not affect scheduled work hours.

13.3 All work under this Contract is to be accomplished with FEAD Department oversight. The contractor shall coordinate with the FEAD Point of Contact site visit access. The contractor shall give notice to the FEAD Point of Contact prior to accomplishment of any work. The Point of Contact is Mr. John Suttle (361)961-2800.

13.4 Keep the jobsite clean at all times, and remove all debris from the station.

13.5. All products shall be installed according to manufacturer's recommendations.

13.6 Licensing Requirements: All work is to be accomplished with a licensed journeyman plumber or electrician that has met all current city & state certifications or license requirements to accomplish the specified work.

13.7 Submittals: Submittals shall be provided and approved prior to delivery to the job site. If submittals contain information for more than one product type, clearly indicate which product type is being submitted for approval. Provide submittals for the following materials to be furnished and delivered under this contract to the Contracting Officer for approval prior to installation:

Insert submittal list here.

The approval or acceptance of submittals is not be construed as a complete check, and indicates only that the general method of construction, materials, detailing and other information are satisfactory. Approval or acceptance will not relieve the Contractor of the responsibility for any error which may exist, as the Contractor is responsible for dimensions, the design of adequate connections and details, and the satisfactory construction of all work.

13.8 Work Schedule: Submit schedule of work to include start date and end date of all major activities.

14. PRODUCTS: Products shall be new, manufacturer's standard products, and commonly available from manufacturer's stock.

15. TERMS OF PAYMENT: A lump sum payment will be made by the Government following completion, inspection, and acceptance of all work specified, unless the Contractor requests partial payment(s) not to exceed thirty day intervals. Eligibility for partial payments will be determined by the Contracting Officer on a case by case basis. Under no circumstances will payment be made more than once in thirty days.

16. ORAL MODIFICATIONS: No oral statement of any person other than the Contracting Officer or his/her representative, as provided in the contract clause entitled "Changes" shall in any manner or degree modify or otherwise affect the terms of this contract.

17. CLEANUP: The premises shall be kept free at all times from the accumulation of waste material and/or rubbish resulting from the work. Combustibles shall be removed daily, and upon completion of the work, all debris, tools, and other surplus materials shall be removed and the premises left in approved condition.

18. ENVIRONMENTAL REQUIREMENTS: Take no action or inaction that exposes the Government to liability for non-compliance or other findings or damages, penalties or fines related thereto. In the event a regulatory agency assesses either a monetary or non-monetary fine or penalty for Contractor's noncompliance, the Contractor shall reimburse the Government for all associated cost. Remove all hazardous material and waste upon completion of the contract. Abandoned waste shall be managed as "unknown waste", and the contractor shall bear the cost of any analytical, disposal, or other costs incurred.

18.1 Regulated Waste: Regulated waste is defined as (1) hazardous waste as defined in EPA Regulations 40 CFR 261, (2) universal waste as defined in EPA Regulations 40 CFR 273, and (3) Class 1 industrial waste as defined in Texas Commission on Environmental Quality Regulations 30 Texas Administrative Code Parts 335 and 503. Manage all regulated waste and used oil in accordance with applicable federal, state, and local regulations, Navy and NASCC policies and instructions. All regulated waste shall be manifested through PWD Corpus Christi Environmental Division.

Before generating regulated waste obtain approval for storage from the Environmental Division. Application for approval shall include including location and type of storage (i.e. Satellite Accumulation Point or <90-day Storage Area). Contractor shall provide immediate access to PWD Corpus Christi Environmental Division to inspection any locked units. Contractor shall inspect their regulated waste storage areas and provide weekly inspection reports to the Government POC.

PWD Corpus Christi Hazardous Waste Commodity Branch (HWCB) provides comprehensive regulated waste disposal services. If the contractor chooses to dispose of regulated waste through the HWCB, contractor shall establish a line of credit with the HWCB and provide required waste stream information **before generating any waste**. If contractor chooses not to dispose of regulated waste through the HWCB, the contractor shall provide funding to the HWCB for manifesting services. For FY 16 the rate is \$68 per manifest. The contact phone number for the HWCB is 361-961-3760. Contractor shall contact the HWCB before make any arrangements to remove regulated waste from the installation.

18.2 Solid Waste Disposal: All waste not covered under paragraph 18.1 must be tracked by NASCC whether directly disposed in a landfill or recycled. Contractor shall recycle waste to the greatest extent feasible. The solid waste tracking form is included in Attachment B. Contractor shall provide the filled out form to the Government POC at the close of the project.

18.3 Environmental Assessment Compliance Training and Tracking System (ECATTS): The project superintendent and project quality control manager shall complete ECATTS training **prior** to starting work.

ECATTS is available 24/7 on the Internet. Contractors who perform work on more than one contract for the same installation or within the same state will not have to take the training each time they start a new project. Contractors will carry forward all applicable credits received for taking ECATTS to future contracts.

ECATTS is available at:

<http://navfac.ecatts.com>

Registration Password = navfac (case sensitive)

Sample registration instructions that can be provided to users are available from ECATTS Customer Support.

18.4 Storm Water Containment: Block solids in storm water runoff to all nearby storm sewers with silt screen. Secure all loose dirt by using temporary berm to avoid discharge to storm inlet. Storm water best management practices must be implemented in accordance with station's storm water management plan. PWD Corpus Christi Environmental Division POC is Mr. Dilip Shaw at 961-5365 or Mr. Ross Ybarra at 961-2170.


19. PMI INVENTORY CARD: Contractor shall provide a completed PMI Equipment Inventory Card included as Attachment C for each piece of dynamic equipment containing a serial number. This requirement is in addition to any other operation and maintenance information required in the Submittals paragraph.

20. ACCEPTANCE: The work shall be accepted as a result of a final inspection conducted by a representative of the Facility Engineering and Acquisition Division, Public Works Department Corpus Christi.

21. WARRANTY: All workmanship and materials and/or equipment shall be warranted for a period of not less than one year under normal wear and tear or the normal standard warranty should it extend beyond one year.

*** END OF SPECIFICATIONS ***

ATTACHMENT A PROJECT LOCATION



Project Location

ATTACHMENT B

NAVAL AIR STATION CORPUS CHRISTI TEXAS - WASTE SUMMARY SHEET

Name:
Project Title: **REPAIR THE BATHROOMS AT THE BOWLING ALLEY**
POC/Phone: **961-2267**


Number:
Delivery Order:
Project Location: **BUILDING 1707**

Activity*:
Date of Project: Start: End:

Types of Wastes	Landfill		Incinerated		**Recycled			***Composted		
	Tons	Cost	Tons	Cost	Tons	Cost	Revenue	Tons	Cost	Revenue
Metals	<input type="text"/>				<input type="text"/>					
Glass	<input type="text"/>				<input type="text"/>					
Paper & Paperboard Plastic	<input type="text"/>				<input type="text"/>					
Wood	<input type="text"/>				<input type="text"/>					
Asbestos	<input type="text"/>				<input type="text"/>					
Yard/Green Waste	<input type="text"/>				<input type="text"/>			<input type="text"/>		
Other <input type="text"/>	<input type="text"/>				<input type="text"/>					
Ethylene Glycol Antifreeze	<input type="text"/>				<input type="text"/>					
Lead-Acid Batteries Used	<input type="text"/>				<input type="text"/>					
Motor Oil	<input type="text"/>				<input type="text"/>					
Construction & Demolition	<input type="text"/>				<input type="text"/>					
General Refuse	<input type="text"/>				<input type="text"/>					

*Recycling Facility used:
 **Composting Facility used:
 *** Asbestos Disposal Facility:
 **** Waste (Hazardous/Non-Hazardous) Disposal Facility:

ATTACHMENT C



ATTACHMENT D


CUT OUT EXISITNG TILE

INSTALL NEW CEMENT BOARD
AND NEW TILE



ATTACHMENT D

INSTALL 1/2" CEMENT BOARD AND
THEN NEW CERAMIC WALL AND FLOOR
TILE TO MATCH EXISTING TILE




BACK FILL HOLE AND CAP WITH
4" OF CONCRETE

ATTACHMENT D



ATTACHMENT E

EXCAVATE EXISTING 6" SEWER LINE AND REPLACE
WITH NEW 6" SCH 40 PVC SEWER LINE



ATTACHMENT F




DRYWALL ON SUBWAY SIDE WALL TO
BE CUT OUT AND REPLACED WITH GREEN BOARD
DRYWALL OF THE SAME THICKNESS AS THE
EXISTING DRY WALL.

ATTACHMENT F



ATTACHMENT F

CUT OUT AN 8' ACROSS BY 6' UP AND DOWN SECTION OF WALL. INSTALL NEW 2X4 SILL PLATE AND "SISTER" UP NEW 2X4 STUDS TO EXISTING WALL JOISTS.



ATTACHMENT F

