

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE J	PAGE OF PAGES 1 12
2. AMENDMENT/MODIFICATION NO. 0004	3. EFFECTIVE DATE 16-Apr-2015	4. REQUISITION/PURCHASE REQ. NO. N4523A43293000		5. PROJECT NO.(If applicable)
6. ISSUED BY DLA MARITIME PUGET SOUND ATTN: JENNIFER ROONEY 467 W STREET BREMERTON WA 98314-5100	CODE SPMYM2	7. ADMINISTERED BY (If other than item 6) See Item 6		
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)		X	9A. AMENDMENT OF SOLICITATION NO. SPMYM2-15-Q-0209	
		X	9B. DATED (SEE ITEM 11) 12-Feb-2015	
			10A. MOD. OF CONTRACT/ORDER NO.	
			10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE			
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS				
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input checked="" type="checkbox"/> is extended, <input type="checkbox"/> is not extended. Offer must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning _____ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.				
12. ACCOUNTING AND APPROPRIATION DATA (If required)				
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.				
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.				
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).				
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:				
D. OTHER (Specify type of modification and authority)				
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.				
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) The purpose for this amendment is to provide revised drawings, change the delivery dates, add a new technical submittal requirement, and extend the closing date and time from 24 Mar 2015 to 04 May 2015.				
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.				
15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)		
		TEL:	EMAIL:	
15B. CONTRACTOR/OFFEROR _____ (Signature of person authorized to sign)	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA BY _____ (Signature of Contracting Officer)		16C. DATE SIGNED 16-Apr-2015

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

SUMMARY OF CHANGES

SECTION SF 30 - BLOCK 14 CONTINUATION PAGE

The following have been modified:

1. The Contractor's POC is

Phone:

Fax:

E-mail:

2. DLA POC is Ms Jennifer Rooney

Phone: 360-476-8844

Fax: 360-476-4121

E-mail: jennifer.rooney@dla.mil

3. Invoice Information:

The contractor shall utilize the electronic invoicing upon delivery of supplies indicated herein. Invoice may be submitted not more than one every two weeks. Invoices must be submitted electronically using Wide Area Work Flow (WAWF) – Receipt and Acceptance. The contractor shall self-register at the web site: <https://wawf.eb.mil>. Contractor training is available on the Internet at <https://wawftraining.eb.mil>.

Additional support can be accessed by calling the NAVY WAWF Assistance Line: 1-877-251-9293.

See clause 252.232-7006 for WAWF table.

4. Inspection Level:

QA 4 7 days inspection

5. Navy Commercial Access Control System (NCACS) Project

Commander, Navy Installations Command (CNIC), has established the Navy Commercial Access Control System (NCACS), a standardized process for granting unescorted access privileges to vendors, contractors, and suppliers not otherwise entitled to the issuance of a Common Access Card (CAC) who seek access to and can provide justification to enter Navy installations and facilities. Visiting vendors may obtain daily passes directly from the individual Navy installation by submitting identification credentials for verification and undergoing a criminal screening/background check. Alternatively, if the vendor chooses, it may voluntarily elect to obtain long-term credentials through enrollment, registration, background vetting, screening, issuance of credentials, and electronic validation of credentials at its own cost through a designated independent contractor NCACS service provider. Credentials will be issued every five years and access privileges will be reviewed/renewed on an annual basis. The costs incurred to obtain Navy installation access of any kind are not reimbursable, and the price(s) paid for obtaining long-term NCACS credentials will not be approved as a direct cost of this contract. Further information regarding NCACS can be found at http://cnic.navy.mil/CNIC_HQ_Site/ (under "Popular Links") or <http://rapidgate.com>

All deliveries to CNRNW commands must pass through the base Truck Inspection Station. All delivery vehicles are subject to inspection. Drivers should expect delays due to heightened security.

For access to the main, perimeter gates at any Navy Base Kitsap installation, contractors are required to be a US Citizen and have either:

- (a) RAPIDGate badge or
- (b) Request a One-day Visitor badge at Pass & ID. Be prepared to present:

- Photo ID
- Original proof of citizenship (any one of the following is acceptable):
 - State Certified Birth Certificate (must have the raised seal)
 - Unexpired U.S. passport/Passport Card
 - Alien Registration Card
 - State Issued ENHANCED Drivers License
 - Naturalization papers
 - Certificate/Statement of Birth Born Abroad)
- Current vehicle registration and insurance
- Bill of lading that has the delivery address on it

Please note: The RAPIDGate badge does not give access through the second, OA gate to lower base Bangor or to the CIA area at PSNS. To access to either the OA Gate or CIA area, a Navy Region Bangor or NAVSEA Badge is required.

To request a NAVY REGION NW badge, <https://www.bavr.enic.navy.mil/>. Sponsor email is jennifer.way@dla.mil

To request a NAVSEA badge, call PSNS Pass & ID 360-476-4882.

YOU CAN NOW UTILIZE THE ON-LINE ENROLLMENT FORM TO ENROLL IN THE RAPIDGate PROGRAM. THE WEBSITE IS <HTTPS://EFORM.RAPIDGATE.COM> FOR ENROLLMENT. THIS PROCESS IS A FAST WAY TO ENROLL AT 1 OR MANY INSTALLATIONS/FACILITYIES 24 HOURS A DAY 7 DAYS A WEEK.

NOTES TO OFFEROR

1. AFATA on the delivery information is being used to identify different delivery time requirements for the Contract Data Requirements List (CDRL) subCLINs; each CDRL 0007 subCLIN using the AFATA in the delivery information will identify what AFATA means.
2. Offerors quote must be valid for 90 days.
3. The Government requirement for delivery of the CLINS ~~0004, 0005, and 0006~~ 0001, 0002, and 0003 have a higher priority than the delivery of CLINs ~~0001, 0002, and 0003~~ 0004, 0005, and 0006. (**Modified per Amendment 0004**)
4. All name brand items called out for in the drawings are not sole sourced products. Offerors may quote "equivalent" products; see LPTA Submittal, LPTA Evaluation Criteria, and FAR 52.211-6 for additional information needed when quoting equivalent products.

5. If an offeror chooses to submit its quote electronically, via email, the quotes shall be sent to dlapugetquotations@dla.mil with Attn: Jennifer in the subject line. (Added Amendment 0004)

SECTION SF 1449 - CONTINUATION SHEET

SOLICITATION/CONTRACT FORM

The required response date/time has changed from 24-Mar-2015 02:00 PM to 04-May-2015 02:00 PM.

SUPPLIES OR SERVICES AND PRICES

CLIN 0001

The CLIN extended description has changed from (2) WEST TOWERS AND (2) EAST TOWERS. TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1833, REV. A. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, A. TORQUE BASED LOAD TESTING TO BE IN ACCORDANCE WITH DWG 2301-3411, REVISION D. CDRLS A001 THROUGH A016 APPLY to (2) WEST TOWERS AND (2) EAST TOWERS. TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1833, REV. B. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, B. TORQUE BASED LOAD TESTING TO BE IN ACCORDANCE WITH DWG 2301-3411, REVISION D. CDRLS A001 THROUGH A016 APPLY.

CLIN 0002

The CLIN extended description has changed from TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1831, REV. A. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION A. CDRLS A001 THROUGH A016 APPLY to TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1831, REV. B. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION B. CDRLS A001 THROUGH A016 APPLY.

CLIN 0003

The CLIN extended description has changed from TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1834, REV. A, WITH QUANTITIES AND TYPES IDENTIFIED IN DWG 2370-1833, REV A. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION A. CDRLS A001 THROUGH A016 APPLY to TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1834, REV. A, WITH QUANTITIES AND TYPES IDENTIFIED IN DWG 2370-1833, REV B. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION B. CDRLS A001 THROUGH A016 APPLY.

CLIN 0004

The CLIN extended description has changed from (1) WEST TOWERS AND (1) EAST TOWERS. TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1832, REV. A. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION A. TORQUE BASED LOAD TESTING TO BE IN ACCORDANCE WITH DWG 2301-3411, REVISION D. CDRLS A001

THROUGH A016 APPLY to (1) WEST TOWERS AND (1) EAST TOWERS. TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1832, REV. B. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION B. TORQUE BASED LOAD TESTING TO BE IN ACCORDANCE WITH DWG 2301-3411, REVISION D. CDRLS A001 THROUGH A016 APPLY.

CLIN 0005

The CLIN extended description has changed from TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1830, REV. A. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION A. CDRLS A001 THROUGH A016 APPLY to TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1830, REV. B. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION B. CDRLS A001 THROUGH A016 APPLY.

CLIN 0006

The CLIN extended description has changed from TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1834, REV. A, WITH QUANTITIES AND TYPES IDENTIFIED IN DWG 2370-1833, REV A. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION A. CDRLS A001 THROUGH A016 APPLY to TO BE MANUFACTURED IN ACCORDANCE WITH DWG 2370-1834, REV. A, WITH QUANTITIES AND TYPES IDENTIFIED IN DWG 2370-1833, REV B. ADDITIONAL GENERAL NOTES AND SPECIFICATIONS TO BE IN ACCORDANCE WITH DWG 2370-1835, REVISION B. CDRLS A001 THROUGH A016 APPLY.

SUBCLIN 0007AA

The CLIN extended description has changed from (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AB

The CLIN extended description has changed from (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO MANUFACTURE OF BRBPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO MANUFACTURE OF BRBPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AC

The CLIN extended description has changed from (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO START OF CONSTRUCTIONPER DRAWING 2370-1835, REVISION A to (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO START OF CONSTRUCTIONPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AD

The CLIN extended description has changed from (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AE

The CLIN extended description has changed from (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AF

The CLIN extended description has changed from (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AG

The CLIN extended description has changed from (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO START OF CONSTRUCTIONPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO START OF CONSTRUCTIONPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AH

The CLIN extended description has changed from (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AJ

The CLIN extended description has changed from (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO FABRICATION OF BRBPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO FABRICATION OF BRBPER DRAWING 2370-1835, REVISION B.

SUBCLIN 0007AK

The CLIN extended description has changed from (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO SHIPMENT OF BRB FROM MANUFACTUREPER DRAWING 2370-1835, REVISION A to (2) DRAFT (2) FINALAFATA IN THE DELIVERY INFORMATION MEANS: PRIOR TO SHIPMENT OF BRB FROM MANUFACTUREPER DRAWING 2370-1835, REVISION B.

DELIVERIES AND PERFORMANCE

The following Delivery Schedule item for CLIN 0001 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
01-FEB-2016	4	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
20-MAR-2016	4	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

The following Delivery Schedule item for CLIN 0002 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
01-FEB-2016	2	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
20-MAR-2016	2	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

The following Delivery Schedule item for CLIN 0003 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
---------------	----------	-----------------	-----

01-FEB-2016	24	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A
-------------	----	--	--------

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
20-MAR-2016	24	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

The following Delivery Schedule item for CLIN 0004 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
01-SEP-2015	2	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
20-JUN-2016	2	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

The following Delivery Schedule item for CLIN 0005 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
---------------	----------	-----------------	-----

01-SEP-2015	1	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A
-------------	---	--	--------

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
20-JUN-2016	1	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

The following Delivery Schedule item for CLIN 0006 has been changed from:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
01-SEP-2015	12	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

To:

DELIVERY DATE	QUANTITY	SHIP TO ADDRESS	UIC
20-JUN-2016	12	PUGET SOUND NAVAL SHIPYARD RECEIVING OFFICER PSNS BLDG 514 1400 FARRAGUT AVE N4523A BREMERTON WA 98314-5001 360-476-7640 FOB: Destination	N4523A

The following have been modified:

ATTACHMENTS

Attachment One (1) Revised Drawings

2301-3411 Rev D	2 Pages
2370-1830 Rev A B	20 21 Pages (modified per Amendment 0004)
2370-1831 Rev A B	21 22 Pages (modified per Amendment 0004)
2370-1832 Rev A B	28 Pages (modified per Amendment 0004)
2370-7833 Rev A B	28 Pages (modified per Amendment 0004)
2370-1834 Rev A	8 Pages
2370-1835 Rev A B	4 Pages (modified per Amendment 0004)

Attachment Two (2) CDRLs and DIDs

CDRL A001	Shipping Plan	1 Page
CDRL A002	Buckling-Restrained Brace Calculations	1 Page
CDRL A003	Qualifications	1 Page
CDRL A004	Load Test Reports	1 Page
CDRL A005	Final Survey Reports	1 Page
CDRL A006	Coating DFT Inspections	1 Page
CDRL A007	QC Written Practices	1 Page
CDRL A008	Welding/Bolting Procedures	1 Page
CDRL A009	BRB Quality Assurance Plan	1 Page
CDRL A010	BRB Material Test Report	1 Page
CDRL A011	Certifications	1 Page
CDRL A012	Certifications	1 Page
CDRL A013	Test Reports	1 Page
CDRL A014	Product Data	1 Page
CDRL A015	Product Data	1 Page
CDRL A016	Shop Drawings	1 Page
DI-TMSS-80527C		1 Page
DI-QCIC-80553A		1 Page
DI-GDRQ-80650		1 Page
DI-DRPR-80651		1 Page
DI-MISC-80678		1 Page
DI-NDTI-80809B		3 Pages

PROPOSAL SUBMITTAL REQUIREMENTS (LPTA)

Offerors shall submit the following information with their offer:

1) TECHNICAL

a) Compliance/Exceptions - On a separate sheet of paper, identify any “exceptions” to the specifications and state precisely how the offered supplies/services differ from the applicable specification paragraph(s). Any exception which is not expressly approved by the contracting officer in writing is hereby rejected and void. Failure to comply with the submittal requirements of this paragraph may result in rejection of the offer.

b) Product Information - This information is mandatory. Submit duplicate copies if any literature is provided with the offer. Data displaying more than one model or size shall be clearly marked so as to indicate the specific item being offered. **It will be presumed that the offeror intends to meet all of the specifications, regardless of product information provided, unless the offeror specifically notes its exception per the preceding paragraph.**

c) Technical Capability Statement - not to exceed 5 pages.

d) List of Equipment – to be used for the manufacture of the drawings.

e) **AISC Certification or Company Quality Control Manual in accordance with general note 12.4 on drawing # 2370-1835 Rev B (Added Amendment 0004)**

f) Brand name or equal – The drawing call out for brand name or equivalent items. **All vendors must provide the following information for any equivalent items being offered.** Any vendor not providing this information with its quote will be considered to be offering the name brand items identified in the drawings.

- i. Manufacture name,
- ii. Part nomenclature and number, and
- iii. Commercial specifications for equivalent part(s) being offered

2) PRICE

Proposed pricing shall be provided on a unit price line item basis in the solicitation.

3) The entire completed and signed solicitation shall be returned as part of your offer. Also, be sure to complete all certifications in the solicitation.

- a. Provisions required to be filled in and returned:
 - i. 52.212-3 ALT I Offeror Representations and Certifications – Commercial Items (unless completed and current in SAM for applicable NAICS code)
 1. Please notate on quote if Reps and Certs are electronically complete in SAM.
 - ii. 252.209-7994 Representation by Corporations Regarding an Unpaid Delinquent Tax Liability or a Felony under any Federal Law – Fiscal Year 2014 Appropriations
 - iii. 252.247-7022 Representation of Extent of Transportation by Sea
 - iv. Contractor Point of Contact
 - v. Certification Regarding Actual Manufacturer (Business Size Identification)

LOW PRICE TECHNICALLY ACCEPTABLE EVALUATION

The contract resulting from this solicitation will be awarded based on the following evaluation factors:

- (1) Technical: Offers must meet or exceed the specifications in the solicitation and any subsequent amendments. If applicable, offers must also meet the requirements of FAR 52.211-6 Brand Name or Equal.

Technical Capability Statement, List of Equipment, **certification (Added Amendment 0004)**, and brand name or equal components will be evaluated in order to determine an offeror's quote technically acceptable.

- (2) Price: For offers which meet all other evaluation factors, award will be made to the low offeror based on price and the following price evaluation criteria:

(X) Single Award evaluation per the paragraph entitled "Single Award for All Items".

- (3) Delivery: Offerors must meet the required delivery date or propose an alternative.

- (4) Responsibility: Offerors must meet the standard for FAR 9.104.

- (5) Other:

(X) Must meet size standard identified on page 1 or in FAR provision 52.219-1, if a set-aside.

(End of Summary of Changes)